creative Computing

the #1 magazine of computer applications and software

Graphics and Animation:

- Apple Picture Packer
 "Alien" I and in a Control
- "Alien" Landing Sequence
- Colored Tapestries
- Pictures by Funny Numbers
- Atari Graphics Techniques
- TRS-80 Screen Displays
- Graphics for OSI
- The Computers of Hollywood
- Spectacular Graphics at NYIT

All About Digital Music Synthesis

Complete Listing of Android Nim

In-Depth Evaluations:

- Anadex DP9501 Printer
- 80-Grafix Board
 Apple Graphics Utilities
- War Games and Fantasy Games
 - TC-8 Cassetté System



NEW!

THE COMPLETE COMPUTER CATALOG

TRE/KARDSIDE



CIRCLE 183 ON READER SERVICE CARD

INJULY

creative

Emphasis on Word Processing

Evaluations:

- 7 Printers Plus Comparison Chart
- Dynatyper
- · Pencil vs. Scripsit
- CP/M Word Processor
- Spellguard
- Super Script
- Scripmod
- Magic Window
- Mailbag
- · The Last One
- PFS Data Base
- Comparison of DOSes
- Word Processing Primer
- Envelope/Label generator
- Columnar Output
- "Original Adventure" for 32K Atari?
- Music Synthesis
 —Part 2
- More on Atari Graphics



Attention: Programmers

Best sellers. Bolts out of the blue? Not everyone can write Super Invader or Air Traffic Controller or Stock and Options

At this point, we don't know. We suspect are lurking in the back of somebody's com-

I could get carried away about thiseveryone is a potential Hemingway or Tahito but let's cut it short Send your programs, well-documented of course, with a stamped return envelope to us. A publisher of another well-known magazine promises that every program author will get rich beyond his wildest dreams. We don't. But we do pay an advance on accepted programs. Most other companies don't. We also pay a generous royalty (which has produced a nice income for the authors of Super Invader, Adventure, Air Traffic Controller and others) We'll do our best to get your program into production as soon as possible. We'll promote it widely, And, if we can, we'll make you famous and rich-in

Send your programs on disk (preferably) or tape (ugh) with documentation (typed lope to Creative Computing Software Submissions, 39 East Hanover Avenue, Morris

Complete 6-year Index

Find it Fast!

Our new 6-year cumulative index lists 1980 The index lists not only the issue in Volumes 1, 2 and 3. It also lists all the articles

listed by title and author Over 3500 separate

Price of this huge index is just \$2.00 or two you li find the index of great value

creative computing

Morris Plains, NJ 07950

Mountain Computer put it all together for you.



The CPS MultiFunction Card

Three cards in one! The Mountain Computer CPS MultiFunction Card provides all the capabilities of a serial interface, parallel output interface and real-time clock/calendar—all on one card—occupying only one slot in your Apple Π^* . Serial and Parallel output may be used simultaneously from CPS. CPS is configured from a set-up program on diskette which sets the parameters such as baud rate, etc.) for all functions contained on the card and is stored in CMOS RAM on the card. Once you have configured your card, you need never set it up again. You may also change parameters from the keyboard with control commands. All function set-ups stored on-board are battery powered for up to two years, "Phantom slot" capability permits assigning each of the functions of CPS to different slots in your Apple without the card actually being in those slots! For example, insert CPS in slot #4 and set it up so that is simulates a parallel interface in slot #1 and a clock in slot #7 and leave the seniph. Heart Set of the sure and series up so that is smidtless a parallel internace in social and is cock in soft at an deale the serial port assigned to sold 44. CPS's on-board intelligence lets it function in a wide-variety of configurations grower programs. "We've put it all together for you'—for these reasons and many more! Drop by your Apple dealer and see for yourself how our CPS Multifunction Card can expand the capabilities of your Apple and the support of the series of your Apple and the support of the series of your Apple and the support of th save you a great deal of money as well

Calendar/Clock

- One second to 99 years
- Battery backed-up | 2 years
- Two AA standard alkaline batteries
- for back-up provided

Compatible with MCI Apple

Parallel Output

- Features auto-line feed, Apple tabbing, line length, delay after carriage return, lower to upper case conversion
- Centronics standard-
- reconfigurable to other standards Status bit handshaking

- Features auto-line feed, transparent terminal mode, Apple tabbing, line length, delay after carriage return, local echo of output characters, simultaneous serial/parallel output, lower to upper case conversion, discarding of extraneous LFs from serial input
- Uses the powerful 2651 serial
- 16 selectable internal baud rates-50 to 19.2Kbaud
- Half/Full duplex terminal operation
- I/O interface conforms to RS-232C
- Asynchronous/Synchronous operation

Mountain Computer

200 Fl Pueblo Scotts Valley, CA 95066 TWX: 910 598-4504 408 438-6650

*Apple and Apple II are registered trademarks of Apple Computer Inc.



In This Issue.

evaluations & profiles				
17	Programma 80-Graftx Board	Holtz		
22	Anadex DP9501 Printer For correspondence and graphics	Mellar		
26	TNW 2000 An IEEE 488/RS-232C interface	Towers		
28	TC-8 Cassette Operating System The poor man's floppy	Kyle		
30	Fantasy Games Classics and new releases	Lubar		
36	Computer Warfare Five games from Avalon Hill	Archibald		
40	Warp Factor New from Strategic Simulations	Lubar		
42	Apple Graphics Utilities Aids for serious programmers	_ Lubar		

anticles

140 Higher Graphics II

46 Creating Paintings/Programs
The cover story

Behind the scenes in Alien

48 Landing the Nostromo

56	Pictures for an Exhibition The Computer Graphics Lab at NYIT	Lubar
62	Evolution of an Artist's Tool	. Kolomyjec
66	Leo Christopherson Profile of a Legend	Liddil
82	The Computers of Hollywood Special audio and visual effects	. Hackmeister
88	Digital Music Synthesis	Chamberlin

	Software Techniques	
102	Pictures by Funny Numbers Vedic, Latin and Magic Squares	Dietrich & Molnar
		A -1

108	Spiderman					Adams
110	Synergism: Artis	t and Compute	r	Tr	uc	kenbrod

114 Fast-Changing Screen Displays In TRS-80 Basic Flanagan

the cover

The cover shows artist Duane Palyka—in the flesh and as his computer paints him. Some of Mr. Palyka's ideas on computer art are found in the story on page 46.

applications & software

70	Androld Nim _ Complete listing of a classic game	Christopherson
116	Atarl Graphics Unvelled A beginner's guide	.Small & Small
128	Picture Packer Saving Apple hi-res pictures	.Lubar
146	Bee Amazed	
156	OSI Tiger	Lourash
163	Graduation Card A hallmark in programming	Henley

fiction & foolishness

60	Popular Computing	Andres
100	Garbage In; Galaxy Out	.Payack
166	Caesar's Watch	Raymer

Archibald

Palyka

Sutcliffe

08	partmen	IS				
6	Notices					et al
10	Input/Output				Rea	ders
164	Dateline: tomorrow News and views					Ahl
170	New Products				Sta	aples
188	Intelligent Compute Reversi revisited	r Games				Levy
196	TRS-80 Strings	us softw	are rev	views		Gray

	Pocket Compute	pius sortware reviews	
202	Apple Cart Videx Videoterm	80 and more	Carpenter

210	Outpost: Atarl . Advanced graphics	. Hoffman
216	Software Legal Forum	Novick

		Consumer rights		
ı	218	Puzzies & Problems		Townsend

	_		
ı	220	Book Reviews	. Gray, et al

224 Index to Advertisers

HIME	1081	VOLUME 7	NUMBER 6

Creative Computing magazine is published monthly by Creative Computing, P.O. Box 789-M, Morristown, NJ 07960 (Editional office 39 East Hanover Ave. Morris Plans, NJ 07950 Phone (201) 540-0445.)

Domestic Subscriptions 12 issues \$20; 24 issues \$37:38 issues \$53. Send subscription orders or change of address (P.O. Form 3575) to Creative Computing P.O. Box 789-M. Morratown, NJ 07960. Call 800-631-8112 toll-free (in New Jersey call 201-540-0445) to order a subscription (to be charged only to a bank card).

Controlled Circulation paid at Richmond, VA 23228

Copyright @1981 by Creative Computing All rights reserved. Reproduction prohibited. Printed in USA.

staff

Publisher/Editor-in-Chief David H. Ahi Editorial Director George Blank

Elizabeth Staples Associate Editor

David Lubar

Contributing Editors Charles Carpenter
Thomas W. Dwyer
Stephen B. Gray
Glenn Hart
Stephen Klimsel
Harold Novick
Peter Payack
Alvin Toffler
C. Barry Throstoff

Editorial Assistant

Peter Fee Elizabeth Magin

Production Manager Laura MacKenzle

Art Department Diana Negri Chris Demilia Joanne Fogarty

Typesetters

Jean Ann Vokoun Maureen Welsh

Advertising Sales S Charles Coffin Renee Fox Christman Jeff Horchler

Marketing Coordinator Barbara Garris Creative Computing Press Managing Editor Burg

Burchenal Green

Software Development Chris Vogeli Wiillam Kubeck Kerry Shetline Owen Linderholm

Software Production

John White Rita Gerner eather Everitt Bill Rogaisky Operations Manager
William L. Baumann

Personnel & Finance Patricia Kennelly

Bookkeeping Retail Marketing Circulation

Joan Swihart Ethel Fisher Jennifer Burr Laura Gibbons

Suzanne Guppy Frances Miskovich Dorothy Staples Moira Fenton Carol Vita Sandy Reisbeck

Customer Service Patricia Brown Office Assistants

Rosemary Bender Linda McCatharn Marle Groves Diane Feiler Mary McNiece

Order Processing

Jim Zecchin Raiph Loveys Gali Harris Linda Biank Mark Smith Ronaid Thorburn

Shipping & Receiving Main Employed Scott McLeod Nick Ninni Mark Archambault Mark Gribbon

advertising sales

Advertising Coordinator Renee Christman Creative Computing P.O. Box 789-M Morristown, NJ 07960 (201) 540-0445

Western States Jules E. Thompson, Inc. 1290 Howard Ave., Suite 303 Burlingame, CA 94010 (415) 348-8222

In Texas call (713) 731-2605

Southern California Jules E. Thompson, Inc. 2560 Via Tejon Palos Verdes Estates, CA 90274 (213) 378-8361

Mid-Atlantic, Northeast CEL Associates, Inc. 27 Adams Street Braintree, MA 02184 (617) 848-9306

Ted Rickard 435 Locust Rd. Wilmette, IL 60091 (312) 251-2541

New York Metropiltan Area Nelson & Miller Associates, Inc. 55 Scenic Dr. Hastings-on-Hudson, NY 10706 (914) 478-0491

Southeast Paul McGinnis Co. 60 East 42nd St. New York, NY 10017 (212) 490-1021

attention authors

Creative Computing will not be responsible for the return of unsolicited manuscripts, cassettes, floppy disks, pro-gram listings, etc. not submitted with a self-addressed, stamped envelope.

OK to reprint

Material in Creative Computing may be reprinted without permission by school and college publications, personal computing club newsletters, and nonprofit publications. Only original may be reprinted. that is, you may see that the control of the c print must carry the following notice on the first page of the reprint in 7-point or larger type (you may cut out and use this notice if you wish):

Copyright © 1981 by Creative Computing, 39 E. Hanover Ave., Morris Plains, NJ 07950. Sample issue \$2.50, 12-issue subscription \$20.

Please send us two copies of any publi-cation that carries reprinted material. Send to attention: David Ahl.

microform

Creative Computing is available on permanent record microfilm. For complete information contact University microfilms International, Dept. F.A. 300 North Zeeb Road, Ann Arbor, MI 48108 or 18 Bedford Road, London WC1R 4EJ. England

foreign customers

Foreign subscribers in countries listed below more consistent of the countries of the count

ELECTRONIC CONCEPTS PTY , LTD

AUSTRALIA

ayuney, Now 2000, Austra	Ha	
ENGLAND 1-year 2-year 3-year GREATIVE COMPUTING Attn Hazel Gordon 27 Andrew Close Sloke Golding, Nuneaton C	12 50 24 00 34 50	21 00 41 00 81 00
FRANCE 1-year 2-year 3-year SYBEX EUROPE 14/18 Rue Planchat 75020 Paria, France	F 120 229 332	F 201 395 588
GERMANY 1-year 2-year 3-year MOFACKER-VERLAG Ing W Hofacker 8 Munchen 75 Postfach 437, West German	dm 52 96 141	dm 86 168 250
HOLLAND, BELGIUM 1-year 2-year 3-year 2XF COMPUTERCOLLECTI Attn F de Vroeze Amstel 312A 1017 AP AMSTERDAM Ho	-	1 119 231 332
ITALY 1-year 2-year 3-year 3-year 40VEICO S R L Via Emilia Ovest, 129 43018 Sán Pancrabo (Parmi	IL 34,000 53,000 72,000	IL 52,000 72,000 87,500

JAPAN 1-year	8,900	11.800
2-year	13 300	23,100
3-year ASCII PUBLISHING Aoyama Building 5F 5-16-1 Minam Aoyama, M Tokyo 107, Japan	19,300 inalo-Ku	34,400
PHILIPPINES		
1-year	214	363
2-year	413	718
3-year	508	1060
INTEGRATED COMPUTEI Suite 205. Limketkai Bidg Greenhills P.O. Box 483. S Metro Manila 3113. Philipp	Ortigas Ave	NC
SWEDEN	Kr	Kr
1-year	123	206
2-year	238	405
3-year HOSBY DATA	340	603
Attn Jan Nitsson Fack		
S-200 12 Malmo 2, Sweden	n	
OTHER COUNTRIES	uss	120
1-year	29	50

3-year CREATIVE COMPUTING P O. Box 789-M Morristown, N.J. 07980, USA

Terminals and Printers

Intertec EMULATOR

Software compatible with a Soroc IQ-120, Hazettine 1500, ADM-3A or DEC VT-52. Features block mode transmission and printer port; 12" anti-glare screen; 18-key numeric keypad; full cursor control. List 8895

trol. List \$895 OUR PRICE \$749



NEW INTERTUBE III

List \$995 ONLY \$749

12" display, 24 x 80 formst, 18 key numeric keypad, 128 upper/loveriasse ASCII characters. Reverse video, bling, complete cursor control. Special user-defined control function keys, protected and unprocessed fields. Line insert/delete and characterisser/ delete editing, eleven special line drawing symbols.

TELEVIDEO TVI-912C



Upper and lower case, 15 baud rates: 75 to 19,000 baud, dual intensity, 24 x 80 character diapley, 12 x 10 resolution. Numeric pad. Programmable reversible video, auxiliary port, self-test mode, protect mode, block mode, tabbing, addressable cursor. Microprocessor controlled, programmable underline, line and character insert/delete: "C" version features typewriter-style keyboard. List 4590.

OUR PRICE \$789

\$1039

\$20C (with 11 function keys, 6 edit keys and 2 transmission mode keys, List \$1030 ONLY \$849

HAZELTINE



							•	-	_								4		
1410 w/numeric	ke	v	p	a	d	ı	L	á	s	t	\$	9	0	Ö	ij				\$749
1420 w/lower cas	se	8	ï	10	1	n	u	П	n	e	ri	C	3	H	36	ı			. 849
1510, List \$1395																			1089
1520, List \$1650																			1389

SOROC



CENTRONICS PRINTERS NEW 730, parallel, friction, tractor

NEW 730, parallel, finction, tractor \$599 7979-737 parallel, finction, tractor \$799 7979-72 w/ tractor (same as TRS-80 Line Printer I), List \$1350 . \$799 704 RS232 rearial version, \$2350 . \$1595 704-9 RS232 180CPS . \$1595 704-11 parallel 180CPS . \$1695

NEC SPINWRITER



Terminal/Keyboard as well as RO Printer Only models available.

CALL FOR PRICES!

PAPER TIGER





Buffer w/graphics option, incl buffer, \$789 TRS-80 cable \$45 NEW IDS 460 QUALITY PRINTING AT MATRIX

IDS 445G PAPER TIGER . .

UALITY PRINTING AT MATRIX
SPEED—LOGIC SEEKING
PROPORTIONAL SPACING
W/auto text justification

NEW IDS PAPERTIGER 460List \$1295 . \$1099
NEW IDS PAPERTIGER 4606 List \$1394 \$1149
NEW IDS 560G List \$1794 \$1499

TI-810



TI-810 Basic Unit, \$1895 . ONLY \$1595 TI-810 w/full ASCII (Lower case), vertical forms control, and compressed print . \$1795 TI-45 Complete printing terminal

ANADEX DP9500 / DP9501 PRINTERS

DP4200/ DF4301 FUILLE	-
DP-9500, List \$1650	\$1349
DP-9501, List \$1650	\$1349
ANADEX DP-8000	
80-Col. Dot Matrix	\$849
OKIDATA	
Microline 80 List \$599 ONLY	\$499
Tractor Feed Option	\$109
Serial interface	\$ 99
Microline 82 List \$799	\$679
Microline 83 List \$1260	\$1069
AXIOM IMP I	\$699
Epson MX-80 List \$645	\$499

Above prices reflect a 2% cash discount (order prepaid prior to shipment). Add 2% to prices for credit card orders, C.O.D.'s, etc. Prices are i.O.b. shipping point. Prices are subject to change and offers subject to thi

MiniMicroMart, Inc.



\$1399

1618 James Street, Syracuse NY 13203 (315) 422-4467 TWX 710-541-0431

ces...notices...notic

More on VideoBrain

In my follow-up on Bally and Interact. I indicated that I had no further information on VideoBrain. Finally a few items have surfaced. Unterte, the original manufacturer of the VideoBrain, stated that all current sales are currently being handled by C.O.M.B. Company, Inc. 3258 Minnehala Avenue. Minnepolis. MN 5540t. Telephone (800) 328-508.2 Some pysticks and other parts may also be logistick and other parts may also be lower to the proper of the property of the conics. Langley St., Onkland, CA. 7-Telephone (415) 559-159.

One of VideoBrain's niftiest pieces of software. APL, was never put into production and only about 50 prototypes were ever made. Too bad—DHA

NECC

The National Educational Computing Conference '81 will be held June 17-19, 1981 at North Texas State University in Denton, Texas, Contact Dr. James L. Poirot, North Texas State University, P.O. Box 13886, Denton, TX 76203, (817) 788-2767 for registration details.

Harvard Computer Graphics Week '81

The International Users' Conference on Computer Mapping and Management Graphics (July 261. 1981) will directed toward current and potential users and will offer new developments, examples of computer mapping and management graphics applications, and numerous opportunities for interaction among speakers, exhibitors, and audit of the conference of the co

For more information, write: Harvard Computer Graphics Week, Harvard Laboratory For Computer Graphics, 520 Gund Hall, 48 Quincy St., Cambridge, MA 02138,

Do You Have Two Computers?

If you have access to two computers, are looking for a challenge and could use some extra spending money, we may have just the thing. Creative Computing Soff-mail processing the soft of the soft of

If you have access to two or more of any of the following computers, we'd like to hear from you. They are: TRS-80, Apple. Atari, PET. TI, Sorcerer and CP'M. Please write describing your computer configurations, programming expertise and time available to John White, Creative Computing Software, 39 E. Hanover Ave. Morris Plains, NJ 07960.

Cursor Confusion

In the Bally follow-up, we noted a magairen named Cursor for Bally owners. We trust readers did not confuse this with the much larger and older Cursor magazine published for PET owners by Ron Jeffries of The Code Works. Box 550, Goleta. CA 93H fo.

More on MECC

I goofed. Because of pressing deadlines, the transcripts of the interview with MECC staff members were not reviewed by MECC. Two specific errors should be corrected. On page 122, the person by the CDC computer is Mark Rustad, not Rick Nordin as listed. On page 132, the statement about Apples in for repair referred to half of the 25 MECC-owned Apples, not half the Apples in Minnesotta. Furthermore, I was there on what just happened to be the worst maintenance. Furthermore, and Mines with the statement about the worst maintenance one of MECCs, 25 Apples would be in for maintenance.

Help Solve a Murder!

On Sunday, the 22nd of February, the A.B.S. Computer Services Store in Olympia, Washington was robbed, and the owners. Henry and Laverne Rumberger, were killed. The following equipment was taken:

Apple III, 128K	Serial Num	ber 001065
Apple II		11892
Apple II		152415
Apple II		95802
Disk II. with cont	roller	215227
BMC Monitor		65101709
Sony KB1216 TV		503527
Centronies 737 Pr		12349
IDS 440 Paper Tig	ger Printer	3166
10 0		

If you discover any of these items, please contact the Olympia Police Department at (206) 753-83(0),

To Authors

Creative Computing is seeking articles, applications, reviews and software for publication in the magazine and through the software division. Prospective authors should send a self-addressed stamped envelope (SASE) for a copy of our Author's Guide.

All submissions must also be accompanied by a SASE if material is to be returned. Manuscripts must be typed, double space. We typeset directly from Scripsit, Wordstar and Electric Pencil disks so please include disk if available.

Send submissions to: Creative Computing Editorial/Software Department, 39 E. Hanover Ave., Morris Plains, NJ 07960.

Correction

On page 53 of our March issue we listed a price of \$399 for APFs Imagination Machine II. The Imagination Machine II is a complete system that is sold as a package with floppy interface, expansion box, serial interface and floppy disk and retails for \$1199. The computer is not sold separately.

IT WAS INEVITABLE

Sooner or later, someone had to take all this proven microcomputer hardware and software technology and wrap it up in a portable package at a price that shocks the industry. Adam Osborne decided to do it sooner.

The OSBORNE 19 from Osborne Computer Corporation. You get full CP/M^a disk computer capabilities— 280A* CPU, 64K bytes of RAM memory, a full business keyboard, a built-in monitor, and two floppy drives with 100K bytes each of storage. You get two interfaces, the IEEE 48B and the RS-232C. Just connect a printer, via either interface.

Software? You get CP/M®, CBASIC-2®, Microsoft BASIC®, the WORDSTAR® word processing system with the MAILMERGE® mailing list feature, and the SUPERCALC®

electronic spreadsheet package. All standard. All for \$1795.



And it's portable. When the keyboard is clipped over the display panel, only the weather proof brushed aluminum case is exposed. (There are even optional modem electronics, couplers, battery packs, and external monitor connections,

providing practically unlimited system portability.)
It's all business. The OSBORNE 1 delivers significant
productivity at an irresistable price. At \$1795, its immediate
and lasting success as a personal business computer is,
quite simply, inevitable.

\$1795

COMPUTER CORPORATION

26500 Corporate Avenue Hayward, California 94545 (415) 887-8080

CIRCLE 206 ON READER SERVICE CARD

Orders for the Osborne 1 Computer can be placed over the telephone at (415) 887-8080. Your order will be forwarded by the factory for delivery by your nearest authorized Osborne 1 dealer.



The end of the compromise.

Share and divinitine PC-8000 series from NEC America. It combines to emission with defeatures of todals and of popular more imputed together with some added winder of rows. First combination and the some added winder of rows. First combination and the some added with the some added to the some added





CIRCLE 253 ON READER SERVICE CARD

put...input/output...in



WOULD YOU LIKE TO EXPRESS YOURSELF IN A PERSONAL VISIT TO AN EDITOR?

See More Logo

Dear Editor:

I enjoyed the excerpt from Mindstorms (March 1981 Creative Computing). It's the best article on computers in education that I've seen lately. It stimulates thought on areas of computer use in classrooms that many of us have not thought of before (e.g. eword processing).

As for Logo, I'd like to see articles written by educators and students who have used the software. Possibly a student with experience using both Basic and Logo programs could offer valuable insights into the benefits and problems associated with the case of use and teaching capabilities of each

The article on "Computers and Hyperactive Children" also interested me. I wonder, however, was the computer responsible for the increased attention span, or were the students' aversions to their human instructor's attitude and methods reason? The data were impressive, but all factors must be considered before conclusions can be valid.

Paul J. Goedicke 404 N. 9th Keokuk, IA 52632

Fan Letter

Dear Editor:

I'd like to address Ken Brumbaugh's statement that "more than one-half of the Apples that MECC has purchased are in for repair" lope 132 of March 1981 issue). The Apple II computer, great as it is, suffers from the serious shortcoming of inadequate internal cooling, Most of the electronic circuits lie on one large, flat "motherboard." There is no provision for moving the warm air generated by these circuits. The slots on the sides and bottom cannot force air movement across the circuit board.

Fortunately, there is a convenient, low-cost answer: push the warm air with a small fan. When I purchased my Apple fifteen months ago, it didn't take me very long (as an electronics engineer) to see that the computer was getting too warm for reliable performance, and why. I have since used two types of instrument fans, each with excellent results.

The first fan 1 used was an IMC Boxer fan model WSZ107FL-9. This is the "whisper" version of a small (4.7" square) but noisy fan widely used to cool electronic instruments, such as computers. I placed this fan at the rear of the Apple, flush, blowing air in through the cable slots. To prevent air from being blown under the computer and chilling the user's hands. I set the fan on a 3/4" thick paperback book. I plugged the fan into the system plugstrip, so it would come on with the Apple. The low noise produced by this quiet fan is compatible with home, school and office computing envi-

The second (an is more compact, the Torin TA300S. This fan is sufficiently small (31.4% square) and narrow (11.72") to mount inside the Apple chassis, on the right side, in front of where the TV modulator is normally placed. A piece of double-sided sticky tape holds it on the bottom, against the edge of the Apple printed circuit board, and a small piece of foam on top wedges it securely in place. The fan draws air in through the side slots and blows it across the memory chips. The air exits across the top of the power supply and out the adjacent vents. "Smoke tests" using a transparent top demonstrated this air flow quite dramatically.

Internal fan cooling can be made more effective with some simple ducting, but this is only necessary for a system with lots of accessory cards. With the quiet Torin fan in place, the user can hardly tell his Apple is turned on. Except, of course, that it runs much cooler and doesn't break down.

One caveat: on very cold days, it may be necessary to unplug the fan until the room warms up. Some Apples, my own included at times, balk at temperatures lower than those reasonably comfortable for people. In most institutional environments, the machine runs all day, and this would not be a problem. This is a minor inconvenience for the greatly extended life that can be obtained in so inexpensive and convenient a manner.

Elevated temperature operation is the only enemy (aside from Coke and coffee) the Apple encounters in normal operation. The Apple II computer should work for a long time without trouble. Properly cared for, it will.

Harry E. Brawley, Jr. 18 Tufts Street Cambridge, MA 02139

See Notices, page 6, -Ed.

put...input/output...in

Gone Public

Dear Editor:

Your March 1981 issue on Education was outstanding. The article by Seymour Papert was exceptional as were the articles on the Minnesota Educational Computing Consortium and the article "Van Helps Schools Select Computer."

The listing of educational sources by Dr. Lopez was greatly needed, but I would like to correct one small error. Educational Software, listed as a software source, is no longer an operating company. In the summer of 1980 all of their assets, including their software copyrights, were donated to the Central Control of the

ter for Educational Research.

ter (or Foligrational researcher).

At this state of the Foligration of have the resources or desire At this time to programs directly. However, the Center staff is available on a limited basis for consulting and contract software development. Readers interested in using computers in elementary special education may contact Dr. Richard Swenson, or James C. Kingman, at 80 F ast Sixth Avenue. Helena, MT 59601. The Center's phone number is (406) 443-3600.

James C. Kingman President Center For Education Research 801 East Sixth Avenue Helena, MT 59601

Sort Story

Dear Editor:

This is a reply to the letters you published in the March issue, by Grady Early and David M. Chess, which criticized my article "Extremely Fast Sorting" (November 1980).

"I know of no reputable author," Mr. Early writes, "who claims that 1 opn is an absolute lower bound on the number of steps required to place any set of records into some predefined order." The people in industry who are designing sorting systems are not, most of them, authors at all. And many of the managers who must approve such systems, know only that there are people who are claiming that you can't sort in records any faster than 1 og n. As a result, if the managers are buying sorting systems, they accept n log n without any thought of possible improvements.

Secondly, Mr. Chess. I hope that my remarks, above, to Mr. Early will explain why I seem hostile to you. I think that indignation is a better word than hostility, though. Waste does make me indignant, although it is excusable when it arises from ignorance. It is not excusable, however, when it arises from the fact that managers are ignorant of the technical details of papers in computer science (as indeed they will always be; otherwise they would be computer scientists, not

managers).

Both Mr. Early and Mr. Chess make valid points which reinforce and strengthen my principal thesis. Of course it is possible to deven better than the scheme I outlined; it almost always is possible to improve on any published algorithmic procedure.

W.D. Maurer George Washington University School of Engineering and Applied Science Washington, D.C. 20052

Wails From the Crypt

Dear Editor:

On page 60 of your December 1980 issue, an article by Frank Covitz entitled "The PET," says "...the STOP key can be deactivated under program control..."

Well, we here at Hunter knew it could from our seeing it in

many commercial programs. But HOW?

The Computer Room Hunter High School c/o Nic Wolff 223 W. 21st

223 W. 21st New York, NY 10011

Try POKE 537, 136 (old PET); POKE 144, 136 (new PET).
-DI

Calling Art Linkletter

Dear Mr. Ahl
I have sent you
my article. If you
want to use it in
your Magazine, write
me.

Thanks

I am 9 years old

The spile Twe Flue is a gove personal computer because it can be any afferent things has instance it can teach a child his militaries adjusted to the instance for a company of the spile can also entertain, For instance. The apple can also entertain, For instance the apple can be spile can b

The apple 2,s key board whoks like a normal typewriter with a few ad on's such as the return key and the eac key.

The computer language the Apple as un-ordan is no easy that a chil at the age of the control of

David C. Dunn. Jr. 3331 Wycliffe Drive Modesto. CA 95355

DYNACOMP

Quality software for*:

PET APPLE II Plus TRS-80 (Level II)** NORTH STAR CP/M Disks/Diskettes

CARD GAMES

BRIDGE 2.0 (Available for all computers)

Price: \$17.55 Casente 721.55 Dishare collections of continuous collections of continuous collections of continuous collections of continuous collections of collections of continuous collections of collect

HEARTS 1.5 (Available for all computers)

An exciting and entertaining computer version of this popular and game. Hearts is a trick-oresion game in which the purpose an oil to take any hearts or the queen of poles. Play against two computes opposes who are around with kard-to-best playing strategies. HEARTS 1.5 is an ideal game for the trodicing the assistance of the propose are not playing strategies. HEARTS 1.5 is an ideal game for the trodicing the similarized (your purpos) to computers, other infortive serves in 80 Software Critique.

STUD PORER (Atarl only)

This is the closes gamble? card game. The computer donic be critical one at a time and you fand the computer of the c

CRIBBAGE 2.0 (TRS-80 o-sly)

This is simply the best cribbage game available. It is an excellent program for the cribbage player in search of a worshy opponent as well as for the novice withing to improve his pame. The graphics are superb and assembly language routines periode representations. See the other review in 80 Software.

THOUGHT PROVOKERS

NOMINOES JIGSAW (Atarl, Apple and TRS-80 only) Price: \$16.95 Causette: \$28.95 Dishates A jigsaw puzzle on your computer? Complete the puzzle by referring your pencer from a table consume of 4th different shapes. NOMINOES JIGSAW is a various programmage effort. The graphics are superintere and the puzzle will Challenge you with its three levels of difficulty. Scoring at based upon the number of penses taken and by the difficulty of the obout set-up.

CHESS MASTER (North Star and TRS-80 unity)
The complete and very powerful program provides fire levels of plays. In enclose cashing, no passion
to complete and very powerful program provides fire levels of plays. In enclose cashing, no passion
permitting the examination of "foods" ("gars To zo Jack and may be great before the star of plays
permitting the examination of "foods" ("gars To zo Jack and may be provided to commodate levels that
assumbly leapuage thy SOFTWARE SPECIALISTS of Cadforms. Fed graphes are employed in the
\$15.50 events, and two within 6 oblinaments childry are provided to commodate levels that

CHOMP-OTHELLO (Atari only)

CHOMP-OTHELLO? is really two challenging games in one. CHOMP is smaller moconcept on Ny

you must be for plant of a cooking, but avoid using the poisoned portion. OTHELLO is the popul

board game set to fully utilize the Atari's graphics capability. It is also very hard to best! This pecks

will run on a 16th system.

*ATARI, PET, TRS-80, NORTHSTAR, CP/M and IBM are registered tradenames and/or

**TRS-80 dukettes are not supplied with DOS or BASIC

DYNACOMP OFFERS THE FOLLOWING

- Widest variety
- · Guaranteed quality
- Fastest delivery
- Friendly customer service
- · Free catalog
- 24 hour order phone

AND MORE ...

STARTERS 3.1 A valiable for all compaters)
This is the control of the state of the

SPACE TILT (Apple only)

Ure the game poddles to thit the plane of the TV screen to "redl" a ball into a hole as the screen. Sow simple? Not when the hole gets smaller and smaller! A built-in timer allows you to measure your st against others in this habet-forming action game.

MOVING MAZE (Apple only)

Price: \$18.95 Counter \$14.95 Dataset
MOVING MAZE employs the games puddles to direct a put from one use of a mare to the other
However, the mare a dynamically (and randomly) built and u continually being modified. The objective is to cross the maze wholest touching for being bit by) a wall. Scoring is by an elapsed time in
dicator, and three levels of play are growfied.

ALPHA FIGHTER (Atari only)

Two excellent graphics and action programs is one! ALPHA FIGHTER requires you to destroy the adient startings passually from years set of the gataxy. ALPHA BASEs is not peak of an alse LIPO invasion; let five LIPO's gat by and the game ends. Both games require the poyritck and get programs-ly more difficult the higher you only.

INTRUDER ALERT (Atari only)
This is a fair proof graphous game which places you in the model of the "Decentur," 200, 95 Dishates
in plant. The droofs have been alorsed and are directed to descroy you at all cost. You setter find and
miter your ship to escape with the plant. Price levels of difficulty are provided. INTRUDER ALERT requerts a private, and will are not left systems.

GAMES PACK I (Available for all computers) GAMES PACK I (available for all computers) Price: \$18.95 Camerie: \$14.95 Distorte GAMES PACK | constant the classic computer games of BLACKJACK, LUNAR LANDER, CRAFS, HORSERACE, SWITCH and more. These games have been combined into one larger greegars for one in loading. They are indrodually accomputed by a convenient menu. This collection is worth the price just for the DYNACOMP version of BLACKJACK.

GAMES PACK II (Arailable for all computers)

GAMES PACK II (Arailable for all computers)

GAMES PACK II includes the games CRAZY EIGHTS, JOTTO, ACEY-DUCEY, LIFE, WUMPUS and others. As with GAMES PACK, it all the games are loaded as one pregram and are called from a menu. You will particularly eajoy DYNACOMPY vention of CRAZY EIGHTS.

MOON PROBE (Atari usty)

This is an extremely challenging "lisuar lander" program. The user most drop from orbit to land it a supredetermond target on the moon's surface. You control the thrust and orientation of your craft plus direct the rate of detects: and approach angle.

ADVENTURE

CLA, INSTON MA, NOR, ADDENTIER (Neeth Size sels).

As last? A comprehense Adventure on For Rench, Soy, CRANSTON MANOR ADDENTIER takes you less separations CRANSTON MANOR ADDENTIER takes you less separations CRANSTON MANOR ADDENTIER takes you less separations CRANSTON MANOR MANOR of the graph of the server or the comprehense of the com

ABOUT DYNACOMP

DYNACOMF is builting fain before of multi-press notivers with later spanning the world controlling the controlling to the controlling the controlling to the controll

BUSINESS and UTILITIES

M LETTER SYSTEM (FLB) (Apple and North Sear dishests only)

PUS or cross and gift leve inters sed address list. Form issues are produced by accommandity marriag such address as a protection of persons of protection (FLB) a completely computable with MAIL LET 23, which may be worth.

EDUCATION

MISCELLANEOUS

DETH STAR DOT'N ABE EXCHANGE (NISSO) LIBRARY

DYNACOD see describes the 21 steams SGM, detay 7 her designs and contain around program and offer an exDYNACOD see describes the 22 steams SGM, detay 7 her designs as well a contain around program and offer an exdefined an agracing in a content of the NSSE content of every broth floar sen's collection. Call of sense DYNACOMP

Place 100 months; 200 months of the NSSE content of the NSSE content

AVAILABILITY

STATISTICS and ENGINEERING

DIGITAL FILTER (A valiable for all computers)

DROTAL FILTER is competitively deprecising program which permits the user as declaims from a mass of from treasm. The filter forms are referencedly conversed not users as declaims from a mass of from treasm. The filter forms are referencedly conversed not users as
forms to be a second or treasm and the converse of the converse of

REGRESSION I, II and MULTILINEAR REGRESSION may be (three dislation)

Price per collection \$14.96 Caserne/\$15.96 Dishette
All three collections are available for \$39.95 (three caserotes) and \$49.95 (three deshettes)

ORDERING INFORMATION

All orders are processed and shapped within 44 hours. Please eachors payment w formation. It paying by VISA or Moster Cord, inslude all numbers as eard

Quantity Discounts (Induct 10% when ordering 3 or more programs Di

8" CP-Nt Dishs Add 22-50 to the Brief distance price for each 8" Supply dish HBM soft on Microsoft MBASIC or BASIC 60

54" CP/M Disks. All regiment available on 5" CP/M disks as also gredable on 544" disks, North Dist format. Ask for DYNACOMP progra DYNACOMP

DYNACOMP, Inc. 1427 Monroe Avenue Rochester, New York 14618 24 hour mail order phone: (716)586-7579 Office phone (9AM-5PM EST): (716)442-8960



put...input/output...in

On Little Feet

Dear Editor:

The Reading Level Program in the March, 1981 Creative Computing contains an error in line 710. Actually the error has been carried over from the original program published in April, 1980. The basic formula which computes grade level of text material is the FOG index. Line 710 as published reads:

R = .4*(T + W/S)where T=number of three-syllable (or more) words

W=number of words in the passage

S=number of sentences in passage

This formula places entirely too much weight on the three syllable words (T). In fact, the grade level would rise automatically as the length of the passage increased. What is needed is the percentage of three-syllable words rather than a raw score. This can be obtained by changing line 710 to read:

 $R = .4^{\circ}(T/W^{\circ}100 + W/S)$

A source for the FOG formula can be found in "Assessing Readability" by George Klare, Reading Research Quarterly, Volume X, No. 1, 1974-75. This is published by the International Reading Association. It also contains several other formulas which assess readability. It has been my experience in using many readability formulas that the FOG index tends to grade high. I have found that adjusting the FOG formula even further brings the FOG level much more in line with the other scoring techniques. This can be done by changing the FOG formula to reflect the percentage of three-letter words as a decimal rather than a whole percent. This can be done by changing the formula to read:

 $R = .4^{\circ}(T/W + W/S)$

Michael Schuyler 27921 Lindvog Rd. N.E. Kingston, WA 98346

Note: this correction applies only to the Reading Level Program in the March 1981 issue. R.B. Nottingham's article "Fog Index" in April uses the correct formula. - DHA



Who's the clown who wrote I'm being held in this computer against my will!?

The Inexpensive Spread

Dear Editor:

While not expressly documented in the Easy Writer manual. it is possible to print double wide characters by simply using the user-defined keystroke capability. On my IDS-440 I simply define a character as ASCII 01 to enable double wide characters and then redefine it as ASCII 02 to return to standard

#Sample of double wide characters

#Back to standard sized characters

You have to watch the number of characters you print per line as the program doesn't maintain a correct line width using this method but it works fine for printing short titles and headings.

Michael A. Mahoney Singapore

Finishing Touches

Dear Editor:

I enjoyed David Miller's Apple-Sketch program (Creative Computing, January 1981) very much. My kids have spent many enjoyable hours with it.

In the process of working with Apple-Sketch, I have made the program easier and more flexible to use with two simple modifications. Your readers might like to try them.

There is a slight difficulty when drawing pictures with the small pen size in that a smooth line is not plotted if you turn the game paddles too fast. Mr. Miller refers to this problem in his article and it is because the execution speed of Applesoft cannot keep up with the paddles. This can be corrected by the following replacement for line 200:

200 HPLOT X.Y: HPLOT TO X.Y: GOTO 110

This change plots all the points between two readings of the game paddles and results in smooth lines being drawn.

The second modification involves making it possible to print the product of your efforts on a Silentype printer directly from Apple-Sketch. With this change, all you do to print the sketching screen is type CNTL-Q at any time the program can accept a command. Add the following line to accomplish this:

302 IF AS=CHRS(17) THEN PR#1: PRINT AS: RETURN This change simply turns on the Silentype and sends the CNTL-Q to it to print the screen. It assumes the Silentype interface card is plugged into slot #1. The PR#1 can be changed to any slot the card is plugged into. The following replacement and addition lines add the CNTL-O to the com-

mands page display 1000 TEXT: HOME: HTAB 6:PRINT "***LIST OF COM-

MANDS ***": PRINT

The above makes room for another line on the page 1175 INVERSE: PRINT "CTRL":: NORMAL: PRINT "Q -PRINT THIS PICTURE

The above actually adds the line to the list of commands.

Richard I. Marmon 1118 Michelle Pkwy. Papillion, NE 68046

What has nine lives, three forms, multiple faces and a price tag that almost disappears?



Microline 80 Printer

It's magle! Well, almost. The Microline 80 will run ail day at 80 cps with no duty cycle limitations. The head is warranted for 200,000,000 characters. That translates to over nine years on your TRS-80." APPLE or other small computer.

Want to change forms? The magical Microline 80 is three printers disquised as one. There is a whisper-quiet rubber platen for cut sheets and roll paper, pins on nine inch centers for pin feed stock and optional snap-on tractors that adjust to suit all your other forms. The Microline 80 sloss saves paper by letting you tear off as close as one inch from the least print line.

Want to change your image? The magical Microline 80 really does tricks, it prints uppe and lower case, condensed and double width characters and block graphics for charts, graphs and diagrams.

The Microline 80 is not a toy. With two motors, urugged cast aluminum base and a head you neven have to throw away, the Microline 80 is built to handle the most demanding business applications.

Which brings us to the biggest magic of all, the price tag, the one that almost disappears. If we're not the lowest, we are so close that it doesn't matter. There are stocking Microline distributors throughout the country. Call or write today for the name of the one near you and the price of the Madical Microline 80.

OKIDATA

Okidata Corporation, 111 Gaither Drive, Mount Laurel, New Jersey 08054 609-235-2600

Okidata is a subsidiary of Oki Electric Industry Company, Ltd

CIRCLE 211 ON READER SERVICE CARD





Frost Your Microcomputer Cake with High-Resolution Graphics

If you've longed for the graphics capability of Apple, Sorcerer, or Pet micro-computers, then it's time to put high resolution graphics frosting on your TRS-80 Microcomputer cake.

The 80-Grafix board from Programma International (2098 N Naomi St., Burbank, CA 91504) puts 384 x 192 resolution at your fingertips. You can easily program up to 64 characters while your creative imagination races merrily along, In a 6 x I2 matrix format, you can create whatever characters or symbols you need larger symbols, you special programming, hobby or business applications. If you need larger symbols, you simply concatenate the characters—or you POKE or PRINT the whole in the characters—or you POKE or PRINT the characters—or you POKE or PRINT the characters—or with conventional program loops.

Maybe you have a use for Greek. French, or Arabic characters. Or playing card or game symbols, space ships and other unique characters would add an exciting new dimension to your programs. Perhaps you have special graphic needs for your business profession. If any of these spark your interest, then you don't have to look any further. You can even have inverse video or lower case.

And there is software from Programma that will patch the NOGrafix board-generated lower case directly to Radio Shack's Scripis word processor. If you've taken a look at the price of hardware-generated lower case with descenders and have planned to take the step, then for a modest additional investment in the Grafix-board, you can link your software-created lower case character set to the

David D. Holtz, 91 Valley St., Rochester, NY 14612.

David Holtz

Scripsit package and realize highresolution graphics capabilites besides.

All of this high-resolution capability is wrapped up in a 2 1/4", 5 1/4", double-sided circuit board that fits snugly in a recessed "well" in the bottom of the TRS-80 case. It requires only two solder connections plus mounting of male DIP connectors over the top of four ICs. You can either push on the DIP connectors or solder the connections to the ICs.

The Package

I'm impressed by the comprehensive 30-page manual that leaves little to your imagination as you methodically step through the installation. There's even a trouble-shooting section if you need it and you shouldn't if you followed instructions carefully, for the board has been "burnedin" and tested at the factory). An illustration and a labeled sketch show where the board and cables you

You get a good look at the theory of operation, and then learn how to use the board's capabilities. Seven pages of how-to-use-it instructions are supplemented by application programs and a lower case character set on an accompanying cassette tape. It is helpful to study the program listings in the manual and from the tape to add to your application ideas.

Available Modes

There are three different operating modes, all controlled by the OUT 255 command in your Basic program, but the

TRS-80 automatically powers up in conventional graphics mode. OUT 255,32 provides standard TRS-80 characters and graphics. OUT 255,160 puts you into hiresolution mode, and lets you use the special characters you've programmed into the 80-Grafix board. Standard alphanumeric characters are not affected, but cannot intermix conventional TRS-80 graphics characters and hi-res characters unless you've programmed the standard configuration into your hi-res set. OUT 255,96 is the programming mode for setting up and storing character patterns into Programmable Character RAM (PCR). This mode is used only when programming new character information into the board

Mode and character programming control, of course, are available using assembly language, too, and Programma has thoughtfully included a section on assembly language techniques. The section includes a complete source listing for a keyboard driver which displays unshifted and shifted tupper and lower case, respectively) characters or whatever character set you happen to have programmed into the 80-Grafix board. The cassette has a SYSTEM program and a disk version which provide a lower case character set with video drives.

How It Works

Instead of the 5 x 7 dot character matrix that exists in the standard TRS-80 character generator ROM. the 80-Graffix board expands the graphics cells to a 6 x 12 matrix for resolution of 384 horizontal by 192 vertical). The board, incidentally, has its own 1K (byte) by 6 (bit) memory so you don't have to sacrifice any RAM to obtain hieres graphics.

Grafix Board, continued...



Imagine adding the excitement of high resolution 382 x 192 graphics to your programs. Note the fine detail possible in the spaceship design.



Unique symbols and characters can be quickly created and used via several alternate programming methods you can choose. Or you can use standard TRS-80 graphics with a simple OUT command in Basic.

This IK by 6 memory block of PCR is organized into 64 fields, each consisting of individual character data when information has been programmed into it. Four of the 16 bits in each field are ignored, so in effect you are using the first 12 bytes for the 12 data lines of each character.

The video memory (a separate 1K block of RAM) acts as a buffer when you enter the programming mode. According to the manual, the hi-res character data is moved to the screen, then read as the image of the PCR, and stored into PCR memory. Once data for all hi-res characters is stored, one exist to high resolution mode (OUT 255.160). All of this, of course, is under software control, so it is being done automatically for volume according to the programming the

Characters are transferred to the screen using PRINT, PRINT @, or POKE statements (or with a video driver via the keyboard).

Although you can't access every single dot on the screen using cursor control for free-form driving, for example, you can access any dot on the video screen depending upon how each of the 6 x 12 elements of the 64hirescharacters is programmed. So you can do full screen plotting, but access to each dot on the screen is not supported, according to Programma.

Programming Characters

You can program characters into the PCR in several ways. A very simple but somewhat time-consuming way involves designing a character with the aid of a handy 6 x 12 grid form in the back of the manual. A photo-copying machine provides an economical worksheet supply for further programming needs.

First you darken the spaces in the 6 x 12 grid to correspond to the image you wish to create. Then, think of the 6 horizonal

blocks in each grid line in terms of binary numbers. That is, a lighted block would be a one; an unlighted block, a zero. With a little practice, one becomes very facile adding the six digit binary numbers, and standard patterns, of course, produce the same sum asy ou move from character to character. You add each of the 12 lines in the grid block of the character, then simply insert the 12 decimal figures into a DATA line in your Basic program.

The 80-Grafix board expands the graphics cells to a 6 x 12 matrix.

As mentioned before, you set the board to hiresolution via OUT 255,160 in your Basic program. Then a simple FOR-NEXT loop programs the board using READ and POKE statements.

Clear instructions and program syntax are included in the manual and illustrative programs you receive. After data is read, board programming accomplished, and the computer switched to high resolution mode, you are ready to use the special characters in your program.

If your computer is disk-based, character data lines can be saved for handy reference and merged at any future time to incorporate the same character data into other programs. Otherwise, the character DATA figures will have to be typed into new programs.

An easier way is to use the Basic language "Create" program, supplied on the accompanying cassette and documented/listed in the manual. By inputting X-Y coordinates for the 6 x 12 cells, the

program prints out a decimal figure to enter into your DATA line—much easier. Each of the cell coordinates has to be entered individually, but it is a marked speed improvement over the manual grid sheet method.

The best way, and I recommend it to anyone who purchases the 80-Grafix board, is to order from Programma International their HIRES80 high resolution graphics editor, a fast machine language program that adds great versatility to your character programming. Its strongest feature is the speed it contributes to your character design. In addition to preprogrammed characters sets (among them an upper/lower case set, inverse character set, fractions, Arabic and Hebrew sets), there is a separate utility program that provides a special video driver for your keyboard. Inverse characters can be obtained by simply pressing a key as you create your character. In my opinion, the HIRES80 graphics editor is the best way to go.

Installing the Board - Decision Points

There are three decisions you will have to make before proceeding. If your warranty is still in effect, you'll have to bite the bullet—decide to break the computer warranty seal and install now, or wait until the warranty ends. In my case, I installed 16K memory chips from Ithaca Audio the same day I bought my computer, so I proceeded full speed ahead.

Another decision is whether to install the board yourself or have a qualified electronics technician do it for you. If you are not familiar with digital electronics, then your answer is pretty clear cut. You should probably seek assistance.

Another choice is the method of installing the four male DIP pin ribbon connectors on top of appropriate ICs. Programma's manual recommends that connectors be pressed directly onto the top of the ICs, and suggests a drop of glue (or double-faced tape) on top of the ICs for proper adhesion of connectors. The manual says that tests have shown connections such as these to be reliable.

But Programma gives you an alternative. You can mount low profile IC sockets over the top of the ICs and securely solder the socket and IC pins together. It's a bit tricky soldering in tight quarters, but there is real assurance your connection will stay in place if you tote your computer around.

Since the manual is so complete, I'll simply cover special points I observed along the installation route.

The most tedious and painstaking part I encountered was making sure I had good solder connections between the pins of the ICs and the pins of the low-profile sockets mounted above. Quarters are fre-

PO you like thinking games?

Do you like thinking games? Do you like fast-action spectator sports?


Want to have fun learning more about computers and programming?

Think you can program better than your friends?

If you answered YES to any of these questions, RobotWar is for you. A game of the future you can play today ...

Create a robot by writing a special Battle Language program. This program gives your robot its unique fighting personality.

Debug your robot on the Test Bench, a cybernetic window into your Robot's mind. Is it really checking its damage level to consider evasive action? Does it increment its radar and lasar cannon aim while searching for enemies? If all checks out, it's on to...



The Battlefield... Challenge up to four competitors from the Robot Ready Room on your disk. Your robot will meet them in the arena where you have a bird's eye view of the mechanical carnage. Robots scurry about, radars flash, lasar shots fly and explode... and only one survives. You're the witness to a futuristic Gladiator spectacle.

Available on disk for the Apple computer with 48K and Applesoft ROM, at computer stores everywhere.

from the leader in quality software

WISE SOFTWARE

Apple III Hademan FAp | ombuter IIIs | Muse Software Inc 330 N. CHARLES STREET BALTIMORE, MD 21201 (301) 659-7212

Call or write for information and the name of your nearest MUSE dealer



Four "push-on" male DIP connectors mount on top of existing ICs. Two solder connections are necessary, plus one IC lead to be clipped.



One can solder low-profile IC sockets onto the pins of the four ICs that will receive the DIP-pin ribbon connectors. Special care is necessary when soldering. The Radio Shack lower-case modification (see piggy-backed ICs) is next to one of the ribbon connector points.

quently close, so you need a good light, a low-wattage soldering iron, a steady hand, and a bit of time.

I found a magnifying glass handy to check out the solder connections and make sure I didn't have any solder bridges. A handy way to check for bridges between the fine traces interconnecting the computer ICs is to position a good light source (a high intensity light, for example below the PC board. You should be able to see any bridging outlines from the opposite side of the board.

One snare I ran into was my Radio Shack lower case modification. In my unit, a 2102AN-11. chip is piggy-backed over IC 246. Two of the pins on this memory chip are bent outward, and 23-6is in right next to 247, one of the ribbon connection points. In order to mount my piggy-back socket, I had to carefully remove the 246 chip and its top-mounted companion to make room for soldering.

Fortunately the local Radio Shack Computer Center has installed IC sockets so the job was easy. If you've had the modification, you probably will have to bend the two pins downward somewhat, taking care that they don't contact the pins of the 2102AN-4L directly below.

With the lower case modification. I also discovered the new character generator chip to be mounted in a new socket. Under most circumstances that would be great. In this instance. I found the socket IC combination, potentially another low-profile socket soldered to the character generator chip, and a connector to be inserted in the socket unacceptable.

Among other things (aesthetics primarily), the package would simply be too high for available spacing between the computer board and the keyboard. So, I soldered the connector prins directly to the generator chip. I didn't like the prospect of doing so, but I had no option other than to scrap the character generator chip socket and resolder the chip back into the CPU board. That wasn't acceptable either.

acceptatic ettner.

That's about it. There are only two solder connections to make if you choose the nonsocket approach, and you will have to cut the pin of one IC which is certainly no big deal. No traces are cut on the board either, so it is a very clean installation.

This is especially so because the 80-Grafix board sits conveniently out of the way in the bottom of the computer case,

I found a magnifying glass handy to check out the solder connections and make sure I didn't have any solder bridges.

and adhesive strips are already attached to the small PC board. Before the board is adhered in the recessed well, make sure you have checked everything out to your satisfaction. You will find the strips hold the board firmly in place, and it takes effort and care to remove the board from the well.

An Evaluation

You should be aware that Programma International doesn't provide a schematic with the board. This will be a major obstacle when servicing becomes necessary at some future time. To make things even worse, chip identification has been removed from some of the ICs. Should your 80-Grafix board ever fail, you will have no choice but to remove the board and ship it back to the manufacturer for servicing.

It seems to this writer, that chip IDs and a schematic should be provided to 80-Grafix board customers. Hope the manufacturer will change its policy, for it is really in the interest of customers to be able either to service their own equipment or have it done locally if the need ever arises.

The manual doesn't tell you how to get inverse video. However, after you've fretted a bit, you suddenly discover that's one of the reasons why the demonstration programs accompany the board. The program listing tells the story, and there are inverse video program data lines waiting right there on the cassette.

I'd like to see an applications book from Programma in the future, for it would save one a good deal of time if a number of special character sets with data information were available. Also, a handy reference card would be super, along with a set of preprogrammed graphics design building-block characters that might accompany the HIRES80 software. The Arabic and Hebrew alphabets that come with HIRES80 are neat for demonstration but have little utility for many people, so I'd like to see some other more practical character sets such as electronic and logic symbols, graphic building blocks, and so forth.

The RVGrafix board has all kinds of ancianting potential. So far all of my soft-aware works perfectly and has not been affected by the installation. The board has a lot going for it. I recommend it highly. At \$14995, it's modest investment in a major improvement to the TRS-80. You creally can have high resolution graphics icing your computer cake—and eat it.

NEW COLLEGE BOARDS

for TRS-80 81/82 PET, APPLETA

\$289.95

The best way to sharpen your skills for the College Boards is to work on actual examinations. Each of these program sets confronts the user with a virtually limitless series of questions and answers. Each program is based on past exams and presents material of the same level of difficulty and in the same form used in the College Board examination. Scoring is provided in accordance with the formula used by College Boards.

SAT, PSAT, N.M.S.Q.T., set includes 20 programs covering Vocabulary, Word Relationships, Reading Price \$149.95 Comprehension, Sentence Completion, and Mathematics.

EDUCATOR EDITION - SAT, PSAT includes all of the above programs plus detailed solutions and explanations for each problem plus drill exercises. SAT set includes 26 programs

GRADUATE RECORD EXAMINATION set includes 23 programs covering Vocabulary, Word Relationships, Reading Comprehension, Sentence Completion, Mathematics, Logical Diagrams, Analytical

EDUCATOR EDITION - Graduate Record Exam Set includes 33 programs.

Owners of our initial College Board series can upgrade their package to the College Board 81-82 specs. including the all new reading comprehension, sentence completion plus expanded vocabulary and mathematics sections for \$69.95.



ALL TIME SUPER STAR BASEBALL Performance is based on the interaction of & SUPER STAR BASEBALL SUPER STAR BASEBALL

ALL TIME SUPER STAR BASEBALL

B Kulh	1 Welliams
t Gebrig	1 Feren
J DiMUssen	H Greenherg
J. Jackson	R Hornshy
G Soder	H Wilson
5 Mustal	B Terry
T Cobb	M Mantle
W Mays	H. Aaron

1. Browle

c. Breit

actual batting and pitching data. Game can be played by one or two players with the computer acting as a second player when deexercise strategic choices including hit and run, base stealing, pinch hitting, intentional walk, etc. Highly realistic, there are two versions, ALL TIME SUPER STAR BASEBALL, and SUPER STAR BASEBALL featuring players of *Both Games \$24.95

SWORD OF ZEDEK

Fight to overthrow Ra, The Master of Evil In this incredible witchcraft must be faced in your struggles as you encounter trolls, etc. Each of the twelve treasures will enhance your the fantastic world of Ra. Each game is unique in this spectacular and complex world of fantasy. \$24.9



TIME TRAVELER

The best of the adventure games. Confronts player with complex decision situations and the demand for real time action. Using the Time Machine, players must face a challenging series of environments that include. The Athens of Pericles, Imperial Rome, Nehuchadnezzar's Bahylon, Ikhnaton's Machiavelli's Italy, the French Revolution, the American Rev Reich, Vikings, etc. At the start of each game players may choose a level of difficulty the more difficult, the greater struggle with the ruling powers. Each game is unique

ISAAC NEWTON

Perhaps the most fascinating and valuable educational game ever devised - ISAAC NEWTON challenges the players (1-4) to assemble evidence and discern the underlying "Laws of Nature" that have produced this evidence. ISAAC NEWTON is an inductive game that allows players to intervene actively by proposing experiments to determine if new data conform to the "Laws of Nature" in question. Players may set the level of difficulty from simple to fiendishly

In a classroom setting the instructor may elect to choose "Laws of Nature" in accordance with the complete instruction manual provided.

For insight into some of the hasic principles underlying ISAAC NEWTON see Godel her, Bach by Douglas R. Hofstadter, Chapter XIX and Martin Gardner's "Mathematical Games" column in Scientific American. October, 1977 and June, 1959.

*ALL PROGRAMS AVAILABLE FOR TRS-80, APPLE II & PET

*Programs for APPLE or TRS-80 are on disk or cassette, please specify.

Send check or money order to 21 Milbrook Drive, Stony Brook, NY 11790

(516) 751-5139

CIRCLE 219 ON READER SERVICE CARD







The Anadex **DP 9501**

Gary Mellar

Selecting a printer to use with your personal computer is quite a bit different from selecting the computer itself. Most computers offer many options and peripherals that allow you to change the original configuration as your needs and finances change. Conversely, with the exception of minor options offered by some manufacturers, the configuration and features of any particular printer at the time of purchase are what they are going to be as long as you own that

With these thoughts in mind. I made a list of features that I wanted in a printer. Some of these were negotiable, others were not. The features I wanted most were: acceptable correspondence quality print for letters, expanded print capablity for highlighting reports, graphics capability, full width printing, a speed of at least 100 cps and easy interfacing to my Apple II. I also wanted a piece of equipment that was reliable, since I am not the hardware type.

After I spent a considerable amount of time comparison shopping. I ordered an Anadex DP 9501 from Consumer Computers in La Mesa, CA in mid-December 1980. It was delivered via UPS in less than two weeks.

Currently Anadex manufactures two wide-carriage printers - the DP 9500 and DP 9501-and two narrow-carriage models-the DP 9000 and DP 9001. The 9000 and 9500 are very similar, except for the carriage width, as are the 9001 and 9501. The primary differences are speed and print density. However, this article will be directed at the DP 9501 only.

Printing Characteristics

There are four print densities standard on the model 9501: 10 characters per inch with an 11 x 9 dot matrix and 12.5, 15. and 16.7 cpi with a 7 x 9 dot matrix. Print head velocity is 12 inches per second yielding 120, 150, 180 and 200 characters per second respectively. All characters may be printed double width, All printing is done bidirectionally with shortest distance logic seeking. Because it is tractor fed, it can handle paper widths from 1.75 inches to 16.8 inches with a maximum print width of 13.2 inches. Thus, at 16.7 epi up to 220 characters per line can be printed. The 9501 can print the standard 96 character ASCII set and accepts 24 control codes. For those who might be interested, there are character fonts available as extra cost options.

Features

The 9501 has many features, most of which are selectable by pre-setting dip

Gary Mellar, 11 Lincoln Dr., RD t, Hamburg, PA 19526.

RIFTS FROM PROMETHEUS NEW for APPLE I Advanced products at Down-to-Earth PRICES

DUAL SERIAL CARD-1 All functions of two independent senal cards on one board - plus more. Provides Apple II⁽¹⁾ users with two simultaneous asynchronous senal channels. DSC-1 appears as two separate logical serial cards to the Apple II(1). Fully software compatible with all Apple II's(1) and Microsoft software, 2716 EPROM used for easy driver modification. In addition, the second serial channel supports these extra features: Strapable DCE/DTE. Secondary RS-232 handshake functions (DCD, DTR, DSR) • Strapable logical slot location and hardware looks like it's another

DUAL SERIAL/PARALLEL CARD-1, As with the Dual Serial Card-1 (above), the Dual Serial/Parallel-1 provides Apple users with simultaneous use of one full serial port and one parallel port. Both ports strapable for any Apple peripheral slot. Fully compatible with all Apple and Softcar (CP/M) software. Drivers for serial interface and Centronics parallel interface are contained in modifiable industry standard EPROM. Serior tis configured like DSC-1. Order: PP-DSP-1 @ 3189.00 setch.

Order: PP-DSC-1 @ \$189.00 each.

MEMORY EXPANSION MODULE-1, Expand your Apple III¹⁰ to a full 64K RAM system with highest quality 16K dynamic RAMS. Fully buffered to provide reliable operation – even with fully loaded Apples Total compatibility with Microsoft Softcard¹⁰/CP¹/M¹⁰ and all Apple software. Supplied complete with installation instructions and test program.

Order: PP-MEM-1 @ \$149.50 each

PASCAL MT+ MEM-1. A modular native Z-80 code Pascal compiler. ISO standard. Includes a MEM-1 (detailed above). Have a full Pascal compiler at half the Apple price. Requires a Microsoft Softcard^[0] and two disk drives. Note that the Pascal MT+ alone is normally \$250.00.

Order: PP-PMT-1 @ \$299.00 each

16K RAM ADD-ON KITS, For TRS-80 and Apple II⁽¹⁾. Eight (8) full-specification industry standard 16K RAMS. These are not seconds.

Order: PP-RAK-16 @ \$29.00 each.

All Prometheus boards are completely tested and humed-in-pior to chipment. One-year warranty covers parts and labor. MONEY BACK GUARANTEE: Order now without risk. Boards may be returned, in good condition, after up to 10 days of trial for a full and prompt ceah retund. California: add 6% size. BART Countes. 6½%. Chross under \$150, and \$30.0 postage, for handling charge. Freight allowed on orders over \$150. Dealer inquiries invited.



4509 Thompson Ct. • Fremont, CA 94538 • (415) 791-0266

Registered Trade Marks (1) Apple Computers, Inc. (2) Microsoft Consumer Products (3) Digital Research, Inc.

16K Apple Memory Expander Board June Special MEM-1 On orders received bv 6-30-81 NEW OPTION Interactive Syntax Scanner and Editor for PASCAL MT+ Available factory direct and from participating dealers.



This is 10 Characters per inch normal and DOUBLE Width

THIS IS 12.5 C.P. (Horea) Width And DOUBLE WIDTH
THIS IS 15 C.P. J. Noreal Width And DOUBLE WIDTH

THIS IS 16.7 C.P.1. Normal Width Arnel DOUBLE WIDTH

Note: g, j, p, q and y lower case letters have descenders.

Sample Print from Anadex 9501.

switches prior to power up. All are selectable via software control. In Table 1, those preceded with an asterisk are both switch and software selectable:

*10 and 16.7 epi 12.5 and 15 epi

*6 or 8 Lines per inch *Top of form (front panel) switch)

Vertical tabs (up to 15) Horizontal tabs (up to 8)

True underline Double width printing

Graphics Wraparound or truncate

*Auto line feed Horizontal tabs (up to 8)

*Form feed and line feed (front panel switches) Print width (in 10ths of an inch from 1.0

to 13.2 inches)
*Skip over perforation (1 2"-11/2" or 1 to 9) lines)

*Form length (1 2"-15 1 2" or 1 to 254 lines)

External Controls


On the rear panel are four blocks of dip switches. Two blocks of switches are used to control the features listed in Table 1. The other two blocks select the type of interface — parallel (*Centronics compatible). R\$5-232C or 20/60 ma current loop—all of which are standard. Additionally, these two blocks set the parameters for the serail interfaces.

which include baud rates (50 to 9600), word length (7 or 8 bits), 1 or 2 stop bits and parity

Also on the back panel, is a power-type selection module which allows the user to select 100, 120, 220 or 240 volts in a frequency range of 48 to 62 hertz.

The front panel has six rocker-type switches; power on/off, paper feed, top of form set, form feed, self test and on/off line with an illuminated status indicator. The forms control switches are multifunctional: they allow bi-directional paper alignment in .014* increments.

There is a print head gap adjustment lever which allows for printing of multilever which allows for printing of multipart forms, up to an original and five carbon copies. And, although it may seem trivial, there is one other feature that I really like: a manual paper advance knob that allows bi-directional paper regsistration in 30% increments while the power is on and almost infinite registration with the power off.




Graphics

As their brochure proclaims, the DP 9501 is a true high resolution graphics printer. It has a resolution of 72 x 75 dots per inch. With a print wire diameter of .014", it can completely blacken the full per pass. Again all printing is done bidirectionally with shortest distance logic seeking. Of the nine wires on the print head only six are used in the graphics mode and each is individually addressable. The graphics mode uses ASCII codes from 64 to 127 decimal to select which print wires to activate for each print position. The paper can be advanced in one-dot increments, and the horizontal position of the print head can be defined in one-dot increments, which allows complete control of dot placement on the paper. This may sound very complex, but the operator's manual provides thorough documentation and two program examples (in Level II basic).

For those who wish to dump an Apple II high resclution screen to the printer. Computer Station, 12 Crossroads Plaza. Granite City, II. 6.2040, markets an excellent, easy-to-use machine language program with many features for the Apple II—Anadex user. Basically, any hi-res screen that can be saved to disk, can be loaded and printed with a variety of options.

When in the graphics mode, the character set is not available. The page length, top of form and form feed features are also lost and must be reset when leaving the graphics mode.



Analex strongly recommends the addition of the optional 28 buffer if the graphics mode is going to be used. This is to prevent overrunning the standard 600-byte buffer during screen dumps or the printing of large blocks of graphics. The additional cost of the buffer (approximately 37s) is a sound investment even if you never print any graphics, for it allows the computer to dump 2.6% of data to the printer and continue processing while the printer finishes printing. This makes printing this makes the printing files from a disk.

As a graphics printer, the Anadex is an excellent investment.

Documentation

The 79-page operator's manual is complete, well illustrated and thorough. It covers everything one must know to use the printer: from unpacking to troubleshooting. All features are thoroughly explained. The 14-page section on graphics includes two sample programs that cover the complete use of the graphics mode.

Also provided is a handy reference card with communication control codes on one side and the configuration control switch assignments on the other.

Summary

The Anadex DP 9501 is an exceptional printer at a reasonable price (\$1595 list). It has all the features that I wanted most. many that were negotiable and one or two that were not even on my list.

I believe that I have covered all of the features on my most wanted list except the quality of the print. Although it is not a fully formed character type printer, the 11 x 9 dot matrix pattern at 10 cpi closely resembles the traditional type size of most typewriters and has been quite satisfactory for all my personal and professional correspondence.

Up to this point I have deliberately omitted any reference to service and support by Anadex. I thought that I would save the dessert for last.

After using the printer for about two hours, it stopped printing; the print head continued to move just as though nothing were wrong, but no printing occured. The troubleshooting manual described these symptoms exactly-faulty circuit

The Anadex DP 9501 is an exceptional printer at a reasonable price.

say. I had a sinking feeling in the pit of normal business hours on the West Coast, I thought I would try to reach Joe King at Anadex anyhow.

I had several very informative conversations with Joe prior to my purchase of the Anadex. He had given me a lot of technical information on both the DP 9500 and DP 9501 when I was trying to make a decision on a printer. It was these conversations that finally convinced me to purchase an Anadex. It is refreshing to find a manufacturer who is more than willing to help an end user or potential end user. Joe has assured me that Anadex is committed to support their users.

So. I made the phone call and sure enough I reached Joe King. He determined that my problem was the print head fuse and advised that if, after replacing it, it failed again, I contact the local service center in Rockville. MD for replacement of the circuit board or print head or both. It turned out to be only a bad fuse, but I called the service center anyhow to establish contact with them. They reassured me that in the event of any failures in the unit they would replace any or all parts on a walk-in-walkout basis, which was very comforting,

In late February, the plastic window on the ribbon cartridge cracked and began leaving a slight smear on the paper. Another call to Anadex resolved this problem; a new ribbon cartridge arrived two days later via UPS Blue label.

What more can I say, except that I am exceptionally happy with the printer and the service. Anadex stands behind their product and is committed to satisfying their users.

CIRCLE 301 ON READER SERVICE CARD

A2·3D/A Saturn Navigator...

a 3D adventure for your A2-3D1 animation package and your Apple II ... from SubLOGIC.



physicist to play. Your Apple will apply the physics as it shows trial flight paths

\$24.95 on disk (48K memory and A2-3D1 required).

programs for the A2-3D1

The A2-3D1 Animation Package.

required) or \$49.95 on cassette (16K required).

Box V, Savoy, IL 61874 (217) 359-8482

Telex: 206995

CIRCLE 187 ON READER SERVICE CARD



The TNW 2000

Michael Towers

Each year we go through a maniacal rite-of-spring around here called NCC; 1980, however, proved crazier than ever. As it happens, we receive demonstration units from other manufacturers to use in conjunction with our products at the show, so there is some fun to be had. This year we introduced several new products targeted at the small systems user, so we had to get some small systems hooked up to our product.

This is where Doug Gage of TNW Corp. got involved. He was kind enough to lend us a demo unit of their IEEE 488/RS-232C interface, the TNW-2000. For the uninitiated, the IEEE 488 standard was created in 1975 primarily for communication among sophisticated instrumentation. Several of the larger instrumentation manufacturers use the same standard, but under different acronyms: Hewlett Packard calls it HPIB (Hewlett Packard Interface Bus) and Tektronics calls it GPIB (General Purpose Interface Bus). As with any standard, there are departures from it; however, IEEE 488, HPIB, and GPIB are essentially the same thing.

There are several useful descriptions of the IEEE 488 standard around including the IEEE's document (strictly for the masochistic) and Hewlett Packard's part number 59401-90030 (for us mere mortals). Basically, it is a 16-line communication/control bus which allows up to 15 instruments to be connected in parallel with one another. There are three classes of devices: talkers, listeners, and controllers. Any and all of the devices may be talkers/listeners, but usually only one device is the controller. This device (a computer, for instance) tells the others whether they are talkers or listeners (if they are capable of doing both), and further, addresses the devices which are on-line with both primary and secondary address information. This clever little feature allows, for example, a host machine (controller) to address a multimeter (talker), take a data sample, and then, via a secondary address to the same

device, change the scale and take another reading. Ah, but I digress - for more complete information on the IEEE 488 bus, read some of the excellent material available which describes it.

Meanwhile, back at the ranch, we have a Commodore PET computer which we need to attach to our products to show customers that it can be done. Of course, we also did the same thing with Apple and Radio Shack, but they made it easy by providing an optional RS-232C interface. Commodore does not, so it was necessary to locate a PCM which did. Several manufacturers sent us their products, but after evaluating each, I decided that I liked the TNW device best. Here's why.

First of all, we needed a two-way device in order to interface a PET to both our plotters and our digitizers. This limited the market right away - there are several one-way devices available which are useful for printers and such, but there is a paucity of two-way devices. A further constraint was Commodore's quirk of not supporting all IEEE 488 standard commands. They didn't include the Service Request Enable, Serial Poll Enable, Group Execute Trigger, and some others. However, these can be implemented with a little software hocus-pocus. Keithley Instruments has an excellent application note which shows how to do it. Commodore also chose not to equip their machines with an IEEE 488 standard connector, but this is really only a minor annoyance. In short, all we needed was a nice, simple, inexpensive IEEE 488 to RS-232C interface that would work well with both PETs and IEEE 488 standard devices. What we got from TNW was an attractive, unobtrusive device that requires no "trick" software or other such

The documentation accompanying the TNW-2000 tells you everything you need to know about the installation, configuration and operation of their equipment with both standard IEEE 488 devices and the Commodore PET. While the manual itself isn't the finest piece of printing I've ever seen, it was written by someone who speaks both computerese and English. It includes sections on operation and installation, schematics, enough code to make

the device work, and contingency infor mation in case it doesn't. Also included are two useful sections on the IEEE standard, the 488, and the EIA standard, RS-232C. Virtually everything you need to know about the IEEE 488, RS-232C, and PET specifications is included (Com-modore also has a "modified" ASCII code, which is explained). The first thing the book tells you is to plug it in, turn it on, and forget it since the unit only draws a few watts of power (which comes from a standard utility outlet, not the host machine).

The IEEE device address, parity, PET or standard ASCII, and high/low range baud rate are selected by a dip switch on the rear panel. Once set, it should not be necessary to use them again.

program to set the baud rate (assuming a PET): The next thing is to run the short little

10 OPEN 1,4,1 : J=1 : K=1 20 FOR 1=1 TO 255; A\$=A\$+"A" :

NEXT

30 T=TI: FOR I=1 TO J: PRINT#1, AS:: NEXT : T=T1-T

40 PRINT "BAUD RATE IS"; INT (168300°J/T), "PASS"; K

50 K=K+1: J=J-SGN(T-200): 1F J=0 60 GOTO 30

This program gives a continuous baud rate calculation displayed on the PET's screen. While this program is running, it is necessary to a) select high/low range on switch 1 of the dip switch on the rear of the device and b) adjust the port R29 (also on the rear panel) to the desired hand

Once the device has been configured, one has but to plug the RS-232C device into the interface and press on. The interface is configured as a DCE device, so if it is to be used in conjunction with a modem or some other device configured as DCE. then a null modem cable must be fabricated-all of which is covered in detail in the manual. In most cases, however, this probably won't be necessary. And, happily, the TNW-2000 provides standard connectors for both the IEEE 488 and RS-232C ports as well as a mating connector for the non-standard PET IEEE 488 port. Data is throttled through the RS-232C port via RS-232C standard control lines RTS, CTS, and DTR (all of which are also explained in detail).

All things considered, the TNW-2000 seemed to be the best suited to our needs because it was relativly inexpensive, required no external "special" software, was simple to hook up and create, was at the same time complex enough to do several things well, and was attractive in appearance and design. In short, I think it's a pretty good value for \$229. It is available from TNW Corp., 5924 Quiet Slope Dr., San Diego, CA 92120.

CIRCLE 302 ON READER SERVICE CARD

Michael Towers, Houston Instrument Div. o Bausch & Lomb, One Houston Square, Austin, TX



Atari graphics and sound st a class by themselves.

Compute Magazine, November/December 1980

"Its superiority lies in three areas: drawing fancy pictures (in color), playing music, and printing English characters onto the screen. Though the Apple can do all these things.

Atari does them better Russell Walter "Underground Guide to Buying a

Computer" Published 1980, SCELBI Publication "The Atari machine is the most extraordinary computer graphics box ever made..."

Ted Nelson

Constitute Magazine, June 1090

"...so well packaged that it is the first personal computer I've used that I'm willing to set up in the living room."

Ken Skier On Computing Inc. Summer 1980.

Ken Skier, OnComputing, Inc. Summer 1980

"...well constructed, sleekly designed and user-friendly—expect reliable equipment, and strong maintenance and software support.

v iaeopiay December, 1980



What computer people are saying about Computers for people.

To find out about the Alaki* 800 " Computer first hand, ask your local computer dealer for a hands-on demonstration. Or call, 800-538-8547 (In California 800-672-1404



ATARI
Computers for people:

096 Dun



TC-8 Cassette Operating System



First came the expansion interface and disk drives for the TRS-80. Next came the Exatton Stringy Floppy (ESF) to serve as the "poor man's disc." And now there is the TC-8 Cassette Operating System (COS) to serve as the "poor man's floppy."

Manufactured by JPC Products Company of Albuquerque, NM, the TC-8 COS is sold in kit and and assembled form. The kit is easy to assemble, and the \$30 saving is well worth the hour or two of effort required. I would strongly recommend that anyone in the bifocal days of his life also acquire and use at least a 3X magnifier for identifying the values of the small parts and examining the soldered connections. There is an ample supply of solder in the kit so the only items you need are a 30-watt soldering iron, a pair of small wire cutters, and a little time end patience. The unit comes with its own power supply, connecting cable and utility program tape. Yes, this device requires 550 hex bytes of memory to operate.

Nothing needs to be said about the inefliciency of the TRS-80 cassette interface. Changing the recorder to operate and receive data from the I/O port increases the speed of data transfer almost three times and increases the reliability of the transfer. The TC-8 COS connects to the I/O port with the included cable.

I had a bit of difficulty loading the utility program tape, but after 15 minutes of fiddling with the volume control on the recorder 1 got the program loaded. The TRS-80 format tape of that same program now loads in slightly less than 15 seconds. The original program tape is in three parts; the MONITOR, the full UTILITY.

Robert C. Kyle, 3940 Oukland Ave. So., Minneapolis, MN 55407,

Robert C. Kyle

and the modified UTILITY which is a short version of the full UTILITY. The modified UTILITY and the full UTILITY programs are loaded as one program. The short version has its own starting address. If your memory is precious and you need every byte you can lay your hands on then just type KILL and ENTER and you have your TRS-80 back to its old self again. Even though you KILL the utility program, you still leave the debounce program in high memory (45 bytes).

The utility program supports 21 com-mands, four of which are file commands (OPEN, CLOSE, INPUT#, PRINT#). Basic programs are saved and loaded under the SAVE and LOAD commands. The SAVE command must be accompanied by a "filename," which can be any group of eight or less alphanumeric characters. This means that all of your programs can have real names which are recognized by the computer. The LOAD command does not require a filename, but if there is one, the program will search for it on the tape while listing the names of all the other programs it encounters. For example, let's say you have a game tape (TC-8 format) with BLACKJAK. POKER, CRAPS, and STARTREK programs stored. If you type LOAD 'CRAPS" and ENTER (assuming you are starting at the beginning of the tape) your screen would look like

LOAD"CRAPS"
\$BLACKJAK \$POKER \$CRAPS
READY

which would mean that the CRAPS program was loaded and ready to run. You could also type RUN "CRAPS" which would enable the program to be loaded and executed immediately.

What if you have a TC-8 format tape and don't know what's on it? Easy: just load it in the recorder and type LOADN. On the screen will be printed all the programs manes that are on the tape, but the programs will not be loaded. To exit the LOADN function just hit the BREAK key, System tapes are stored and loaded under the PUT and GET commands. Since they will only work with system tapes you can store system and Basic programs on the same tape. The "S' signifies a Basic program and the "%" is used for the system programs. If you GET or PUT a Basic program or SAVE or LOAD a system program you file each system program you flet on the program you flet or PUT a Basic program or SAVE or LOAD a system will be a system or save the system of the program you file each system or save the system of the system will be supported by the system of the system o

The TC-8 COS supports two recorders which can be addressed separately. The default in to recorder 1

default is to recorder 1. On power up MEMORY SIZE? is answered with 31400 and the utility program is entered under a standard SYSTEM procedure. The full program is executed by typing the / ENTER at the second ?*. If you want the short version just type /32150 and the screen will show BOOT READY. At this point you unplug the recorder from the TRS-80 cassette port and plug it into the TC-8 unit. If you have many programs to convert to the TC-8 format I would suggest you buy, beg. or borrow another recorder, connect it permanently to the TC-8 unit and leave the original recorder connected to the TRS-80 cassette port. That way there will be less wear and tear on the plugs and

COMPARISON TABLE

TC-8 CASSETTE OPERATING SYSTEM

COST \$120 (kit \$90) Standard audio cassettes Continuous loop cassettes available

Special wafer cassettes w/ continuous loop

4 bytes computer memory used

550 hex bytes computer memory used

Programs saved by numbers (1-99)

Booted on power up

Eight character "names" allowed for saved programs

Load short utility program (approximately 15 seconds) Disconnect recorder and plug into unit

Supports 7 units with individual addresses

Supports 2 recorders with individual addresses

Supports 7 commands-4 file commands

Supports 21 commands-4 file commands

Data files specified

Data files not specified

Requires special Data program (1K)

Included in utility program

SAVE and LOAD speed approximately 1K/second

SAVE and LOAD speed approximately 1K/second

cord. Be sure to buy another cassette connecting cord for the second recorder. It is not necessary that your second recorder be a CTR-80 since the TC-8 supports a RESET command which frees the rewind and fast foward on any recorder that has these functions tied to the motor control iack. When the RESET command is used, the recorder motor remains on until you hit the BREAK key. File management is similar to disk

user controls the name by making it the first entry he writes to the file. Only one file can be OPEN at a time so there is no interchange between files directly. This can be handled through software subroutines. The TC-8 COS stands up to comparison

except that files cannot have names. The

with the ESF admirably. If one considers the \$90 kit price, the comparison becomes weighted excessively in favor of the TC-8.

Therefore the comparison of features is based on the assembled price (\$120) of the TC-8, which is about one half the cost of an ESF unit.

The manual accompanying the unit is excellent and the company is very receptive to any comments, suggestions, or complaints you have. Their address is JPC Products Company, 12021 Paisano Ct.. Albuquerque. NM 87112. (504) 294-4623.

CIRCLE 303 ON READER SERVICE CARD



THE LITTLEST PROFESSOR

THE BEST ACADEMIC COMPUTING MATERIALS FOR HIGH SCHOOL AND COLLEGE

COMPacs from COMPress

COMPacs computing packages feature interactive programs developed by noted college professors for use on the Apple II or Bell & Howell microcomputers with 48 k of memory, DOS, and Applesoff in ROM. COMPacs emphasize problem solving and laboratory simulation. COMPacs no perfect for classroom demonstrations or bands-on student experience. COMPacs now available are:

ENERGY & ENVIRONMENT NUMBER THEORY DIFFERENTIAL EQUATIONS POPULATION GROWTH MENDELIAN GENETICS BIOBITS 2: MAGIC FLAG BIOBITS 3: GROWTH

BIOBITS 4: INTERACTIONS BIOBITS 5: PROFILE BIOBITS 6: EVOLUTION BIOBITS 7: NUCLEIC ACID CONNECTION BIOBITS 8: ANALYTICS

NEW!! COMPac GRADER....a must for educators, takes the drudgery out of classroom record keeping!

CIRCLE 125 ON READER SERVICE CARD

COMPress Dept. H

A Division of Science Books International, Inc.

P.O. Box 102 Wentworth, N.H. 03282

(603) 764-5831

Office Phone Number of Apples in your school?





The huge selection of fantasy games is staggering and yet continues to grow. To date. I've been killed innumerable times. gained and lost vast treasures, dabbled in magic, battled monsters, and generally had a great time. This month, as promised, a look at a game that is not for the squeamish, a glance back at an old favorite, a look ahead at more new games. and whatever else befalls us.

Mind Your Manors

As Adventure games become more elaborate, we tend to overlook some of the early games. While the forerunners might not be as sophisticated as newer programs, they can still be worth playing. So, before going on to newer games. here's a look at an old favorite.

creative computing SOFTWARE PROFILE

Name: Beneath Apple Manor

Type: Fantasy

System: Apple 11 Format: Cassette (16K)

Floppy Disk (32K)

Language: Integer Basic

Summary: Good fun, replayable

Price: Tape \$19.95, Disk \$19.95 Manufacturer: Quality Software

Beneath Apple Manor, from Quality Software, is addictive enough to be investigated by the FDA. This granddaddy of games bears a copyright notice from way back in 1978. In it the player roams through rooms and corridors, picking up treasure and fighting monsters. The familiar traits of strength, intelligence, dexterity, and body (vitality) are present. The goal of the game is to find the golden apple. At the start, you select the number of rooms per level (from two to ten), and the difficulty (from one to ten). The com-

David Lubar

mands are given as single keystrokes; you can move, attack, grab a treasure, or perform several other acts. The program adjusts the monsters on each new level. keeping the game challenging, Conversely, if you get clobbered on one level, the next level will be easier. The starting point for each level is the main staircase. Whenever you return to the staircase, you have the options of trading experience for other attributes, buying weapons or armor, getting a brain scan, or moving to the next level. The brain scan is insurance against being killed. After death, you are resurrected to the status of your last scan.

The game makes good use of the various attributes. The greater your strength, the more damage you can do in combat. But each attack reduces your strength. You can also zap monsters, but each zap reduces your intelligence. And if your intelligence is too low. you won't be able to teleport out of bad situations.

The tape version is somewhat complicated to use. You have to load several binary programs and a Basic program. Whenever you want to move to a new level, you have to reload a program, But, since you can spend a long time on one level, this isn't too much of an incon-

Beneath Apple Manor is the sort of game which you can play for extended periods. And, after tiring of it, you can always come back later for another romp at a higher skill level.

Quality Software also markets Fracas, a game of exploration, combat, and treasure hunting for up to eight characters. The program is designed to accept future scenarios, and comes with one scenario, Faroph Town, on the disk or tape. At the start, you generate characters, either selecting characteristics or letting the computer roll for you. Each

character receives a certain amount of strength, skill, movement and vitality, and a weapon class. You are free to select armor class, but each point of armor reduces movement and skill. Characters can start at the beginning of the scenario. or be placed randomly.

creative computing

SOFTWARE PROFILE

Name: Fracas Type: Fantasy

System: 32K Apple II or II Plus

Format: Tape or Disk

Language: Applesoft or Integer Basic Summary: Well done will be nice if

Price: Tape \$19.95, Disk \$24.95

Manufacturer: Ouality Software 6660 Reseda Blvd.

During play, each character has six options. He can run (no one walks in Faroph Town), going up to the limit of his movement allowance. He can rest. attempting to regain lost vitality. He can attack, retreat, or dodge. Finally, he can get a status report. Rooms, players, and other goodies (or bad guys) are displayed with color-coded lo-res graphics. On each turn, the contents of a room are displayed and identified. Players choose one of six alignments. They can't fight players of the same alignment. The computer con-

Software for the Apple II and Apple II Plus*

BENEATH APPLE DOS

By Don Worth and Pieter Lechner

Become an expert on the intreaces of Apple 1000 (Box Operating System) BENEAM METERS of the perfect companies on depth 1000 (Box Operating System) BENEAM METERS of the perfect companies on deep and over 150 pages. The manual will serve to completely in the many gash fely Apple 5 to 03 3 1 Manual written for Apple users with DDS 3.8 3.2 or earlier versions, any Apple disk user would welcome having this carefully written manual will have fine the manual will be served to completely written manual will be sometimed to the served of LEARN

- . How DOS 33 differs from other DOS versions
- How disks are protected
 How to reconstruct a damaged diskette CATALOG

- How to reconstruct a damaged diskette CA How tracks are formatted How to use the disk directly, without DOS How to call DOS's file manager. How every routine in DOS to your needs. How to outsomize DOS to your needs. How to overcome DISK 1/0 ERRORS About the "secret" file types S and R.
- Large quantities of excellent diagrams and tables Source listings of useful disk whites Glossary of over 150 technical terms
- Exhaustive description of DOS program logic
 Handy reference card
- Useful patches to DOS
 Many programming examples

Book - \$19.95

CROSS-REF by Jim Aalto Applesoft programmers will be delighted to have this cross reference utility program in their 'tool list' of software axis. What can CROSS-REF do to speed and facilitate your Applesoft program development? Consider these functions: VARIABLE CROSS REFERENCE FINO VARIABLE REPLACE VARIABLE LINE CROSS REFERENCE FIND LINE NUMBER VARIABLE ONLY LISTING

LINE ONLY LISTING

Features that make CROSS-REF easy to use include

- reatures man make cholos-wer easy or use include.

 Written in machine laplague, occupie less than 3X.

 Written in schole laplague, occupie less than 3X.

 Can be loaded with year Applied to program already resident.

 Very tast a VARMABLE CROSS REFERENCE or 18 ft Applied typogram can start printing in 5 seconds.

 Contains printer formal controls and headers for documentation.
- · Prints English language error messages

Cassette - \$22.95 Diskette - \$24.95

LINKER by Don Worth
Turn your Apple II or Apple II Plus into a powerful and productive
software development machine with this superb linking loader/editor
package LINKER does the following and much more

Dynamically loads and relocates suitably prepared machine language programs anywhere in RAM
 Combines a main program with subroutines. You can assemble a subroutine once and then use it with as many main programs as you

with
Produces a map of all loaded routines, giving their location and the
total length of the resulting module.

Contains allow are yels who times including binary multiplication and
division, print text strings, delay, tone generator, and random
number generator.

Linker works with writually any assembler for the Apple II Requires 32K
of RAM and one disk drive.

Diskette - \$49.95 Manual Only - \$19.95



FASTGAMMON* By Bob Unistansen Sound, hi res, color, and musical cartoons have helped make this the most popular backgammon playing game for the Apple If But don't let these entertaining features fool you — FASTGAMMON plays serious backgammon. Runs on any Apple II with at least 24K of RAM

Cassatta - \$19.95 Diskatta - \$24.95

QUALITY SOFTWARE 6660 Reseda Blvd., Suite 105, Reseda, CA 91335 (213) 344-6599

Now exclusive distributors for products from The Software Factory, Newhall, California *Apple II and Apple II Plus are trademarks of Apple Computer, Inc.

METEOROIDS IN SPACE" By Bruce Wallace

We have taken our popular space game, formerly called Asteroids in Space, and made some important im-provements. To accent these improve meteoroids shatter into smaller meteoroids when hit, and the smaller



counter an alem space ship whose messon in to destroy you, so you'd because in the destroy you, so you'd beginned in fact, canoolih, high resolution process of the counter of the counter

Diskatta - \$19 95

ASTROAPPLE" by Bob Male
Your Applic compared recomes your astrologer,
generating horoscopes and forecasts based on the
computed postions of the heavening bodies. This
program offers a delightful and stimulating any to
horoscopes (both chartful for each present based
on his or her birth data. Any two people may be
compatibility. The program is written in Application
BASIC with machine language subroutines. If
Groupses other RAM or ROM Application and all least 32K of memory.



Cassatta - \$14.95 Disketta - \$19.95



FRACAS** by Staut Smith.

A fartistic devertive game tie no other! Up to eight polyers can parkegate or FRACAS at the same time, the same time of the same time of the same time. The same time of the same time o

Cassatta - \$19.95 Dickette . \$24.95

BATTLESHIP COMMANDER** by Erik Kilk and Matthew Jew



Cassette - \$14.95 Diskatta - \$19.95

Also by Don Worth

BENEATH APPLE MANOR - Adventure Uses Integer BASIC Cassatta - \$14.95 Disketta - \$19.95

BABBLE - Fun with words, sound, and graphics Cassatta - \$19.95 Disketta - \$24.95

WHERE TO GET IT: Cas us at [213] 344-6599 for the name of the Quality Software dealer nearest you. It necessary you may order dereitly from us. Mastercard and Virsa cardinoletes may place orders by therephone. Or mail your check no bankfaction number to Quality Software, 6660 Reseata Bind, Suite 105, Reseata, CA 91335. Calofform seededs and 66 % sales as SHPFINE CHARGES, Within hort? America orders must include \$150 for first class shapping and handing at \$350. Per you US. CIRCLE 195 ON READER SERVICE CARD

JUNE 1981

Fantasy, continued...

trolled characters have different alignments. Whenever a character is next to another character of different alignment, as you come the counter occurs. During encounters, you can fight, retreats or rest. The success you can fight, retreats or rest. The success strength, weapon rating, and arter's date, strength, weapon rating, and arter's date, it you wanquish an opponent, you get all his gold. Winning gold can increase your experience, allowing you to gain skill or strength, but it can also reduce your skill or movement.

There are several levels to Europh Town, with trap doors and doors that seem to teleport you to other areas. If you find yourself in one of the tought of before gaining enough experience, you could be in trouble. One of my favorite characters was destroyed in a premature encounter with a small dragon and King Boogaloo (there are touches of humor laced through the scenario).

There is no ending, per se, to the game. Once you have explored all avenues, the program allows you to continue wandering through empty locations. To offset this, the instructions contain suggestions for possible rules. Solo players might want to try gathering a certain fixed amount of treasure, or defeating a certain monster. Groups might try competing for the most gold, continuing until only one survives, or starting at random locations and trying to meet. Once you've explored the whole scenario, there are no surprises left, but you can always try going through with a you can always try going through with a weaker character, or gathering more loot.

All's Wells That Ends Well

Krell Software markets two fantasy games with interesting premises. Time Traveler allows you to wander through fourteen eras, attempting to gather hidden time rings. Each ring has a special power that can aid you on your quest. The areas you explore are represented by a text grid which is displayed whenever you give the "map" command. As you move

creative computing SOFTWARE PROFILE

Name: Time Traveler

Name: Time Travele Type: Fantasy

System: 16K Apple with Applesoft. PET or TRS-80

Format: Tape

Language: Applesoft, PFT Basic, or Level II Basic

Summary: Different, time trip type

Price: \$24.95

Manufacturer: Krell Software 21 Millbrook Dr. Stony Brook, NY through an era, you can attempt to gain allies, fight enemies, and discover the location of the rings. The game is interesting, and the encounters change on replay. Various misfortunes can hinder your progress, including capture by the local power group. You might be imprisoned, to the lot of a time traveler, written in Basic, the game takes a few seconds to respond to commands, but the wait is not unbearable.

Whenever you enter a time period, you have to choose which side you want to join. In Egypt, you can be a Pharoah or a Priest, in colonial America, you can be either British or Colonial. Your choice will effect how you are treated by other people of that era, Guards might let you

creative compating

SOFTWARE PROFILE

Name: Sword of Zedek Type: Fantasy

System: 16K Apple with Applesoft. PET, TRS-80

Format: Tape

Language: Applesoft, Pet Basic, TRS-80 Level II Basic Summary: Ra is a quitter

Price: \$24.95

ifacturer: Krell Software 21 Millbrook D through or block your way, depending on your allegiance.

Was it fun? Mostly. The change of format from other fantasies was nice, giving a bit of variety. The randomness, allowing replay, is a plus, though I'm sure that after a certain number of plays, the game will begin to acquire a familiar ring.


Sword of Zedek is the other fantasy game from Krell. This is similar to Time Traveler in format, but your travel is across space rather than through time. You have to win allies from among the fantastic creatures of the land, then find the evil Ra and defeat him. While exploring the land, you must try to persuade creatures to join you. You can also hire kings or banes. But if you hire any creature's bane, that creature will not join you. The land is represented by a text map of nine by ten, and a second, smaller map of the underground area. Sword of Zedek didn't seem to have the variety or excitement of Time Traveler, and Ra rolled over and died a bit too easily.

Squish, Ick


Bob Liddel is the creator of a game called Death Dreadmaught, that is definitely not for the weak of heart. You find yourself on a wrecked space ship there sare is a lot of litter in the universe; your primary goal is to get out alive and your secondary goal is to keep from doing anything that will get you killed. Though done with just text descriptions, the game is quite graphic. Every conceivable word for "key remains of slaughter" has been used











Oldorf's Revenge

OLDORF'S REVENGE is a well done and exciting action game with over 100 rooms in Hi-Res (See pictures). You must explore castles, caverns, caves, and palaces, battling monsters and searching for lost treasures plus more. A total of 4 interlocking programs. 48K Ram, Applesoft Rom and Disk required.

OLDORI⁻ on Disk. \$19.95

SEE YOUR LOCAL DEALER

HIGHLANDS COMPUTER SERVICES 14422 S.E. 132nd Renton, Washington 98055 (206) 228-6691

Washington residents add 5.3% sales tax. Applesoft and Apple are registered trademarks of Apple Computers, Inc.
















The Tarturian

The Tarturian requires 48K ram, APPLESoft ROM, and a disk drive. As you explore
the 160 rooms (each done in HI-RES)
gathering weapons and treasure rate in
Tarturian, you will encounter the deadly
Krolis, battle the Minostaur, discover the
Yumny Yakky secret, make friends with
the Tultenweep, avoid Ghouls, kill giant
Centipedes, explore the Pillar Tombs,
discover secret passages and more.
TARTURIAN On disk ... S24.95


SEE YOUR LOCAL DEALER

HIGHLANDS COMPUTER SERVICES 14422 Southeast 132nd Street Renton, Washington 98055 (206) 228-6691

Washington residents add 5.3% sales tax. APPLESOFT and APPLE are registered trademarks of Apple Computers, Inc.







Fantasy, continued...

in the room descriptions, from mundane maggots to bizarre terms with slightly medical overtones. How is the game? Not bad. The inner logic is there, along with the other trappings of a good adventure.

creative compating SOFTWARE PROFILE

Name: Death Dreadnaught

Type: Fantasy

System: TRS-80 Model 1 Format: Tape or Disk

Language: Machine Language Summary: Gooey, gorey game

Price: Tape \$14.95. Disk \$19.95

Manufacturer: The Programmer's

P.O. Box 66

And, if you get killed, you can go back to the start without loosing any of your possessions. That avoids the tedious process of regaining everything, and takes less time than loading in a saved game.

The interesting part about Death Dreadnaught is that, after a while, I found myself ignoring the gruesome descriptions and concentrating on the game. The gory stuff quickly becomes just words to glance through. There are some nice touches in the program. At one point, I tried what seemed to be a clever way to get through a certain locked door. To my surprise, the method worked. To my chagrin, I found that I definitely didn't want to get through that door. Fortunately. I was resurrected with all possessions. If you are bothered by violence or crude descriptions, stay away from Death Dreadnaught. Otherwise, it's as good as any other adventure of this type.

Highland Computer Services markets some nice fantasy programs for the Apple. The games come on disk and require 48K with Applesoft. Oldorf's Revenge allows you to explore an underground world drawn in hi-res graphics.

creative compating SOFTWARE PROFILE

Name: Oldorf's Revenge

Type: Fantasy

System: 48K Apple with Rom Applesoft, Disk Drive

Format: Disk

Language: Applesoft Summary: Good romp through

Manufacturer: Highland Computer 14422 S.E. 132nd Renton, WA 98055

The program, though in Applesoft Basic, runs fast, and rarely accesses the disk, thus speeding responses even more. This game introduces a neat twist. You can be one of seven characters; cleric, thief, elf, magician, wizard, gladiator, or strongman. Each character has special commands only he can execute. For instance, thieves can open, unlock, prv. or pick things. Only gladiators can fight. During play, you can switch from one character to another, but no character can be used more than five times. The first goal is to get enough gold to allow you to cross the

toll bridge. Once across the bridge, you can save the game in progress. The ultimate goal is to find the exit from the caverns and leave with at least 300 points. The pictures, while not works of art, are good enough to increase the quality of the

creative compating SOFTWARE PROFILE

Name: The Tarturian Type: Fantasy

System: 48K Apple with Rom Applesoft, Disk Drive

Format: Disk Language: Applesoft

Summary: Good concept, nicely

Price: \$24.95

The Tarturian uses the same multicharacter concept, but adds an interesting extra. Each character can be killed by a

certain type of monster. The instructions contain the remnants of an old document that shows the footprints of each monster. giving you some chance to change characters before getting killed. There is also a new character. The mortician follows your group, burying members who are killed. In The Tarturian you can use each character up to ten times.

creative compating SOFTWARE PROFILE

Name: Creature Venture

Type: Fantasy

System: 48K Apple with Rom


Format: Disk

Language: Applesoft Summary: Hunt through house

Manufacturer: Highland Computer

Renton, WA 98055

I was also sent a preliminary sample of Creature Venture, which takes place in a haunted house. Again, the pictures were good, and the game was fun. A bit of animation spiced up play. Like most games of this type, there are points where you can get stuck with nothing to do. Until you find the required solution, you can't go on. Still, for those who like adventures, this one is a good buy.



Get 12 issues of Creative Computing for the price of 8.

Some things are still cheaper by the dozen.

When you subscribe to $Creative\ Computing$, you get 12 issues for just \$20. The same 12 issues would cost you \$30 at the newsstand.

Why not enjoy Creative Computing all year long and save \$10 at the same time.
To subscribe, call toll-free from 9 AM to 6 PM 800-631-8112. In New Jersey, call
201-540-0445. Or write to Creative Computing, Morris Plains, NJ 07950. We accept Visa,
MasterCard and American Express.

Creative Computing is the leading magazine of small computer applications and software. It has in-depth reviews of new systems, peripherals and software. Also articles for both beginners and experts; columns about popular computers, programming techniques and new products; and complete program listings for your computer.

Alvin Toffler says, "I read Creative Computing not only for information about how to make the most of my own equipment but to keep an eye on how the whole field is emerging."

Why not join over 90,000 subscribers and save money at the same time? If you're clever enough to order a dozen.



From Avalon Hill...



Dale Archibald, 1817 Third Ave. N., Minneapolis, MN 55405.



COMPUTER WARFARE

Dale Archibald

I hate to admit it, but I'm even more of a gmae addict than I am a computer addict. I've played chess, checkers, GO, backgammon, and parchesi. I've played poker, pinochle, euchre, and bridge. I've played dungeons and dragons. I've played electronic handheld games as a reviewer. I've competed on video games, And I've played war games (a.k.a. simulation games, I ever since the 1968s. I've also been lucky enough to play many of the computer games currently on the market.

When I fearned that Avalon Hill Game Co., the grande dame of the simulations business, was to publish its first set of computer games, I thought it would be the event of the year for both gamers and computer owners. After all, the firm has been publishing games for over 20 years. (Avalon Hill Game Co., 4517 Harford Rd., Baltimore, MD 21214.)

The firm's first offerings came on the market in mid-summer 1980, selling for around \$15 cach. The games include Nukewar, B-1 Nuclear Bomber, North Atlantle Convoy Ralder, Midway Campaign, and Planet Miners. Each game is on a cassette which includes an original and backup for the Apple II with Applesoft Basic, TRS-80, and PET, I tried to run the games on my 16K Apple II Plus. It said on the box and on the instructions that it takes "16K Memory Beyond Basic" for the Apple.

Avalon Hill batted about 400 with me when I tried to load the games. Nukewar loaded on the first try. Convoy Raider took five tries, and finally loaded from the backup. Midway Campaign beeped, and beeped again, but the cursor wouldn't come back on. B-1 Bomber printed ERROR regardless of volume; and Planet Miners went OUT OF MEMORY.

A second tape recorder loaded B-I Bomber, but to run Midway Campaign and Planet Miners takes a 20K Apple II Plus. The 16K of free memory beyond Basic means just that.

Convoy Raider

Looking at the games in chronological order. North Atlantic Convoy Raider is first. It's a simulation of the 1941 attempt of the British Home Fleet to sink the Bismarck. You command the Bismarck while the computer controls the Hood, King George V, Rodney, and Prince of Wales. It also controls convoys the Bismarck should sink.

The weight of world opinion goes against whichever country fires first

The display is a 12 x 12 grid, each grid zone representing 10,000 square miles. Ships are represented by the first letter of their names.

Strategic and tactical are the two types of truns. A strategic turn prints a map showing convoys and battleships currently spotted, plus damage to the Bismarck, remaining fuel, time, weather conditions, etc. It then asks for commands regarding the heading on which you wish to sail.

A strategic turn contains one or more tactical turns approximately 30-60 minutes long. When a change occurs in the tactical situation, the computer will print out a message such as KING GEORGE V SPOTTED, then wait about four seconds. If the player presses the space bar during this time, a new strategic turn can be entered. This allows the Bismarck to change directions to escape battle, for instance.

Once the Bismarck is within range of a convoy, it automatically fires. When

CLOADMONTHLY

"all the fit that's news to load"

TRS-80 PROGRAMS ON CASSETTE CLOAD Magazine for your Model I or III!

Goleta, Calif. - You can get 7 or 8 programs on cassette, each month, that CLOAD directly into your TRS-80 Model 1 or 111!

A subscriber, too engrossed in trying to save the world from invading aliens (March, 1981 issue) to give his name, stated, "I receive a 30 minute cassette by First Class Mail each month containing some of the best games and educational programs I have ever played. Some are even in machine language!"Another CLOAD subscriber, Claudine Cload, could now "fit the computer into her schedule" thanks to the utilities and occasional disk programs she received from CLOAD. She was writing about it to all of the people on her mailing list (November, 1979 issue). Get the news firsthand. Get a subscription to CLOAD Magazine.

The Fine Print:

Overseas rates slightly higher— please write for them. Back issues available—ask for our list.* TRS-80 is a trademark of Tandy Corpor alifornia residents add 6% to single con and anthologies. Programs are for Le

16K, Model III 16K, and occasionally for disks. *24 Level I back issues also available

PRICES

1 year subscription . . 6 month subscription Single copies Mastercard/Visa Welcom

by Clyde Cload, star reporter

MAGAZINE INC.

P.O. Box 1267 Goleta, CA 93116 (805) 964-2761

CIRCLE 113 ON READER SERVICE CARD

01981

COLOR COMPUTER OWNERS!

CLOAD INC. ANNOUNCES

CHROMASETTE MAGAZINE!

A monthly magazine-on-cassette for your Extended BASIC Color TRS-80!

Goleta California - With CHROMASSETTE Magazine, Color Computer owners can now enjoy the variety, economy, and easy entry of programs that CLOAD subscribers have enjoyed for 3 years.

Magazine gets rid of the

CHROMASETTE

type-in-and-edit blues by putting a rainbow of ready-to-load programs on cassette, and sending them to you by First Class Mail each month. Educational, practical, utility, and game programs are delivered right to your mailbox.



CHROMASETTE Magazine in its Prime State

Put a rosy color in you and your computer's cheeks, stop reading these old cliches, and get a subscription to CHROMASETTE Magazine.

Please write for rates and other info.

Or send a blank check and your account balance. (Visa

and MasterCard also accepted)

CHROMASETTE MAGAZINE Box 1267B Goleta CA 93116

Warfare, continued...

within range of a British battleship, it will ask for a target ship. Then the player sits and watches while the battle goes on. So really, the only choices the player can make are: which direction to go, and whether to fight or flee.

Weather and day/night conditions are factors to be considered. The game is weighted heavily in favor of the British. Don't lose the instruction book. The game itself won't prompt you to remember that H changes heading.

Midway Campaign

Midway Campaign is the next stop in our order of battle. It's June, 1942, in the Pacific. Four Japanese carriers are heading toward the tiny island of Midway, supported by cruisers and an invasion force. The U.S. has two carrier forces in the vicinity, and Midway itself has every airplane it can scrape up.

As I mentioned earlier, this game takes a 20K Apple II Plus. It uses the same type of grid Convoy Raider uses. The carrier forces are Task Force 16, with the Enterprise, Hornet, and cruisers; and Task Force 17, the Yorktown and cruisers.

This game does prompt the player. The U.S. forces are commanded by the player, and since it's an air battle the planes are all-important. Midway is considered a carrier. Combat Air Patrols are set up around each one to form a protective screen in case of Japanese attack. The remaining aircraft are armed and ready to launch against the Japanese fleet. Prime target, of course, is that carrier force.

Your carriers are also top priorities. Their aircraft can make strikes up to 235 nautical miles away, while yours can only go 200. You have to stalk their carriers, and hope yours go undetected. Sometimes you know when you're spotted: other times you aren't told. Once you launch the strike, you can only sit and watch. When your planes return, they go below to refuel and rearm. This takes a full move, and there's nothing you can do while they're down.

Playing the game again to write this review, I was able to sneak in behind their carriers and launch an attack that sank all four of them. It was the first time I've won!

Nukewar

The next game in time is Nukewar, a favorite among visitors to my house. Two 8 x 8 grids represent two countries for

which you select names.

Your object is to build up bomber, missile, submarine and anti-ballistic missile bases on the grid coordinates while the computer-controlled enemy does the same. You can also spy or attempt to declare war before the computer does.

The building campaign is limited by time. The year the game begins is random. between 1956 and 1965. Missile subs aren't allowed until 1965, ABM bases until

The first strike hits the other country's forces on the ground. You may also hit enemy cities. The weight of world opinion goes against whichever county fires first.

Missile subs go to sea, immune from attack. Bomber bases launch fighterbombers. They're 20 per cent tougher as fighters, and will knock out incoming bombers. Bombers that survive that attack, and any ABM attacks, will hit targets of opportunity. You don't need to know where enemy bases are for this to happen.

You order missile attacks-and submarine missile attacks when the subs are in location-by grid coordinates. Often, the missiles will drift, so don't count on one missile for one target. Some will miss nine out of ten times.

Claw for altitude—drop the big one—and get out of there.

During defense the information scrolls so fast it's unreadable. During battle, the premier of the computer country keeps calling to negotiate. If you're stronger, she may agree to a truce. The winner is the side with the greater population surviving. Cities have 11 million people, other nonbombed grid locations one million each.

B-1 Nuclear Bomber

Best of the games is B-1 Nuclear Bomber. The scenario starts with a Russian attack on the U.S., and you're pilot of a B-1 out of Thule.

Ask the navigator for a course to your chosen target, check the status of your ship, and name your course and altitude. You must fly low to miss radar. As you go roaring along, surface-to-air missiles (SAMs) and MIG fighters are launched to intercept. You have six Phoenix missiles. electronic countermeasures (ECMs), and can take evasive action. The deeper into Russia you fly, the stouter her defenses become. To add to your problems, every time you use ECM, it works less well.

Nuclear air blasts flash on the screen as you roar along. When you arm the bomb, enemy activity really picks up: Their detectors can more easily home in on you. Claw for altitude - drop the big one - and get out of there.

If you do reach Thule, and have enough fuel to land, you may find your crew has been seared by radiation. This is an exciting game, with good prompting.

Planet Miners

Finally, far in the future, Planet Miners sets your family against three others (either human or computer-controlled) in an attempt to gain mining concessions on planets throughout the solar system.

Each player has five ships manned by crews of varying capabilities. But one ship has to stay on earth to deal with various ownership squabbles, claim jumping attempts, etc. The others travel throughout the system to make claims, claim jump, attempt sabotage, and do all the things normal interplanetary businesses do in the course of a day.

The object, of course, is to amass the greatest number of claims by the end of the 40th move, or when the earth's Mining Council calls a halt to the proceedings. Shades of the gold rush.

Unfortunately, although it's the only multi-player game in this set of five, it's achingly dull.

All five of these products have a touch of the board game about them. Perhaps as board games they would be acceptable, but as computer games they fall short. They don't take advantage of any of the computer's capabilities except the bookkeeping function and-on the Apple, at least - some squeaks and bleeps to signify battle. You don't see ships, aircraft, planets, or anything but letters. All the maps are like that. Only B-1 Nuclear Bomber uses graphics, and that just flashes the screen to signal an atomic air

B-1 is also one of two that have any sense of time as a factor, as defending MIG fighters and SAMs come into range. Nukewar uses time only to the extent that the player never knows when the machine will make its onslaught. At least there's some tension in these two. As far as the others are concerned, you could leave and make a sandwich while you consider you next move!

Please understand, I'm not suggesting that these games should have all the bells and whistles of arcade games; I know they are strategy simulations. I do feel, however, that they would benefit greatly from more suspense, and more play value. As it is, they seem to be neither fish nor fowl.

But there are good things about them. They're inexpensive, and they'll run on machines with small memories. Best of all, they're giving Avalon Hill a chance to test the water, to see what type of computer games are most popular-to learn what should and shouldn't be done

Also, consider this: just the fact that Avalon Hill has published these games gives the entire computer game business an aura of familiarity. Non-computer retailers, such as game stores, toy stores and book stores, that would never have thought of handling computer games a year ago, may reconsider just because AH is involved.

CIRCLE 304 ON READER SERVICE CARD

Beagle Bros: Bargains!

Exciting Apple Software PLUS Juicy Apple Information! At Your Dealer Now or Shipped To You Within 24 Hours!



TextTrain: Race the on-screen clock with r text-format video "freight train" Real-time track tching & coupling simulations, hours of fun! Sub Search: Find & capture the invisible

ny subs on your Apple color graphics scope! Pick-a-Pair: A colorful Apple party game for all ages and skill levels! Uncover and remem hidden graphics symbols to score big & win!




WOWZO: Our challenging lame! Capture targets in a flexible maze, and lutmaneuver your opponent before time runs out! Elevators: Keyboard control 4 elevators at

e in your CRT skyscraper You'll need a compu Quick-Drawi: You command two colorful men who shoot it out on your Apple screen!



Magic Pack: Four mind-bending tricks in fantastic Magic Show! Only you and your Apple

- these amazing feats!
- Slippery Digits: A challenging & colorful iber-action game for all ages. A great demonstra-of your Apple's capabilities! Oinki A nerve-racking sound-enhanced video



Buzzword: A comical story-creator with Triple Digits: A thinker's game with num-

bers Score in four ways and outfox your opponent?

3. Corn Game?: A look; guessing spain strivolving
3 farm animals and endless supply of corn!

section to the sames tred, each discontain AT LEAST FIRD addition,
he happens, Direct letter goods to the all there demonstrate the view
only of your Applier Carelle Read. 1 & 3 L contain at sames in both Applies
to brieger State. Celler Read 4 Applies FOOTO CRY.

DISK COMMAND EDITOR

by Bert Kersey and Jack Cassidy Dos Boss is an extremely versable, easy-to-use

Apple utility package that will customize your disk sys-tem and personalize your personal computer! Here are just SOME of Dos Boss's useful features— Rename DOS Commands by smoly ing the command you want changed (say "CATA-LOG") and your new command (say "CAT") Now "CAT" will catalog your disks. Other changes are just

Change the "Disk Volume" heading to anything you want, your name, disk title or code, with or without the Volume Number. Inverse, Flash or

Save-Protect" your programs! An

unauthorized copy attempt will produ One-key program selection! Run programs by pressing only the key indicated on the

Customized Catalogsi Create multicolumned catalogs that fit more file names on the screen. Catalog only the file-types you want (A, I, B and/or T) Omit or alter sector numbers and language

Rewrite Error Messagesi "Syntax ERROR" can be "TRY AGAIN!" or "NO COMPRENDE", "DISK FULL" can be "BURP!" anything you want!

Ail of DOS BOSS's change features may be appended to any of your programs, so that anyone using your disks on any Apple (booted or not) will be formatting DOS the way you designed it!

Plus the DOS BOSS BOOK! 36 pages of

- Inside The DOS BOSS BOOK
- Discover some strange Apple bugs!
 Put Inverse REM Statements in your listings!

- Make your programs un-istable! Custom-format your catalogs! Change DOS with creative POKING

DOS BOSS @

and The DOS BOSS BOOK



4315 Sierra Vista, San Diego, CA 92103





The APPLE COMMAND CHART: FACE



nal with complete program listings and DPI on setting up Apple, removing garbaged program lines, altering color put, printing "uniprintable" text characters, entering mac code, and more

SHIPS ALL DISKS WITHIN 24 HOURS!

- APPLE COMMAND CHART & TIP BOOK
- DOS BOSS & The DOS BOSS BOOK (\$25 SO)
- GAME PACK #1, Train, etc. (\$95.50)
- GAME PACK #2, Wowzo, etc. (\$25 50) GAME PACK #3, Magic, etc. (\$25.50)
 - GAME PACK #4, Buzzword, etc. (\$95.50) (Prices Include First Class Shipping.) Specify DOS 3 9 or DOS 3 3

Multiple Orders 10% OFF

ADDRS-

Amt Enclosed # S VISA/MASTERCARD:

Include ACCOUNT NO., EVP DATE & SIGNATURE

Mail to: BEAGLE BROS, Dept. H 4315 Sierra Vista,

San Diego, CA 92103 Telephone (714) 296-6400.

Dealer Inquiries Welcome!

The Warp Factor



This Alliance cruiser needed (wo successive MS (move ship) commands to describe this S-curve. The first MS command turns the ship to bearing 90° for 5 lime units. The second command alters course to 0° for six time units. At least one more MS commands would be required to complete the remaining 5 time units of the turn

creative compating SOFTWARE PROFILE

Name: The Warp Factor Type: Space Fight Simulation

System: 48K Apple with Rom

Format: Disk Language: Applesoft

Summary: Excellent strategy game

Price: \$39.95

Manufacturer: Strategic Simulations 465 Fairchild Drive

Mountain View, CA

The early programs from Strategic Simulations had a reputation for a long lag time between turns. In complex situations, there could be waits of half an hour or more while combat results were produced. Thus, when The Warp Factor arrived for review. I was hesitant to look at it myself. I just couldn't envision spending hours in space fights that didn't take place in real time. Luckily. I did take a look at the game. Warp Factor is great. Those of you who liked playing Star Trek, but got bored with the simplicity and redundacy of the game, have a new addiction in store

Warp Factor places you in command of a starship or fleet of ships. You can be part of any of six interstellar nationalities; Alliance, Reman Marauder, Imperial Pirate, Klargon Empire. Independent Starbase or Freeman. Different nations have different ships at their command. Each ship has a specific type of armament and shields, as well as a different turning rate, acceleration, and mass. This is no simple aim-andshoot simulation. The ship must be commanded with skill and intelligence, integrating all features and capabilities of the vessel into each decision.

Play proceeds in phases. After choosing a scenario, and getting your ship or ships, you go through a series of commands. Let's assume you are controlling an Alliance Heavy Cruiser. The first command, after checking the status of the ship is Set Display. The display can be centered either on the ship or at galactic coordinate 0.0. The view can be in any of eleven magnifications from a close-up minus 5 to a wide-angle plus 5. Once you see the location of the enemy, you can make battle plans. Energy is allocated to shields. weapons, transporters, electronic counter measures, and electronic counter counter measures. Certain weapons have to be charged for several turns before they can be fired. Each ship has six shields, which can be individually reinforced. During energy allocation, you also choose the speed of the ship for that turn.

The next key area is the Fire Weapons command. In this segment, you choose which weapons to fire in up to three separate salvos. For example, the Alliance Heavy Cruiser can fire three phasers and two torpedoes during the first salvo. Then it can fire its remaining phasers and torpedoes at a different target during the second salvo, and fire nothing during the third. For each salvo, you have a choice of firing according to range, time, or last moment. This is where skill truly enters the game. Let's say you are close to an

David Lubar

enemy ship. You might have already completed a portion of your movement phase (more on that later) and noticed that you fly past the ship on time segment eight. Using the specific-time option of the Fire Weapons command, you could choose to fire all rear-facing weapons at timesegment eight. Most weapons have a limited field of aim, and it does no good to fire a weapon forward if the target ship is behind you. Some weapons hit (or miss) their targets in the turn they are fired. others, such as drones and plasma torpedoes, might travel for more than one turn before reaching their target.

The final crucial command area is Move Ship. Here, you can specify direction of movement for up to sixteen time segments. After any move, the position of the ship is replotted. You can move a part of the distance, see where you end up. then go to the Fire Weapons command. Your turn is over after the last move segment has been entered

Then comes your opponent's turn. If you are playing another human, he will go through the same command series. If you are playing against the computer, it will take a minute or so to enter commands.

Next come the results. The computer will think about things for a minute or so. If there is combat, it will inform you and ask you to hit return. This is nice since it allows you to leave the room and not miss anything. Combat results are reported as text, and there might be a wait of several more minutes between segments of the report. But the wait never seemed unduly

I first tried the game with one ship against a computer ship. Next, to see how much longer the wait became, I played with four ships against four on the computer. Surprisingly, the wait didn't increase much.

There are five scenarios available, four of which are for one player. Most scenarios allow a choice of ships, thus greatly expanding play possibilities. Along with the disk, you also get a thirteen-page instruction manual, and a set of sheets illustrating and describing the available

Warp Factor is excellent. A lot of thought, strategy, and planning is required if you want any chance to beat the computer. The control over the ship, and the many facets of navigation and combat, make the game extremely challenging. If you have a bit of patience and don't mind waiting a few minutes for results, and if you want to take part in a contest requiring plenty of thought and skill, Warp Factor is definitely worth buying.

UNLEASH YOUR MIND WITH OUR DREAM MACHINES.

Our products are a breed apart from the clutter of other "computer" games that so often are no more than hyped-up video games giving you pretty pictures and little substance. After the novelty has worn off, they are quietly discarded. In our opinion, this is a pretty poor value. Not so with our games.

STATE-OF-THE-ART PROGRAMS

At Strategic Simulations Inc. our state-of-the-art simulation programs are designed with one purpose; to provide you with computer games unmatched in sophistication, excitement, realism, and playability.

All of which translates into one word: fun. Lasting fun. because they are designed by thinking men for the Thinking Man.

With a little help from your imagination, our software will convert your Apple® into a veritable Dream Machine that transcends the barriers of time and space.

> OUR UNIVERSAL DREAM MACHINES. If your idea of a truly great game

is one where more than manual dexterity is required - where planning and plotting based on strategic and tactical skills are essential to victory - then we're thinking along the same lines. Speaking of lines, our complete

and ever-expanding line of quality games will fit your needs perfectly whether you're into historical wargaming, fantasy/science fiction, business, or sports simulations.

You see, our designers' creativity knows no bounds.

UNCOMPROMISING STANDARDS

As varied as our programs may be, they all share common features without which they could not meet our demanding standards.

To approximate the "you-are-there" feeling so desirable in game playing all our simulations are created with loving attention to accuracy and meticulous detail.

In recognizing the difficulty of always finding a ready and able human opponent, we have made sure the computer can serve as your adversary in solltaire play. And if you are expecting a pushover, you're in for quite a surprise! For those dedicated to the

ultimate gaming experience, we have exactly what you've been looking for.

We've made quite a statement, and we're ready to back it up. Our 14-day money back guarantee is your assurance of complete satisfaction.

ORDER YOUR DREAM MACHINE TODAY.

If you own an Apple®II 48K (Applesoft ROM) and a 51/4" minifloppy disc drive, you can own our Dream Machines today and unleash your mind.

Credit card holders, call 800-227-1617, ext. 335 (toll free) and charge your order to your VISA or MASTERCARD. In California, call 800-772-3545, ext. 335. To order by mail, send your check

to: Strategic Simulations Inc. Dept. CCI, 465 Fairchild Drive, Suite 108, Mountain View, CA 94043.

- ☐ COMPUTER BISMARCK": \$59.95.*
- ☐ COMPUTER NAPOLEONICS": \$59.95. ☐ COMPUTER CONFLICT": \$39.95.
- ☐ THE WARP FACTOR": \$39.95.
- CARTELS & CUTTHROATS": \$39.95.

- ☐ COMPUTER AMBUSH": \$59.95.
- ☐ COMPUTER QUARTERBACK": \$39.95. ☐ COMPUTER AIR COMBAT": \$59.95.

 - ☐ OPERATION APOCALYPSE": \$39.95.
 - ☐ TORPEDO FIRE": \$59.95.

*COMPUTER BISMARCK" is available for TRS-80 cassette 32K: \$49.95; and TRS-80 48K disc: \$59.95.

As part of our demanding standards of excellence, we use Maxell floppy discs.

TRS-80 is a registered trademark of the Tandy Corporation. Apple is a registered trademark of Apple Computer Inc.

Apple Graphics Utilities

David Lubar

Back in the early days of the late seventies, very few people could cope with placing graphics on the Apple. We all knew it was possible, but the prospect of creating shape tables by hand was enough to dampen anyone's spirits. The picture began to brighten with the appearance of graphics utilities. Creative Computing published a shape table generator written by Gary D. Dawkins, Steve Wozniak of Apple furnished a shape-table program in his Wozpak. These programs not only allowed easy design of shapes, they also stored a series of shapes in a table, taking a major element of drudgery out of programming. Now, there are many graphics utilities on the market. Five of these programs are covered below.

Local Color

Bob Bishop, who is to Apple graphics what Wilbur and Orville were to flight, has moved the coloring book into the conquerage with Micro Painter. The system allows you to fill in hieres pictures with teventy-one colors. The disk includes eight drawings. When the program starts, you select a picture, either from the disk method in the picture is placed on the screen, along with a flashing crosshair controlled by paddles.

SOFTWARE PROFILE

Name: Micro-Painter
Type: Color-fill Program

System: 48K Apple II or II Plus.
Disk Drive

Format: Disk

Language: Integer or Applesoft Basic

Summary: Electronic coloring book
Price: \$34.95

Manufacturer: Datasoft, Inc. 16606 Schoenborn St. Sepulveda, CA 91343 Colors are selected with two keystrokes. Normal blue is BB, light blue is LB, and so on. Once a color is selected, a push of the paddle button causes an area to be filled. The color spreads out in a diamond pattern. stopping whenever it encounters a black line. Once an area has been colored, it can't be easily recolored. The paint mode only functions against a white background. Colored pictures can be sawed on disk.

Since most drawing programs and graphics tablets produce a white line on a



Drawing by Saul Bernstein on Micro Painter.

black background, Bishop has included a command which produces a negative of the screen. Thus you can draw with any graphics program, save the picture, bring it back under Micro Painter, and reverse the colors to obtain black lines on a white background.

Micro Painter also has a microscope mode which expands the picture to seven and a half times normal size. In this mode, you can examine and change individual pixels. This is handy for patching up small, enclosed areas that can't be filled in the normal mode.

It seemed to me that Micro Painter would be an ideal program to get people interested in computers. It is easy to use, fun, and produces immediate, observable results. A friend, who had very little computer experience, tried the program and had no difficulty following the instructions, which are clear and well written. She was, however, very amused by the

microscope mode and the line in the instructions which said, "The Paint Brush and the area around it have been magnified seven and a half times!" After she stopped laughing, she explained that the microscope she uses at work has a resolution of 100,000.00. Her amusement quickly gave way to absorbtion as she went on to color several drawings.

For beginners who want to have a new kind of fun with the Apple or advanced programmers who need to color pictures. Micro Painter is an excellent program. The instructions also include a short program in Applesoft which allows you to draw with the paddles.

Paddling Around

On Line Systems, known for their excellent graphic adventures, sells Paddle Graphics. This set of programs, based on software developed by Versa Computing, allows you to draw on the screen, color areas, create shapes, and add text to a picture. Drawing with the paddles is tricky, but, with a bit of practice, you can obtain nice results. There is also an automatic mode where the line moves at a steady speed, and direction is controlled by a single paddle. This allows for freeflowing lines such as signatures. Line drawing commands allow you to specify two points and obtain a straight line between them, or draw a horizontal or vertical line delimited by two points. In other words, you can move diagonally. but obtain a horizontal line which starts at the first line and moves until it is at the same x coordinate as the second point. The documentation explains how to use this mode to draw perfect rectangles. The add-text routines are very nice. Text can be placed horizontally or vertically, in either Greek or English font. There are five sizes of text, and text can be added to any picture.

Drawings can be filled with any of twenty-one colors. The fill routine doesn't always color the entire area, and several fills are often needed. The best results seem to come from placing the cursor in



PRESENTS



THRILOGY

\$24 95


The object of BUSTOUT is to bust through the wall of bricks to get behind the wall and eliminate the wall of bricks. Behind the wall, eliminating the bricks is much faster. The ball starts also but will soon go faster than you may be able to handle also such rave to be the behind the wall, your paddle will get smaller! A beginner's mode is provided to the provided of the provided will be the provided will be a support to the provided will be provided by the provided by the provided will be provided by the provided by the

SMASHUP loads into Integer BASIC and then transfers all important subroutines into Assembly Language, making it's Ph-See graphics very fast. SMASHUP has unique sound You are WILLIAM TELL. You only have five surrows with you and to get a perfect score you must shoot the two apples off the tree and you must also shoot the apple on the boy's head three times. Don't aim too low! You might till him and not receive

any points:

The flight of the arrow depends on the tension on the bow when the arrow is launched After each shot, the boy will comment about your shooting. Did you kill the boy? Well push the paddle switch and start over.

WILLIAM TELL is an Integer BASIC game using HI-Res graphics and is fun for all ages.



Three Great Products for your Apple II or II Plus



In this arcade-quality action game you command the Nation's missile defense center to defend against a foreign missile attack. As missiles drop from the sky, you must shoot them while trying to protect your six cities and three missile bases. An automatically esculated skill level ensures that the better you get the tougher Missile Defense gets!

- · Fast machine language. HI-Res animation and sound!
- · Rapid fire capability mark and shoot at many targets simultaneously!
- · Works great with keyboard only, paddles or joystick!
- · Separate controls for all three missile bases!
- · Bonus cities awarded for high scoring!

WARNING: This game has been known to cause addiction and should be used with extreme caution!!!





\$24.95

In this innovative game, you take command of a powerful gun base to shoot helicopters and aircraft out of the air. Beware! The opposing have plans to Sabotage your base. Can you defend yourself from the rain of ombs and paratroopers and keep your base in action?

- · Written in Machine Language quick animation and sound effects. · Hi-Res color graphics.
- . Works great with paddle or keyboard control.
- · Conventional and controlled missiles.
- · Rapid fire capability mark and shoot at many targets simultaneously. · Automatically esculated skill level - the better you get, the tougher

All of these Arcade Games are available now at your local computer store. They will run on any 48K Apple II or II Plus with a disk drive. To order direct. send the purchase price plus one dollar for shipping to: ON-LINE SYSTEMS • 36575 Mudge Ranch Road • Coarsegold, CA 93614

Visa, Master Charge, C.O.D. or Checks Accepted

209-683-6858

Dealer Inquiries Invited

Utilities, continued...

the middle of the largest blank section. After this, any corners or fragments that were missed can be filled.

creative compating SOFTWARE PROFILE

Name: Paddle-Graphics

Type: Drawing and Shape Utility System: 48K Apple with Rom Applesoft, Disk Drive

Format: Disk

Language: Applesoft and Machine

Summary: Versatile utility

Price: \$39.95

Manufacturer: On-Line Systems

Coarsegold, CA 93614

Once a drawing is on the screen, it can be saved to a shape table. This table will contain not just the shape, but also the color, so filled shapes can be stored. The shape is saved by first marking its boundaries. A box is drawn around the shape and the program slowly designs the table entry. For a large shape, this can take a long time. Once the shape is saved, it can be recalled and displayed with all the usual commands, including changes in rotation and scale. By pressing the space bar, you can leave an image of the shape anywhere on the screen, allowing a shape to be used as a brush. Commands are also included for freezing the x or y coordinate, making it easier to place a series of shapes on a line.

Paddle Graphics is a very useful program. The text mode alone is almost worth the cost of the package.

Penguin Graphics

Mark Pelczarski (alias the Magic Penguin), a very talented Apple programmer, is the author of two graphics packages. Magic Paintbrush 4.0 contains programs for drawing on the screen and for developing shape tables. There are three drawing modes. The line mode draws a line between any two points. By holding down the paddle button as you move the cursor. you can obtain curves. The fill mode also draws lines, but keeps a constant origin for the lines, allowing you to fill in an area with a series of lines. The paint mode provides a choice of nine brushes with which to paint lines or fill background. Since these brushes are stored as a shape table, the user can define his own brushes.

The shape creation routines are very nice. There are two modes, Quickdraw uses the paddles and is designed to be fast but not accurate for intricate shapes. The shapes are designed in lo-res, but can be viewed at any time on the hi-res screen. While viewing them, the paddles control scale and rotation. The other method uses keys to plot the shape. While plotting, the scale and rotation can be changed using the paddles. This is a very versatile system. For instance, you can start with a scale of four, where each point is plotted four times, then shrink the shape. The ability to alter the shape in mid-plot allows a great deal of control over the final pro-

creative compating SOFTWARE PROFILE

Name: Magic Paintbrush 4.0 Type: Drawing and Shape Utility

System: 32K Apple with Rom Applesoft, Disk Drive

Format: Disk

Language: Applesoft Summary: Good for designing shapes

Price: \$29.95

Manufacturer: Co-Op Software P.O. Box 432 West Chicago. IL

As a bonus, the disk contains five games using shapes that were created with the Magic Paintbrush: Applesoft Invader, Slot Machine, Collision, Dogfight, and Sailboat Race. The Slot Machine program is nicely done. The Invader game is rather slow, but has a hilarious ending. Collision is a good simulation of the arcade game. The games are in Basic, and don't run as fast as machine-language versions, but they make a nice extra for the package.

creative compating SOFTWARE PROFILE

Name: The Complete Graphics System

Type: Drawing, Shape, and 3-D Utility

System: 48K Apple with Rom Applesoft, Disk Drive Format: Disk

Language: Applesoft and Machine Language

Summary: Excellent 3-D utilities.

Price: \$59.95

Manufacturer: Co-Op Software West Chicago, IL

If you take Magic Paintbrush, add three dimensional graphics routines, color fills, hi-res text, and other graphics routines, you'll have Mark Pelczarski's Graphics System. The three-dimensional utilities verge on the phenomenal. A figure can be

rotated through any dimension, distorted, moved, or scaled. You can experiment with the two figures provided on the disk or create your own. Different figures can be placed on the screen and be manipulated separately. Two-dimensional shapes can be constructed using the panel utility, then be brought into the 3-D section where vertices can be joined. The distortion subroutines were the most fascinating. Any vertex of the figure can be stretched or shrunk through left/right, forward/back, or up/down distortion. At any point, the figure can be edited, changing the length of any of the lines, or changing the connections of the vertices. It takes a few minutes to get used to the routines for creating figures, but they are well constructed. Overall, the entire 3-D set is graced with easy input routines.



A 3-D Image by Mark Pelezarski

The disk includes a program that shrinks a hi-res picture into one quarter of the screen. I should also mention that while the color-fill routines are not as effective as those in Micro Painter, and sometimes require several fills to cover the desired area, they do allow for over 100 colors.

Shape Up

Shape Master from Sensational Software is a utility specifically designed for creating and manipulating shape tables.

Greative computing SOFTWARE PROFILE

Name: Shape Master Type: Shape Utility

System: 48K Apple with Rom Applesoft, Disk Drive

Format: Disk

Language: Applesoft Summary: Complete utility for creating and altering

Manufacturer: Sensational Software P.O. Box 789-M Morristown, NJ 07960

Shape creation is executed on hi-res grids, allowing each point to be seen in an expanded size. The user has a choice of five plotting grids, from 13-by-23 to 39-by-69, and two methods of plotting. The vector method consists of moving a cursor through the grid, and indicating which points on the path should be plotted or not plotted. This works along the lines of the traditional method where the programmer defines a series of vectors and indicates which points on the path should be plotted. At any time, you can reverse the moves, deleting the series or part of the series. The graph method allows for more flexibility. Here, individual points on the grid can be selected for plotting. Once all the desired points are chosen, the program constructs a table entry for the shape. This frees the user from worry about drawing the shape as one continous viously can be brought into this mode for editine.

Once shapes have been created, they can be saved to a table or displayed. An entire table can be displayed, or individual shapes can be seen, sealed, and rotated. Adding to the utility of the program, any shape or group of shapes in a table can be reversed, giving a mirror image. These reversals can replace the original shapes or be appended to the table. Also, shapes within a table can be shuffled.

The authors, Doug Green and Matt Clark, have included four games and two graphics demos on the disk. The games are slow, but give good examples of what can be done with shape tables. The demos are superb. One shows a front or side view

of an Atat walker from The Enpire Strikes Back clumping along the screen. The other shows a Tie Fighter which can be rotated through three dimensions as it moves. The instructions are clear and 'orough, covering all aspects of the progu.m. and explaining how to use shapes in other programs. Available August 1981.

End of the Rainbow


Obviously, each of the above programs has different virtues and flaws. Micro Painter is the best for filling areas, and the microscope mode allows for fine detailing. If you already have a good drawing program and shape-table creator, Micro Painter is the way to go. Paddle Graphics offers versatility, giving you a good variety of capabilities. The fill routines aren't as polished as those of Micro Painter, but they are adequate. The only thing it lacks is a method of developing shapes point by point. Magic Paintbrush has an excellent shape creator, and the use of definable brushes adds a lot of flexibility, but the fill routines are awkward. Graphics System offers a good variety of utilities, including excellent shape table routines, and is the only one of the above which includes 3-D utilities. However, it is expensive, and designed for the serious programmer who

has need of these tools. Shape Master is designed strictly for shape tables, with no drawing routines, but it handles its functions very well. If your main concern is designing shapes for use in other programs. Shape Master has a lot to offer. Depending on what you already have, and what your prime needs are, each of these programs has something to offer.




© Creative Computing

"Oh gosh. I knew there was something else I was going to mention."



The Creation of Paintings/Programs



Duane M. Palyka

The following is an excerpt from Artist and Computer by Ruth Leavitt 1976 Creative Computing Press. The author, whose computer portrait appears on the cover of this issue, is now at the Computer Graphics Lab at NYIT.

Computer memory is an electronic surface—a thin sheet consisting of millions of small electronic elements called bits, each with its own electronic field which can be measured plus or minus, one or zero, white or black. As these bits are set by a computer program one can stand away from this surface and see clusters of bits. Datterns of bits. These bit settings can form different gray levels, shapes, and visual images.

This is not totally imaginary discourse. A device called a frame-buffer was invented for just this purpose: to allow bits of a computer memory to reflect themselves on a visual device—the principal one being a color TV monitor. The computer memory is continuously scanned and displayed on the monitor; the way the bits are set reflects in the way the bits are set reflects in the way the bits are set reflects in the way the three color guns excite the phosphors on the tube surface. Programs can be written to change these bits dynamically and therefore give instantaneous color feedback on the TV monitor.

When a computer lends itself so easily to visual artistic exploration, why should it be restricted to engineering uses? Why should any separation be made between this and other artistic devices? The computer artist need not know about his medium below the plastic level any more than the painter has to know about the chemistry of his paints. The plastic level of the computer art medium, however, includes programming; but programming is just as a plastic a medium in its own right as paint in and brush, and can be thought of in a direct visual sense when coupled with an accommodating hardware device like a frame-buffer.

Both the creation of paintings and the creation of computer programs are the creation of objects-objects constructed out of ideas, concepts, and craftsmanship. The aim is a finished work with strong structure, patterns, imagery, and textures. A painting can be considered "clean" if devoid of meaningless shapes and forms. A program can be considered "clean" when the code has no meaningless instructions. Good structure in a program can bring as much esthetic satisfaction as good structure in painting. The code and structure of a program reflects the personality of the person generating it. Both programming and painting are problem-solving processes to which each person has his own approach.

Actually, in painting more emphasis may be placed upon the subconscious as the source of images and ideas. Not to exclude the fact that leaps of the imagination are needed to generate creative dideas in both media, programming is basically a logical process which utilizes an individual's conscious mind. Because of this difference, painting can reach a more mystical level of awarences—a depth of

consciousness which we can experience but not explain. This does not mean that works of art are not logical. far from it. It is because the most creative works of art have such a logical basis that the computer fits in so well with the creative artistic

It is interesting to note that as artists go, besides renaissance painters. Escher is one of the favorites. This is because Escher renders a reality on a very conscious level with deviations made on a strictly logical basis to keep it interesting. There is little leakage from the unconscious into Escher's images.

What this thought process lacks is the realization that leakage from the subconscious can make the images even more real in spite of the fact that they now deviate from the strictly-observable real world. This deviation personalizes the images by allowing the viewer's imagination to get in syne with the artist's on a non-understood'subconscious level.

One can also have the computer simulate a traditional art medium with which the artist is familiar and leave it to the artist to fake the transition from the medium he knows to the new medium on from this own terms. The computer is very regood at simulation and, coupled with a good at simulation and, coupled with a frame-buffer, his particular simulation is simple to implement. Using an electronic per and table for input, the artist can be provided with a medium similar to acrylic painting. He can watch on a TV monitor a flow of color reflecting his hand and pen movements on the tablet. In fact, he can even select the brush sizes he wishes to use.

An advantage that this medium has over acrylic paint is that the artist can change the medium to suit his own personal artistic needs through programming. As the artist learns to program he can see the development and change of his medium and, hence, of his images.

The computer art medium can also help with the artistic risk-taking process. When an artist makes radical changes to his painting based on new thoughts and ideas, he risks destroying the painting to produce a highly-creative work. Giacometti and Matisse had the guts to wipe out hours of work to start afresh on the same painting. This can be a difficult thing for an artist to do. Giacometti developed a process of taking a painting to completion, wiping it clean, painting it again, wiping it again, etc. until he reached a state where he liked it or just gave up. A problem occurs when a previous stage of painting has the best result but there is no way of retrieving it. Picasso found the desire to have two paintings developed to a certain indentical state then each taken to completion in different directions. These tasks can be made easier with the computer art medium.

80 COLUMN GRAPHICS



The Integrated
Visible Memory for
the PET has now been
redesigned for the new
12" screen 80 column
and forthcoming 40
column PET computers
from Commodore. Like
earlier MTU units, the
new K-1008-43 package
mounts inside the PET
case for total protection.
To make the power and
lexibility of the 320 by 200

The image on the screen was created by the program below.

```
10 VISMEM: CLEAR
20 P=160: Q=100
30 XP=144 RR=1.5=3.1415927
40 VP>55: YR=1: ZP>64
50 CR = 1-2 PO P=17: ZP=KR/ZP
60 CR = 17: ZP=KR/ZP
60 CR = 17: ZP=KR/ZP
61 CR = 17: ZP=KR/ZP
62 CR = 17: ZP=KR/ZP
63 CR = 17: ZP=KR/ZP
63 CR = 17: ZP=KR/ZP
64 CR = 17: ZP=KR/ZP
65 CR = 17: ZP=KR/ZP
66 CR = 17: ZP=KR/ZP
67 CR = 17: ZP=KR/ZP
68 CR =
```

designed the Keyword Graphic Program. This adds 45 graphics commands to Commodore BASIC. If you have been waiting for easy to use, high resolution graphics for your PET, isn't it time you called MTU?

K-1008-43M Manual only \$10 (credited toward purchase) k-1008-43 Complete ready to install package \$495


Mastercharge and Visa accepted

Write or call today for our full line catalog describing all MTU 6502 products, including our high speed 8" Floppy Disk Controller for up to 4 megabytes of PET storage.



NOW 80 COLUMN PETS CAN HAVE MTU HIGH RESOLUTION GRAPHICS

CIRCLE 244 ON READER SERVICE CARD



Landing The Nostromo

Alan Sutcliffe

THE LANDSCAPE

In the summer of 1978 I was working with System Simulation Ltd. in London. They were asked to produce several sequences of computer animation for a space-fiction feature film already being made by 20th Century Fox. I had heard of one or two people connected with it: Ridley Scott was director and one of the actors was Ian Holm. A lot of Americans were also involved.

It turned out the film was called ALIEN, but that did not mean much to us then. I was given a brief look at an early script and asked to work on a section where the space-craft was coming in to land on an unknown planet. The atmosphere was opaque but some kind of future radar allowed a computerized view of the terrain on a screen in the command deck. I imagined, in my simple way, that there would be dialogue to put this over Hey. look at the Ramdada screen.

Hey, look at the Ramdac ser Skipper.

Looks damn hilly down there.

Here's a flattish patch.

That'll have to do.

Obviously I had seen too much Star-Trek: ALIEN was much more subtle than that. No explanations, no apologies. But I didn't know that—and I didn't need to know it—until saw the film a year later. I was asked to make the computer output look like computer output, to make. 30 seconds of landing in rugged country with a flat area.

The screen was to be surrounded by meaningful-looking animated displays showing altitude and angles and such.

Alan Sutcliffe, 4 Binfield Rd., Wokingham Berkshire, RG11 1SL England. The hardware to be used was a Prime 300 connected to an FR 80 from III which can plot directly onto cine-film. Running on this system at the SRC laboratories in Oxfordshire was the software animation package, Frolic, developed by C. Emmett.

My program was written in Fortran with calls to Frolic subroutines. Apart from general interest, you might ask why write about this in Creative Computing? A system costing over £1/4m is nobody's personal computer. The answer is that the two main parts of the program that I shall describe, the generation and display of the landscape and putting up the character displays, can both be realised on a small machine, provided that it drives a device with vector graphics.

Magic Mountains

"Magic Mountains" was my pet name for the project. The original scheme was to digitize a model landscape, but one day a block of about two cubic yards of polystyrene turned up in the office, its top carved into all sorts of fantastic shapes. Its overhangs and near-caves would have defeated the method I had planned to perform hidden line removal. In any case it was decided that it would be too time-consuming and too tedious to measure this model in detail and enter several thousand data values to represent it. I would synthesize the mountains from nothing. The whole process for the land-scape consisted of three main stages:

1) Generation. On an equally spaced x-y grid of 50 x 50 points, a value of z was generated for the height of the ground at each point.

2) View point. This three-dimensional information was converted, for each of a series of angles and distances, into twodimensional positions on the display screen. The series of angles corresponded to the view from the descending spaceship. The conversion and the control loop for the animation were performed by calls to Frolic, and will not be described here in detail.

3) Hidden line removal. For each view, the scenery was displayed by drawing a line through each set of points with the same x-values in the original three-dimensional form, but leaving out any




Figure 1. Three forms of the landscape data



Turn your Apple into the world's most versatile personal computer.

The SoftCard **Solution. SoftCard turs our Lors our Deple into two computers. A Z-80 and a 6502. By adding a Z-90 microp cade 3 6502. By adding a Z-90 microp cade and achieved a computer solution and a CPM based machine. That means you can access the single largest body of microcomputer software in existence. Two computers in one. And, the advantages of both.

Plug and go. The SoftCard system starts with a Z-80 based circuit card. Just plug it into any slot (except 0) of your Apple. No modifications required. SoftCard supports most of your Apple peripherals, and, in 6502-mode, your Apple is still your Apple.

CP/M for your Apple. You get CP/M on disk with the SoftCard package. It's a powerful and simple-to-use operating system. It supports more software than any other microcomputer operating system. And that's the key to the versatility of the SoftCard/Apple.

CIRCLE 168 ON READER SERVICE CARD

BASIC included. A powerful tool.
BASIC-80 is notided in the SoftCard
package. Running under CP/M. ANSI
Standard BASIC-80 is the most
powerful microcomputer BASIC
variable. It includes extensive disk I/O
statements, error trapping, integer
variables. 16-digit precision, extensive EDIT commands and string functions, high and low-res Apple graphics.
PRINT USING. CHAIN and COMmands. And 18-3 BASIC
Compiler.

More languages. With SoftCard and CP/M, you can add Microsoft's ANSI Standard COBOL, and FORTRAN, or

Basic Compiler and Assembly Language Development System. All, more powerful tools for your Apple.

Seeing is believing. See the SoftCard in operation at your Microsoft or Apple dealer. We think you'll agree that the SoftCard turns your Apple into the world's most versatile personal computer.

Complete information? It's at your dealer's now. Or, we'll send it to you and include a dealer list. Write us. Call us. Or, circle the reader service card number below.

SoftCard is a trademark of Microsoft, Apple II and Apple II Plus are registered trademarks of Apple Computer 2-80 is a registered trademark of Zélog, Inc. CP/M is a registered trademark of Digital

IKROSOFT CONSUMER PRODUCTS

Microsoft Consumer Products, 400 108th Ave. N E Bellevue, WA 98004 (206) 454-1315

Nostromo, continued...

lines that were visually below the horizon formed by the nearer lines. On this scheme, a flat plain would be represented by a set of parallel lines running across the screen. Finally the lines had to be plotted, a trivial step using Frolic.

Figure I shows the form of the data after each of these three steps for a sample part of the grid.

Generating the Landscape

There were two parts to the landscape, an underlying terrain and an arrangement of mountains laid on top of it. I used the sum of four separate mathematical expressions to make the basic structure. There was a valley running from front to back achieved by applying a flattened sine-wave. There were three small right and the sum of the sum o

at the front of the preture, and also so that the hills at the back tended to be somewhat higher than those at the front. Apart from this, the locations and sizes of the hills and their detailed shapes were determined by calls to the random function. Figures 3 or 4 show two views of the final landscape. Since two or more hills converlap there are some double peaks, flat tops, and small ridges and groups of peaks. These came by chance and it was not necessary to program them separately.

It may be thought that this method was over-elaborate. But I have found in the past that in simulating both sounds and appearances, a wealth of detail lends an or of vertsimilitude. Geology, like much else in the world, is the result of a rich variety of complex processes. Some of the detail may be hardly perceptible, like the three ridges which can only be seen at the edges of the picture. Some, like the rise and flattening of the land already noted,




Figure 5. How intermediate points arise on the horizon.

a bunching together of the lines in the upper-middle of the picturer. This area showed in the final version. Notice that showed in the final version. Notice that applying an equal slope all the way from front to back would have no effect except to alter the apparent angle of view—all that matters is the relative slope in different parts of the picture. The fourth the termin the expression was a small random perturbation of each point, to add a little texture and interest.

Figure 2 shows the landform that resulted from this calculation. It also shows an example of one of the hills on top of this. There were 400 hills altogether. Each normal hill covered an area of 5.8 fg/d points, and had central peak with roughly symmetrical sides. About 20% of the hills were made into mountains covering 7x 9 grid points, with a higher limit on the size of the peak. About 15% of the hills were made anymeterical, and a further 20% were made into holes rather than hills by changing the sign of the expression.

The placing of the hills was controlled to give a roughly flat mountain-free area may not be seen at all. This does not matter. The computation is only performed once, and no harm is done save a small amount of redundant coding and computing. In this case, neither mattered, The whole routine to generate the landscape took less than 40 lines of Fortran. Using a small system on which time and space would be more important, it would be easy to weed out the redundant parts.

The main change I would be likely to make implementing something like this on a small system would be a reduction in the size of the 50 x 50 array, depending on the storage available, the type of display hardware and the purpose.

Control

The second major step in the whole program was a loop of 720 frames (30 seconds at 24 frames a second) from diminishing height and viewing angle to get the two-dimensional data for each viewpoint. It says a lot for the power of the Frolic system that this took about ten statements.

For each of these frames it was necessary to do the hidden-line removal and plot the visible lines. Remember that the lines to be plotted run roughly across the screen in the x-direction. It is possible to use lines running diagonally, or two sets of orthogonal lines to give a more solid looking surface. This was not done really because there was no time for it. On reflection the method we used worked well, as the output has a solid four square computer look, not too fancy for an old space-freighter.

Hidden Line Removal

The logic of removing hidden lines worked like this.

1) Draw the nearest line: nothing obscures it. This line now defines a horizon—anything above it will be visible and anything below it will be hidden.

2) Inspect in turn each segment of the next line. If it does not intersect the horizon, draw it or not depending on whether it is wholly above or below. If it intersects the horizon, calculate the point of intersection, and draw the segment that lies above the horizon, ignoring the remainder. The visible parts of the line will thus have been drawn.

3) Revise the horizon by adding the portions of the line that have just been drawn, retaining the existing horizon for the other portions where the current line was hidden.

4) Return to step 2 until all the lines have been dealt with.

have been dealt with.
Figure 5 shows a section of horizon
intersecting the current line. Although
the horizon starts as a series of points on
the original grid, with the same number of
points as a single line (50), each new intersection adds a new intermediate point to
the horizon. In this case the number of
samost 700. When space is scarce it is
important to estimate a realistic maxinum for this. A subsection of the current
line must be compared with each section
of the portion, so that intermediate points
on the current line have to be computed
with the same x coordinate as those on the
horizon.

One awkward little problem I bypassed: Suppose a point on the horizon and a point on the little and a point on the little and a point on the little and a significant piece of programming to eater to a significant piece of programming to eater for an event that might occur only once or twice, or not at all. If the points did cincide—they had to be compared to see which was higher—then I added a tiny amount to the value of the point on the little for this viewpoint only. The change was visually insignificant, and the intersection, if there was one, was moved a fraction sideway.

Several other simplifications were built into the way I had chosen to deal with the data. Notice that there was no perspective applied to the view: all points with the same y-coordinate in the three-dimensional data lay on the same vertical

line on the screen. This was possible because the screen contained nothing to scale any feature of it. Had there been any recognizable parallel lines, representing canals or buildings for example, perspective would have been necessary. That would have meant that the grid points would no longer lie on neat vertical lines in the display, so that many more subdivisions of the lines and the horizon would have been needed, calling for correspondingly more computation and storage.

In the same way, perspective would have meant clipping the viewed scene to fit the rectangular screen, entailing both redundant computing for points of the picture (at the extreme left and right of the foreground) and extra logic to deal with points down the edges of the screen where clipping occurred. All this was avoided, although the method could have been extended to deal with perspective if this had been vital.

Figure 2. The basic terrain



Figure 6. Overhang: a problem for hidden line:

A limitation of this way of removing hidden lines not so easy to overcome is that vertical and overhanging surfaces are not allowed in the terrain. For each x-v point in the plane there can be only one point on the ground, only one value of z. Allowing two or more values for a point would require a much more elaborate algorithm for hidden line removal, as there would no longer be a simple horizon with visible above and hidden below. The horizon might snake back in an overhang. below it visible and above it covered, as shown in Figure 6.

SEVEN-SEGMENT ALPHABET Character Display

The screen was to be surrounded by messages and other character displays such as the name of the ship, "Nostromo." For this I wrote a routine that put up a seven-segment character of any size in any position. Figure 7 shows the characters I used-a mixture of upper and lower case.

Some characters are not easy with seven segments: I did not have k, m, q, v, w or x. This did not matter, as I simply avoided using them, except for m, which was needed in the name of the space ship. For this I cheated, and simply drew an extra line down the middle, outside the normal routine. Apart from this the system was simple and uniform. 2 and Z were the same as 5 and S. Parameters were set for the position, height and width of the character, and another for the character to be used. The routine could be called for a sequence of characters to form a word, all with the same size parameters and fixed spacing between them: 1/3 of a character width

For each character, the seven segments were always traversed in the same order, as shown in Figure 8. For each character in the set there was a string of up to seven values which determined whether the segment was to be drawn or not. In terms of the normal plotter commands, I meant PLOT and 0 meant MOVE. I also used -1 to indicate that there were no more segments to be plotted, in place of a string of redundant MOVE commands at the

end of a code. In the code is represented by 1111011 is represented by 11111-1

□ is represented by 1101-1






Figure 4. A view near landing

Figure 3. Looking down on the landscape

We've lowered the

No, the low CompuServe \$5.00 per hour charge hasn't changed, but the world of information we offer is growing steadily.



Of CompuServe's 22 large computer systems, 10 are

More Computer Power

The number of CompuServe customers keeps growing — now more than 8,000 strong. The more customers we have, the more computer power and access lines we dedicate to our Information Service. Our 22 mainframe computer systems provide sufficient power and capacity to serve thousands more

More News

In addition to the Associated Press, we've added more news. Read The New York Times and all the news that's fit to print, including Broadway show and movie reviews, stories from Pulitzer Prize-winning

writers and more. We are continually adding new features to the information service, so check our "What's New" section regularly to see what other information is available.

TRS-80™ Color Computer and Videotex™

The CompuServe Information Service is sold in Radio Shack® Stores and, in addition to all the major brands of computers and terminals, can be used with the new TRS-80 Color Computer and Videotex terminal. Our special software formats the information in easy-to-read pages. Go forward, backward, anywhere in the CompuServe Information Service databases — even directly to a page of information.

Big System Reliability

When we say we're reliable, we mean it. In fact CompuServe computers were up and running for a 99.6 percent reliability factor last year. We've also built in many "invisible" features like data error detection and retransmission—all those technical enhancements which add up to the CompuServe Information Service being ready to use when you're ready to use it.

Radio Shack, TRS-80 and Videotex are trademarks of Tandy Corporation.

ATARI is a trademark of ATARI, Inc.

CREATIVE COMPUTING

cost of the world.



Access to all the CompuServe services. including electronic mail; bulletin board; CB simulation; newsletters from Radio Shack*, Atari*, and others; up to 128K storage free plus all the services listed here are yours. Access time is only 81/3 cents per minute between 6 PM and 5 AM

weekdays and all day weekends, billed to your charge card. It's a local phone hook-up in more than 260 U.S. cities.

A complete program The AP financial wire, newspaper financial pages, Raylux Financial Advisory Service, the Commodity News Service and personal financial programs. At a slight additional charge, you can retrieve fundamental financial data on more than 1,700 companies from



Value Line, and MicroQuote offers current and historical data and special market reports on more than 40,000 stocks, bonds and options, updated daily.

There's an energy management system. home repair tips. discount information, personal health information and more. Better Homes & Gardens provides information such as recipes, nutritional analyses and meal plans.



All kinds of games That's Entertainment current events

(including some for the kids), book and movie reviews, astrology and the latest sporting event news - even point spreads and injury lists. There's the CompuServe line printer art gallery and even a national user opinion poll for instant feedback on

While the CompuServe Information MicroNET Service is Personal designed for everyone, MicroNET Computing Personal Computing is for the knowledgeable computer hobbyist or business

person. You can buy software and have it downloaded directly to your person computer. Use programming languages such as APL-SF, EXTENDED BASIC, MACRO-10, SNOBOL, EXTENDED FORTRAN and PASCAL, use word processing and text editing programs.

Not 1985, NOW!

See for yourself what a state-of-the-art electronic information service can do. Get a demonstration at a Radio Shack* computer center or store - or write to us for further information.

CompuServe

Information Service Division 5000 Arlington Centre Blvd. Columbus, Ohio 43220 (614) 457-8600

Nostromo, continued...

There were over 100 characteristics in the picture altogether, so it was worth making it easy to move and change them. For variety, different sizes of character were used, and different proportions: some words tall and thin, others short and fat. Two examples are shown in Figure 9.

Animation was easy. To indicate height, for example, I simply counted down the frame numbers so that the final frame was at ALTITUDE 0. Each number, never greater than 999, had to be converted to its decimal digits for display.

much more sophisticated that you will not be able to tell a synthesized image from one captured with a camera. That is a problem in the real world too, and it is ime we had a regulation that all simulations be clearly marked so. But not in space movies.

In the end, all my effort on characters was in vain. It was a rather boring type-face, a cliche even, for a computer display. The director apparently thought so, too, since in the final version it was not used. Only the magic mountains were used in close-up. It was strange, going to the London previw not knowing how much, if any, of my stuff was used. I think

there were four clips, each a second or two, just long enough to see the animation of the descending view.

There were one or two disappointments. Every program is capable of having bits added to it. I was not able to use color for different parts of the display. For reasons I never discovered that facility in Frolic would not work in the context of my program, though it did elsewhere. That's software for you. I wish there had been time to try out different landscapes, but the first complete run of the program was then one we had to use. Maybe that was just as well, since first thoughts are often best, and enhancements are not always

1 2345L789036cd2F9h; J@LmnoP@F5FU~~×,47-

Figure 7. Seven-segment character set.

Other displays, like ANGLE, were given arbitrary values. I added a minus sign to the character set for a bit more variety. Another type of animation was to make a word appear progressively. One new character every six frames, say, would give a rate of four characters per second, until the word or phrase was complete, then rub them out and start again. This gave the appearance of an urgent message. Another dodge was to synthesize a row of buttons or lights, each one consisting of several concentric letter "O"s. These could be flipped on and off from time to time. I also used a large letter "O" to put a rectangle round the display of the landscape, round some groups of character displays, and around the entire picture. This was simpler than drawing a rectangle, since I had the mechanism ready made.

The whole array of messages and characters was very busy, and did not make any special sense in detail. The animated parts went at different speeds, some too last to follow, some hardly changing at all. It made enough sense that nobody could look at it for a few seconds on the cinema screen and say that it was not the kind of thing done that would be on a spacecraft control deck, or that it could not be done by a computer. After all, it was done by a computer.

Figure 10 shows a complete frame from my final output on 16mm film, showing all the messages around the simulated mountains.

It was one of the aims of the ALEEN, to produce effects, including ours, which were authentic, and I think it succeeded in this. Certainly many a space drama has been spoilt for me by unbelievable computer displays of meaningless flashing lights. One of the problems you might think about later, but not in the heat of action during the film, is that since it is set sometime in the future, displays will be so sometime in the future, displays will be so



Figure 8. Order of plotting segments.




Figure 9. Example messages.



Figure 10. A complete frame showing messages.

improvements. There was a bug that should have been fixed. At one point, the top of the tallest peak spilled over the line representing the edge of the display screen, as there was no clipping. You can see this in Figure 2. It ddn't seem to matter: either that bit wasn't used, or perhaps no one but me noticed this detail.

In all, it was a very satisfying project to work on. It was completed in about three months, working part time. To give some idea of the scale of the project, the size of the code was roughly as follows, given in pages of Fortran, about 45 lines to a page.

Overall control and set up
Generating the landscape
Character routine
Calling the character routine
Routine to remove hidden lines
Total
14

This included a modest number of comments—since the project was short-lived and I was not expecting anyone else to read the code, the minimum of documentation was needed. That was one of the best things.

My special thanks are due to C. Emmett who wrote Frolic and helped me enormously to make good use of it.

mousty to make good use of It.

One last remark about the animation.

Looking at the still graphics, the hills and
peaks appear a bit confused. As soon as
the view point begins to move over them,
however, the three-dimensional feeling is
much stronger, and the various parts
separate. The two main peaks on the right
hand side in Figure 3 do not have much
depth between them. But when you have
arrived at this view from Figure 2, where
the separation is clear, when you seen the
foreground boom up, and many of the hills
between the two peaks disappear, then
the sense of looking at a solid word is
much greater.

At May we we have a We have a warm of the set of the se

RS-232C Compatible. Smartmoder any RS-232C compatible comp record for remnal companies and state by phone with other computers and state of the smartmoder o

Auto-Answer Dial/Repeat.
Smartmodem can answer e phone
an eceive and tree in the interest in

Completely Programmable.

Hayes Stack

eny out to the first of the control of the control

convenience Built-in Audio Monitor.

Built-in Audio Monitor.

Internal speaker you you connection made with know immediately the searched a wrong

and you don't even need a phone!

Status at a Glance. Seven
ateS a odems ren operat
e - an we ar er detec off
k ve data send a a te ma
a sem ready Yo re ever

Direct-Connect Design.

od FCC eg te ed f d any mod ar p one e pler cause and d r on

Check produ

Hayes ∰Hayes

The ultimate concept in modems is now a reality. TR MR Smartmodem Hayes Mierocomputer P



Pictures for an Exhibition

David Lubar

A Moving Experience

Imagine a speck of light on a television screen. The speck hangs in space for a moment, then dances forward in a graceful arec. The speck moves closer and takes form; a solid object, a piece of plastic moided in abstract form, rotates on the screen, spinning, twisting, hovering. But the object isn't real. That is the wonder of it. The above scene is just a small hint of the incredible work being done at the New York Institute of Technology. They have what may be the most advanced computer animation facilities in the world. The other day, I was given a tour of this wonderhand. There is much to tell, and the urge to rave and babble is strong.

Our party of three was greeted by Louis Schure, who explained that the lab was divided into stations, each of which worked on one aspect of animation. The heavy work was handled by a bank of DEC 11/34's with hard disk drives. Mr. Schure, a friendly, articulate person with a background in both business and computer science, took us upstairs to the first station. Our path crossed several areas where people accomputer were doing astounding things.

Outline

Our first stop was the Tween station. Howard Spielman, acartoonsits, animator, and artist, showed us the first steps of the animation process. In front of him was a screen and an electronic tablet, to one side was a keyboard and another screen. Mr. Spielman's work consists of developing the characters and objects that will appear in animated sequences. In traditional animation, each frame is composed of several celluloid acetest sheets, or "cells." A new cel has to be drawn for each change of the object. This is a lengthy process, or was

until the computer took over. First, the number of frames is decided. To give us a taste for what the system can the dight of the screen and assigned the slape to frame number one. Then, using the electronic tablet, he put the plane on the left side and sassigned that picture to frame thirty. In a few seconds, the computer had interpolated the position in between, producing thirty frames of animation. The frames could be viewed at any rate from slow motion to a blur. While this was impressive, it was just the beatining.

The word "Hi" was placed on the screen in large block letters. This was assigned to frame saty. Then the word was reduced to a speck and assigned to a speck and assigned to a speck and assigned to the computer interpolar frame one. Again, the computer interpolar word that moved from the background, growing larger as a special country of the special word that moved from the background, growing larger as it approached. This station could have kept our attention all day, but it was time to move on.

I realized that this system could save the Saturday morning cartoon from the slow death it was suffering. The familiar, unmoving characters and unispired backgrounds that flood the airwaves could become at hing of the past. The early art and skill of such masters as the artists of Warner Brothers could be recaptured with the computer. The next station reinforced this belief.

Background

At the paint station, Paul Xander demonstrated a system that could have made Da Vinci drool. Mr. Xander paints background scenes for the studio, as well as fabulous foreground creations, and his ability is extraordinary. He put a scene on the screen, explaining that it could be viewed

as six frames. In other words, a camera panning the scene would take in one sixth of the entire picture. Using an electronic tablet, he isolated one of the frames. A beautiful scene appeared, with details that couldn't be noticed in the original. With a flick of the pen attached to the electronic tablet. Mr. Xander began doing magic. He had a pallette of 256 colors, selected from a choice of several billion. With one command, any color could be changed wherever it occurred in the scene. Another command caused the colors to cycle through the pallette. In seconds, a day scene could be turned into a night scene.

"Brushes" can be selected or designed in software, with each brush producing a different stroke or design. Mr. Xander picked one and produced a stipple. "This has speeded my work by a factor of ten. he explained. "I never have to draw anything more than once." To prove the point, he drew a daisy. Then he defined the daisy as a temporary brush. Now, each touch of the pen would produce a flower. With one stroke of the pen on the tablet, he covered a hill with a line of daisies. Airbrushing could also be done with great ease. Another picture was pulled up, a seated imp in a green robe. After drawing dark lines on the imp's forehead, Mr. Xander switched to a software airbrush. In this mode, he feathered the line, blending the shadows. Next, he magnified the drawing; each pixel could be seen. This revealed the toning and shading produced by the virtual airbrush. He did an entire area of the drawing in the time a traditional artist would have

used just to mix the paint.
Mr. Xander and Mr. Spielman are artists
who have recently been introduced to the
computer. While there is always a transition
period, they both adapted to this new



Are You And Your Banker Ready To Get Together?

You are if you have The Analyzer" from Dakin5 Corporation

When your banker asks you for:

- Detailed monthly cash flow projection reports
 An analysis of your sources and uses of funds
- for the past year
- Quarterly comparisons of your balance sheets and income statements

do you and your accountant spend days or weeks trying to provide this information in a clear, concise manner, only to find that some of the information is impossible to generate manually?

The Analyzer can help you solve these problems by assembling and organizing the mass of numbers you must evaluate each month.

The Analyzer takes the financial information produced each month by The Controller", organizes it, then generates 16 decision making reports. These reports allow you to plan, compare, evaluate, measure and control your business activities on a monthly, quarterly or yearly basis.

With the Analyzer you can now use The Controller as more than an automated accounting system. You can use it as a tool to make better management decisions, and to represent your company as successful and well managed.

The Analyzer requires an Apple microcomputer with 2 disk drives, 48K RAM and The Controller 1.1.

Available at your local computer retail store, or contact Dakin5 Corporation, P.O. Box 21187, Denver, Colorado 80221, Phone: 800-545-0463 for your nearest retailer.

The Controller and The Analyzer are registered trademarks of Dakin5 Corporation. The Controller is marketed by Apple Computer Inc. Apple is a registered trademark of Apple Computer in a Photo



DAKIN5 CORPORATION

P.O. Box 21187 Denver, CO 80221 Phone: 800 525-0463

JUNE 1981

CIRCLE 120 ON READER SERVICE CARD

Exhibition, continued...



These images were generated at the New York Institute of Technology S' Computer Cimplete Lab using many O Distail Equipment Corporation's computers. The space-ship was created by background arise that Nander, using the Phint system on electronic pollete and brash with extraordinary capabilities. The Lifewaver are part of the Clio-winning commercial done with 3-D animation by Ephismic Ochen. Once the commercial done with 3-D animation by Ephismic Ochen. Once the with 3-D animation by Ephismic 1916 by the New York Institute of Technology; all Intellegence and the Programmed.



technology. They both appreciate the ways computers can aid their work. In other words, they seem to enjoy what they are doing.

Filling the Gaps

The next stop was Ink and Paint. Here. Teir Doll and Sue Sparks fill in the drawings that come from Tween. They select from a pallette of fifteen colors, touching the color, then touching the area to fill. Only fifteen colors, stor railly. When they redraw a line, it sint drawn with a single color, but with fifteen shades, thus toning the line, producing a smooth transition between areas. They can also select a brush that touches up the background without disturbing the foreground.

A series of frames can be displayed in sequence, allowing them to be colored quickly. From there, the frames can be put on wideo tape, producing the finished animation. Any number of layers can be used. In traditional animation, there is a limit to the number of relluoid layers that can be used; as new layers are added, the background becomes darker. It must be lightened or the image won't be consistent. With computers, this problem doesn'e exist.

Leaving Ink and Paint, we met Bruce Doll, who wrote many of the programs being used at the Computer Graphics Lab. Among his accomplishments, Mr. Doll has written a program that allows an operator to enter camera commands in English, thus speeding up another part of the animation process. There are many others who have contributed to NYIT's software.

This system could save the Saturday morning cartoon from the slow death it was suffering.

including Ed Catmull and Alvy Ray Singer, both of whom are now working for Lucasfilms, and Jim Blinn, who is currently doing simulated spacecraft movies for the Jet Propulsion Lab. NYIT's programs are written in C running under Unix.

Perspective

So far, we had seen animation that was basically two-dimensional. Paul Rotstein showed us wonders of another kind, an Evans and Sutherland 3-D picture system. Seated before a screen showing a space ship, he moved a joystick. The ship traveled across the screen, rotated, moved into the distance and returned, maintaining true

perspective throughout. The ship could be moved along any axis. Or the ship could remain stationary while the camera angle changed. What George Lucas does with models, NYIT does with numbers. Once the ship has been created, the artists can make it do anything they want. The power behind hardware that can do real-time three-dimensional animation is awesome.

As in the Tween station, frames could be produced through interpolation. Several locations could be specified; the computer would fill in the rest.

A Feast for the Eyes

After a lunch at the palatial de Seversky. Conference Center, we were shown a videotape containing samples of NYIT animation. The tape opened with a jointed figure of the sort used in drawing classes. The figure was running in a circle. But the figure existed only in the mind of the computer. This was pure computer animation, done in this case by Jim Blinn. Other wonders were revealed; spinning logos, cartoons of Disney quality, a Lifessiver commercial that won a Clio award.

NYIT is working on a full-length movie, a space adventure referred to as "The Works." It should be finished in two years or so, and it will probably be one of the most astonishing things that will ever grace the screen. Thinking of films that had been

N-LINE systems

Presents





HI-RES SOCCER

HI-RES FOOTBALL

BY Jay Sullivan

Hi-Res Soccer is the only real-time action Soccer game available for your computer! All tackling, goal kicking, throwing, corner kicks etc., are shown in full Hi-Res Graphics.

- · Play against a friend or against the computer
- Fully animated players
- · 3 Levels of play
- · 8 players per team
- · Real-time clock, realistic sound effects
- · Hi-Res scoreboard
- Realistic Soccer play both Indoor and outdoor Soccer rules.

Hi-Res Soccer runs on any 48K Apple II or II Plus, DOS 3.2 or 3.3. Available now for \$29.95 on disk from your local computer store or you may order directly from us. This is the football game you always knew the Apple was capable of, but no one could deliver—UNTH, NOW

Skill and strategy are combined as you call the plays and control the players in this exetting real-time action game. You can run, pass, klck, sack the quarterback, or fake-out the defense all in fully animated Hi-Res Graphites. Play against a human opponent or against the computer.

Hi-Res Football runs on any 48K Apple II or 11 Plus, DOS 3.2 or 3.3. Available now for 839.95 on disk from your local computer store or you may order directly from us.

To order direct, send the purchase price plus one dollar for shipping to:

ON-LINE SYSTEMS

36575 Mudge Ranch Rd. - Coarsegold, CA 93614 - 209-683-6858

Visa, Master Charge, C.O.D. or Checks Accepted.

nothing but special effects, I asked Louis Schure whether the movie would have a plot. He assured me that they realise the importance of a story. The movie wouldn't just be a showcase for special effects; it would be a complete film with plot, theme, and lots of glorious feasts for the eye.

Among their many developments, NYIT created a system that allows arists to draw scenes which can be immediately broadcast. This is the Paint system Paul Xander was using, the system that allowed him to rapidly create scenes while we watched. Sound familiar Leroy Nieman used it during the winter Olympics. Ampex leased the system and has now released a similar unit, called AVA. Somewhere along the line, they fongot to give credit to NYIT.

NYIT also has fifty Apples. They've given some thought to exploring the area of educational software. If their present work is any indication, they could come up with some excellent results.

Before we left, Bruce Laskin, Director of NYIT's Digital Research Lab, showed us the new VK100 terminal from DEC. Mr. Laskin, who was with us for a good

NYIT is working on a full-length movie, a space adventure referred to as "The Works."

part of the tour, seemed to be involved in most of the lab's projects, and showed us the features of many devices, from videotage machines to CRT's. He also took us to a studio where Jane Kennedy was being filmed for a spot on Home Box Office. This area, he explained, had been selected by the producers of Three Days of the Condor when they needed to film a computer room.



Scene from "The Works," an animated science-fiction film produced with the aid of computer

These producers had walked by the PDP's, the graphic machines, and rooms full of real computers and hard disk drives, and had not found what they were looking for. Finally, on seeing the spinning tape reels of the video lab, they knew they had found their computer room. No comment.

The next time you see an unbelievable animation segment on television, there is

a good chance it was created at NYIT. I'd like to thank Louis Schure and everyone else who guided our tour through this wonderful lab. That about covers this day of marvels. But one question remains. When they hand out the Academy Award for the best picture of 1982, will a computer in black tie be sitting at one of the tables?

Popular Computing







like the golf pros



comes through with lower prices

- · Your Closest Link to the Manufacturer
- All Items Listed are Stocked We Support & Service
- Products Purchased From Us



PRINTERS

Okldata -...List \$1260. Microllne 83



Microline 82 List \$799. Microline 80 Llst \$599. Tractor Feed for Microline 80 & 82 List \$50. Hi-Speed Interface for Microline 82 & 83 . . List \$210. 256 Character Buffer, Expandable to 2K RS-232C interface for Microline 80 List \$150. 256 Character Buffer

Epson - Model MX-70 Bit Plot Graphic Printer, Adjustable Trac-



NEW -INTERFACES

Hi-Res Bit Plot Graphics for Epson PrintersList \$90/Set. Plug In Prom Set

Vardon 1K Serial Interface Buffer for Epson MX-80 . . . List \$175. (Complete with Cable)

Tymac — Apple Interface Using 8th Data BitList \$139. (Complete with Cable)

INTERFACES

Apple Plug-in interface

& Cable List \$110. Serial Interface & Cable List \$90. IEEE 488 interface

& Cable List \$80. TRS-80* Expansion Interface CableList \$35. Model 232 Universal Serial Interface CableList \$25.



No Penalty Credit Card

NEW-PRINTER LINES

Centronics Printers In stock. Model 730-3 (Serial) - List \$845. Model 737-1 (Parallel) - List \$995. Model 737-3 (Serial) - List \$1045. Model 704-9 (Serial) - List \$1795. Model 704-11 - List \$1870.

Also Ribbons & Accessories All other Centronics Printers are Avallable

We now stock NEC Spinwriters, Models 5510, 5515, 5520, 5525 & 5530. Also Thimbles & Ribbons. Ail other models are available, including Band Printers.

TEST EQUIPMENT

We stock Beckman, Fluke, Global Specialties, Keithley & NLS DMM's and probles. Also Hayes Technical Breakout Boxes.

COUPLERS & MODEMS - Tek-Com

FURNITURE & PRINTER STANDS

Systems Furniture and Printer manufacturers

ASK FOR OUR INSTANT DISCOUNT

From Roy Hawthorne Talk To Bill Tokar On Applications

CALL TOLL FREE

U.S.A 1-800-521-2764 MICHIGAN 1-800-482-8393

Reminder:

We are open 8:30 to 6:00 PM EST Monday through Saturday

WRITE TO:

"The Stocking Source" 24069 Research Drive Farmington Hills, MI 48024 313-474-6708

Evolution of an Artist's Tool

William J. Kolomyjec

moeba

For years, computer artists have been using large computers with expensive peripheral devices as a medium for the formulation of computer imagery. In the beginning, it was a matter of keypunching and submitting a program "batch" mode then waiting two to twenty-four hours, perhaps only to find that an error meant the whole process had to be repeated. John Whitney Sr. made the analogy in his film "Experiments in Motion Graphics" of playing a piece of music on a piano and then having to wait several hours to hear the resultant sounds. Assuming then that he could tolerate the poor turnaround time, all a person needed to do computer graphics was to be in the proximity of, and have access to, a large computer system with the

appropriate graphic peripheral devices! All artists must be aware of the elements of their medium. One does not attain status as a painter without knowledge and proficiency with a paint brush. Similarly, one cannot claim to be a computer graphic artist without the knowledge and proficiency with the graphic device. The rub, as it were, is comparing a paint brush with a graphic peripheral device. In the traditional media (painting, printmaking, etc.) we find: the inspiration (the mind), the technique (the craft or hand) and the final image (the statement). Computer aesthetic imagery has been called a somewhat lesser art form because the hand is removed from the process. This is, of course, absurd. The delivery

mode of the computer artist, if anything, expands this concept of mind-hand-statement to include the knowledge and use of technology. Somewhere between the mind and the band must be understanding of how to write a program to produce a desired image.

It is gratifying to know that in the last ten years advances in technology and consumerism have made the personal computer a reality. In addition to affordable microprocessors, we are beginning to see affordable graphic peripheral devices. With these components, it is now possible to put together a reasonable quality computer graphic system. What this means to the would-be computer artist is that he can afford to have his own computer system with graphic capabilities in the studio. Not only does this solve the availability and access problem, but it also puts the tool back into the hand of the artist in his own environment.

By way of example I submit the imagery accompanying this article as proof that such systems can produce quality aesthetic imagery. These illustrations were produced on the following system: Apple II with 48K RAM, disk drive, TV monitor, serial I/O peripheral card and Houston Instruments X-Y digital plotter. This whole system can be purchased for less than \$3,500. There are, to be sure, disadvantages to such a system: the capabilities of the processor are limited, i.e., it is rather slow compared to a "large machine"; program space is limited; and the plotter has a small bed and produces a rather coarse line (0.005 step size). However, the advantages abound: it is all hands-on, it is convenient, programs can



Rape of the Grape

Bill Kolomyjec, College of Engineering, Michigan State University, East Lansing, MI 48824.



NEW 13" COLOR

The Amdek 13" Color Video Monitor is ideal for all personal and business computing applications. Bright litter-free text allows viewing over extended periods without causing eye fatigue, especially in word processing applications. The low resolution display provides 40 characters wide by 24 characters deep with 260 horizontal lines and 300 ver-

This compact, light weight monitor (only 25 ibs.) has a moided-in carrying handle, making it easy to move. Its industrial grade construction and shatter resistant case provide reliable service in both office and industrial environments. All front mounted controls make it easily adjustable at a giance without the loss of a calcula knywtoka.







VIDEO 100 12" B/W MONITOR

This highly reliable 12" black and white monitor features a 12MHz band width and 80 character by 24 line display. Plug-in compatibility with Appie, Atari, Radio Shack. O.S.I., Micro-Term and Exidy make this the perfect text display for aimost any system

VIDEO 100-80 12" B/W MONITOR

The model 80 features an industrial grade metal cabinet with built-in disk mounting capability and space for an 11" x 14" PC board for custom designed electronics. Front mounted controls include power, contrast, horizontal hold, yertical hold, and brightness.

Amdek Corp. • 2420 E. Oakton Street, Suite "E" • Arlington Heights, IL 60005 • (312) 364-1180 TLX: 25-4786

Amdek Corp. the new name for Leedex ... Expanding for the future, growing with success.

Evolution, continued...

be proofed on the CRT before plotting, programs can be easily edited, and any paper, including fine art papers, can be

used with the plotter.

Perhaps the most significant point is that thanks to the recent evolution of computers and graphic peripherals, more people will begin to make use of this delivery mode as a form of individual expression. Microprocessor graphic systems are within reach of those who desire to explore the realm of computer image generation. Certainly, the cost barrier has been breached. Similarly, the software provided with this equipment, in most cases, incorporates the rudiments for generating graphic imagery. Now we can begin to turn more of our efforts toward the larger concerns of aesthetics and the technique of aesthetic image generation via graphic algorithms.

Artist's Notes

Amoeba, Chopped Square Tessilation, and Circle Layers are all examples of plotting an array of a single module, variations thereof or visually similar modules. All three use randomness in the following ways:

Amoeba: The microcomputer simulates a coin flip to pick one of two variations.

Chopped Square Tessifation



All images 6 1980 Kolomputer Design - Designed by Bill Kolomyiee



Circle Layers

123 if RND (1) - 0.5 < 0 then go one way

124 go the other
In this case the modules consist of quarter
circles, in the upper left and lower right or
upper right lower left, which fit into a
square such that these quarter circles start
and stop at the midpoints of their respective sides.

 Chopped Square Tessilation: This image is basically an array of squares which get their corners nibbled way by having the microcomputer randomly take some length—less than half—off the sides.

3. Circle Layers: The micromputer uses the coin flip to pick either a circular module or curvilinear four-pointed star. The trick here is not so much the randomness as the way these two modules are designed to complement each other.

Rape of the Grape is a premeditated attempt at generating a representational image that shows the real aesthetic potential of the medium. (One of the major criticisms of computer art is that the majority of it looks like it was done by some engineer or scientist. In reality this argument has merit. The majority of the image is digitized, but several algorithmic processes are employed. The hair is processed and the superior mean interpolation between the upper mean interpolation between the upper are formed by area sometimes of the superior that the superior in the sup



Now you can easily print BOLDFACE, underlined text, slashed B's, special characters, superscripts & subscripts (A^C X log_e(A₁-A_n)) and more!

With this enhancement to Radio Shack's Model I Scripsit," you will turn a good word processing system into a great one. SuperScript adds many of the features that Fort Worth left out, including:

Custom print drivers for.
Diablo (serial or parallel)
NEC Spinwriter (serial or parallel)
RS Line Printer IV*/Centronics 737
RS Line Printer IV*/Centronics 737
RS Daisy II*
Standard serial and parallel printers
User-defined custom drivers (serial or parallel)

You can call up the disk directory or kill files without leaving Scripsit—and without losing your text! Pause the printout to insert text from your keyboard or change type wheels, then resume printing where you left off.

Using any printer with backspace capability, you can underline text and produce computer-type stashed zeros. And on Diablo, Daisy II and NEC printers, you can superscript, subscript, underline, print bolddace and select 10 or 12-pitch. With the Line Printer IVI737, you can underline, print elongated boldface, select 10 or 16.5 pitch, and use proportional spacing (unjustified).

The keyboard driver is now modified to correct for repeating key hangups. You may specify spacing requirements to eliminate awkward spacing of critical text. And, with SuperScript, you can now enter special characters (brackets, braces, etc.) that are not found on the TRS-80* keyboard.

All these capabilities, and more, are available when you add SuperScript to your Model 1 Scripsit program. Available for just \$29.95 on disk, including easy instructions for patching to Scripsit and an enhanced lowercase driver.



634 North Carolina Avenue, S.E., Washington, D.C. 20003

SYSTEM SAVERS



By Tom Stibolt

If you ever type "SYSTEM" on your TRS-80,* this two-program package will make life easier for you.

One of the programs, FLEXL, lets you make backup copies of any system format tape. Using your own recorder usually means easier loading than with machine-duplicated original tapes, and you will be able to store your original safely away. Copies made using FLEXL display the filename of each program as it loads, makin of lie searches easier.


Disk drive owners can use TDISK to save any system format tape onto disk. "Editor/Assembler", "Air Raid" and other programs cannot normally be loaded to disk, but with TDISK, they can. It will even load non-contiguous tapes. Why put up with slow tape loading? TDISK files will load from disk in seconds.

Get this two-program package now for only \$14.95. Just one of Acorn's fine utility programs.

. trademark of Tandy Corp.

These and other popular Acorn programs are available now at fine computer stores. Ask for them.

DEALER INQUIRIES INVITED



The bee flits precariously above the tarantula, his little wings buzzing, waiting for a chance to deliver a points-winning sting. The tarantula sees this flying yummy and leaps into the air, trying to make him dinner. Who will win, the spider or the bee?

The number one android looks at the number to his right, then at the droids to his left. He approves the number, nodding, then points his laser pistol and dispatches the right number of droids to continue the game.

The demon does the softshoe to the strains of "Swanee River" and pertly bows at the end of his routine. He does his dance flawlessly, to the delight of all who watch.

Andy Android's brother Harvey. Lasersaber in hand, steps out to begin the tournament to the Celeste Sound version of "March of the Gladiators." As he battles for supremacy, the child who moved him through six practice fights watches breathlessly, rooting for this brave and tireless droid.

The droids, the bee, the spider, the demon, and those wacky, weird char-Bob Liddil, The Programmer's Guild, Box 66, Peterborough, NH 03458. acters from Life Two seem alive. They have an amazing amount of vitality and personality. They move smoothly, and with a grace that belies their residence in a block graphic computer such as the TRS-80. They are the products of genius, talent and sensitivity. They are the children of Leo B. Christopherson.

The Demon does the softshoe to the strains of Swanee River.


Leo is a math and science teacher for Keithly Junior High School in Tacoma. WA. He also leads a Title I modified math class which uses Radio Shack's K-8 Math Practice program to good advantage.

After school, at least four days of the week he tries to stay for the Computer Club. Called the Tabari Society, they have both closed meetings and a "game night." and so are able to meet the needs of most students wishing to participate. On game nights an admission fee of 25 cents is charged. The money is used to purchase computer related materials for the club.

Observers have noted that the young people in Leo's classes are "crazy about him." His quiet, intelligent approach to teaching serves as an inspiration to those with whom he comes in contact. He is organized and creative in his teaching, and these same traits are evident in the environment he creates for himself at home.

Leo is an accomplished musician. In his youth he played professionally in a band. Now. however, he contents himself with composing and executing ethnic specially music on the organ and his Apple computer, which contains the most advanced hardware available for musical rendition. His organ and the amplification equipment that it employs, occupy most of his apartment. Android Nim created a sensation in the

commercial TRS-80 software market. Where most TRS-80 graphics programs



How many programs have you written that would benefit from animated high-resolution graphics? Probably several. It is this kind of dramatic graphics that distinguish outstanding programs from ordinary ones. But if you've ever agonized for hours or days just to get one Image perfected, you've probably not anxious to do it again. Now there's a better way.

New Graphics Entry System

Today there is a new graphics system variable that is not only amazingly user-oriented but surprisingly economical. Called VersaWirer. It starts with an ingeniously simple entry board consisting of a 14 X 12 in high impact pastic bod with a tough clear to high impact pastic bod with a tough clear or diagram is fastened with masking lape to critical particular diagrams of the complete of the plastic bod and then covered with the clear sheet. Instead of using a light pen or complicated electronic X-Y head, the VersaWirler uses a double jointed arm attack to the top of the entry board at one end and other end. The VersaWirler resembles a defarsman's pantograph on a semiler scale.

At each joint in the arm of the VerasWriter is a potentioneter. A cable from these pontentioneters are cable from these pontentioneters connects to the paddle input of the computer. No special interface electronics or board is needed. Since the arm of the VerasWriter bends only in one direction, each point on the plotting head corresponds to a unique set of resistances on the potentioneters. All that's needed into usable screen coordinates.

Exceptionally powerful software

It is in the software where VersaWriter really stands out. VersaWriter comes with two full disks of user-oriented software. First it has sets of "low level" commands for entering, creating and copying drawings and diagrams. Secondly, it has extensive sets of application routines for moving, enlarging, rotating, coloring or animating drawings that the user has created.

Graphics Systems

Versa Writer	\$249.00
Kurta Graphics Tablet	695.00
Summagraphics Digitizer	745.00
Houston Instruments HI Pad	795.00
Apple Graphics Tablet	795.00

Of course the basic commands let you enter a drawing freehand or by racing it. Wanta wider "brushstroke" 78 kx widths are available. Drawings can be independently scaled in both the vertical and horizontal directions. An enclosed shape may be filled in with any of 212 colors. No, that is not a misprint—by the same technique that a not may be the same technique that a from three primary ones, so can Vera-Writer.



Here a shape (the letter A) is being scanned. After putting it in a shape table it may be used in other programs.



From the shape table, a shape (the letter A) may be enlarged, shrunk, rotated, colored or moved about the screen.

Create Animation for Other Programs

The shapes you create with VersaWriter can be used and manipulated with ease in other programs. Up to 255 shapes can be entered into a shape table. These shapes may then be placed on the screen in any position or may be overlaid on a full or entered to you will be used to be shaped to the screen in any position or may be overlaid on a full or entered to your control of the image created by VersaWriter. For example, by alternating between two images of an airplane propoleir if will appear to be spinning.

Other VersaWriter software Includes textwriter with which text can be added to graphics. Upper and lower case, choice of color, text size, direction and starting point all may be specified.

The Area/Distance program lets you calculate distances (or perimeters) by entering a scale and tracing a shape or map route with the drawing arm. Areas of figures, open

and irregular, can be similarly calculated. The software also includes sets of electronic and computer logic shapes. In addition, an entire disk of dramatic demonstration graphics is included. These twelve full-acreen graphics run the gamut from a fully labeled cross section of a human skull to colored maps to animated carbons to an electronics schematic.

Free Software Updates

You may have read a review of VersaWriter that indicated that the color fill routine was slow. It was. But not anymore. Several new routines and improvements were added to the VersaWriter software since its introduction. All customers of Peripherals Plus received these channes free.

received these changes free.
As new updates are developed, Peripherals
Plus will furnish them free to all customers
CREVER. We make this unique guarantee
because it is in our best interest to have you
make the best use of your computer. We're
convinced that if other people see your
VersaWiter in use, they'll want one too.

Best Performance and Price

At Peripherals Plus, we evaluated every graphics entry device. We wanted to handle the best one regardless of price. VersaWriter has the best performance bar none. Surprisingly it also has the lowest price, just \$249.00 for the Apple version.

VersaWriter requires an Apple II with Applesoft in ROM (or an Apple II Plus), disk, and 48K of memory. The Atari version requires an Atari 800, disk and at least 32K. It is priced at \$300.

VerseWriter comes complete with two disks of software, a comprehensive instruction manual, a 90-day limited warranty and Peripherals Plus unique guarantee of software updates forever.

Try VersaWriter for 30 days. If you are not completely satisfied we'll give you a prompt and courteous refund of the full price plus shipping both ways.

To order, specify Apple or Atarl version, send payment juls \$3.00 shipping and handling to Peripherals Plus, 39 East Hanover Ave, Morris Plains, NJ 07950, (New Jersey residents please add 55; Salee tax). Credit card customers should include card number and expiration date of Visa, MasterCard or American Express card. Credit card customers may also call toll-free 800-631-8112 (in NJ 201-540-0445).

For spectacular graphics on your computer, order VersaWriter today.

Peripherals Plus

39 E. Hanover Ave., Morris Plains, NJ 07950 Toll-free 800-631-8112 (In NJ 201-540-0445) were slow and herky-jerky. Nim was animated, and alive, with little eyes that stared ubiquitously, emotionally out from cloned Andys awaiting the executioner's laserbeam. Leo had brought the fine art of humoresque cartooning to the TRS-80.

Snake Eggs was next. It uses animated rattlesnakes, modelled after those in a Disney production of "Robin Hood," to illustrate the traditional game of "21." This program was also one of the first to incorporate sound effects, a technology that was in its infancy, and was, to a great extent, pioneered by Leo himself.

One of the most beloved of Leo's TRS-80 graphics presentations and without question the one most revealing of his subtle sense of humor, is Bee Wary. The Tarantula, the heavy in this slapstick micro-melodrama, has many faces and a wry vocabulary that leaves its audiences in pain from laughter. The Bee, controlled by the user, is much more mobile. and can deliver a deadly sting. But its opponent has several unexpected moves that can turn the bee into a hearty meal.

Life Two introduced a trio of new characters. A quadreped, a triped and a monoped, plus Andy representing bipeds added a new twist to the Game of Life. Billed as the Battle of Life, this presentation may be the most articulate portrayal of Life ever conceived.

Dancin' Demon used an extension of a graphics innovation technique called "line packing" as opposed to the "string packing" that characterized Leo's earlier efforts.

"These ideas have never been completely thought out in my mind before I start them," says Leo. "Rather, one completed part often suggests another new idea to try in the same program. I have yet to think of a concept to program without also coming up with a new technique, which often modifies the original idea of the program."

As a display. Demon does a fine job. But it is not enough to just have great graphics. The program must be interactive. And it is. The user can use an onboard music generator to program his own musical score. Thus, the actions of the Demon become more personalized. An added bonus is in the programmability of the dance steps. The user has a choice of endless combinations of dance routines. Through these features, the non-programmer joins Leo in the often hilarious musical productions of Dancin' Demon.

Radio Shaek, which is not well known for making fast decisions on submissions. acted very quickly upon receiving Dancin' Demons. In short order, Leo joined that elite fraternity of programmers whose works are mass marketed around the world.

"My newest program. Duel-n-Droids" says Leo, "uses the new graphics technique that I started for Demon but couldn't use due to memory space problems. The technique involves placing the droids on the screen so fast that one overlaps the other, creating the illusion of shading. The androids appear to be wearing uniforms and the display is rather alive.

"Droids also employs a technique I've wanted to try for some time. The player can 'teach' his android to fight before entering the tournament. I also found a place to try out some new sound and musical effects."

The musical effects Leo speaks of are a series of songs using the TRS-80 cassette port to produce a "Celeste" tone with vibrato that rivals music accessory

Two new programs by Leo are in prerelease, at this writing. Snake Eggs II for the Apple is a mathematics drill application of the earlier game. Featuring the hires graphics available to Apple users, and the sound built into the computer, the

Leo's reaction to those who would imitate his graphics style is one of encouragement,

result is a highly rewarding and potentially very popular program. Also, by popular request, our old friend Andy makes an Apple appearance in Apple Andy, to be known commercially as Apple Android Nim. It, too, stretches the Apple computer to its limits.

Sadly, at least from a commercial point of view, the new programs are destined for the same intense bootlegging that has plagued the TRS-80 releases. How does Leo feel about the bootleggers?

"I am concerned about the moral implications of software piracy." Leo comments sadly, "Most bootleggers aren't hard core pirates at all but family people with little children who use the computer daily. These children see the parent get something for nothing, and they quickly form similiar attitudes. The software traders and pirates set a very poor example for their kids."

There has developed, over the last couple of years, a public fascination with Leo's work, prompting talented young programmers to steer away from clever and highly animated techniques for fear of infringing on what has become known as "Christopherson Graphics."

Leo's reaction to those who would imitate his graphics style is one of encouragement. His attitude is "go for it." He believes that the animation style of programming belongs to anyone who is able to produce it. His own techniques are easily available to those who would use or improve them.

When asked what advice he has for new programmers who would like to be commercially successful. Leo mentioned six main points:

"Get to know your machine. The manufacturer usually publishes only a fraction of the routines available in your computer's particular language or chip machine code.

"When you do your program, write for your machine. Don't generalize in hopes of easy translation. Maximize your techniques to draw every last bit of power your machine is able to muster. Only then will you have your best program.

"Let ideas flow creatively. Build an atmosphere conducive to free thinking. Relax and allow your mind to work. Never throw out an idea; store it for a future application.

"Know the limitations of your machine. Never juryrig a routine or place your techniques in a position where failure of logic is possible.

Expect months of hard work, Nothing comes easily, least of all production of commercial software. Short cuts and less than exhaustive debugging will cost you far more than the time you save. Be thorough.

"Never let inferior work leave your sight. You travel with each reproduction of your software, into thousands of computers. Never let less than perfect copies of your program get away from your control.

"Do not manufacture or attempt to sell your programs on your own unless you are prepared for heavy expense and disappointment or possibly even the loss of your work to unscrupulous companies. Find, instead, an agent or software company of high reputation that can either place your product or market it for you. These individuals or corporations have the knowhow to produce or place your program where it will make the most profit for you. But beware of grandiose promises. Check up on them before releasing anything."

Who is Leo B. Christopherson? He is Andy and The Spider, and a little bit of the Demon, for they are his creations and he travels with them. But most of all he is a gentle, quiet schooleacher from Tacoma, WA, who loves his kids as much as they love him. He is happy and spreads that happiness around. Who could ask for more.

TRS-80

sensational software

creative compating software

Board Games





Wumpus Try to find the Wumpus in dodecahedron network of caves complet with bottomiess pits and giant bats

Wumpus 2 Five different types of cave or create your own More hazards too.

Flip Disc. Our version of Othello with three skill levels from good to expert

k Car Race. Real-time road racing game nd a complex track. Don't blow your

Space Games

Cassette CS-3002 \$11.95



Ster Wars. Line up the TIE fighters in your

Strategy Games





Pursuit Games







Tunnel Vision. Find your way out of a meze



Jigsaw. Use reasoning and luck to fif your pieces into the puzzle.

The Masters. Choose your club and go trom tee to green on each hole



dy Racer Real-time with gear changing milar to the popular arcade game.

Games Pack on Disk

Disks CS-3503 (32K) \$39 95

This set of menu-driven disk contains all 20 games from cassettes CS-3001, CS-3002 CS-3004 and CS-3005

Order Today

To order any of these software packages send payment plus \$2.00 postage and handling per order to Creative Computing Morris Plains NJ 07950 Visa MasterCard and American Express orders may be called in toll-free

Order today at no risk It you are not completely satisfied your money will be promptly and courteously refunded

Creative Computing Softwa Morris Plains NJ 07950 Toll-tree 800-631-8112 In NJ 201-540-0445

creative computing software

							00
ı,	REM * COPYRIGHT 1978 80-NW F	UBL ISH IN	IG TACOMA WA	1000	COCUP 1055		
	REM * ALL RIGHTS RESERVED *	002131111	id Dixmit, wi	1070	GOSUB 1055 Y\$ = INKEY\$:		
3	CLS : PRINT @20, "N O T I C E"				IF Y\$ "" THEN		
4	PRINT :	6 INCOM	TI TO CODY TH		1070: ELSE		
	PRINT "IT IS ILLEGAL, UNFAIR IS PGM FOR SOME"				K\$ K\$ + E IF K\$ "YO	E\$ + Y\$:	
	PRINT "ONE ELSE. IT CHEATS THE S AND REMOVES ANY"				THEN 1075:		
	PRINT "INCENTIVE TO PRODUCE A	DRE GOOD	WORKS - THA		ELSE 1500		
8	INPUT "PUSH ENTER"; CLS :	60	SUB 1040: TO 1050	1075	X9 2:	OK, I'LL START !	
	RUN 10020 CLEAR 525:	1016 X	: 254: R N I TO 7:		FOR O = 1 TO	12:	
	DEFINT X,Y,Z: RANDOM	X	X - 7: OSUB 8000:		GOSUB 8070: NEXT O:		
25	GOTO 900 MD\$ "RIDICULOUS":	N	EXT N: = 570:		PRINT @540," GOTO 1016		"::
	RETURN MDS = "ABSURD":	FO	R N = 1 TO 5:	1100	GOSUB 1055 E\$ INKEY\$:		
	RETURN	G	X - 8: OSUB 8000:		IF ES = ""		
52	MD\$ "CROTESQUE": RETURN MD\$ "NONSENSICAL":	X	EXT N: = 885:		IIOO: ELSE		
53	MD\$ "NONSENS ICAL": RETURN MD\$ "FARC ICAL":	FO	R N - 1 TO 3:		K\$ = K\$ + E IF K\$ "ME	S:	
	RETURN	G	OSUB 8000:		THEN		
	RETURN	1017 RW	\$(1) = "7":		ELSE		
56	MDS - "SILLY":	1018 GO	\$(2) - "5": \$(3) "3"		1500		
57	RETURN MD\$ = "SENSELESS": RETURN	1040 FO	R N = 77 TO 333 STE	P 64:	C	complete L	isting of
58	MD\$ "IRRATIONAL":	N	RINT @N, CHR\$(30); EXT N:			A : -	J N19
59	MD\$ - "FANTASTIC":	FOI Pi	R N 402 TO 658 ST RINT (0N, CHR\$(30);	TEP 64	• 4	Android	INIM
60	RETURN MD\$ "ODD":	RO BO	EXT N: R N - 730 TO 986 S1	TED 64		Leo Christo	nhorson
	RETURN MD\$ "RUDE":	N	RINT @N, CHR\$(30);; EXT N:			Leo omisio	prierson
62	RETURN MD\$ "BRUTISH":	PR RE	INT @22," ";: TURN				
63	RETURN MD\$ = "BARBARIC":	1050 PR 1054 GO	INT @540,"FIRST MOY TO 1060			(2) ?";	
64	MDS = "PLEBEIAN":	1055 X	= 194: SUB 8005:	1110	X9 1: PRINT @540."	VERY WELL , YOU	MAY START : "::
65	RETURN MD\$ "UNCIVIL":	X	517: SUB 8005:		X = 517: GOSUB 8010:		
	RETURN MD\$ = "DISCOURTEOUS":	X	= 835: SUB 8005:		X = 835: GOSUB 8010:		
67	RETURN MD\$ "VULGAR":	RE	TURN		X = 194: GOSUB 8010:		
	RETURN MDS "COARSE":	K\$	SUB 8070: INKEY\$:		FOR M = 1 TO	12:	
	RETURN	TI	K\$ "" HEN		GOSUB 8070: NEXT M:		
69	MD\$ - "GROSS": RETURN MD\$ - "UNGRACEFUL":	E	1060: LSE		PRINT @540," GOTO 1016		";:
	RETURN		IF K\$ "1" THEN	1500	PR INT @540," CHR\$(34);" ?	WHICH ONE OF US I:	S , "; CHR\$(34);K\$;
71	MD\$ "WONSTROUS": RETURN	L	IIIO: ELSE		X = 835: GOSUB 8010:		
	RETURN MD\$ "HORRID": RETURN		IF K\$ = "2" THEN		X = 194: GOSUB 8010:		
73	MD\$ "SHOCK ING": RETURN		1075: ELSE		X = 517: GOSUB 8010:		
74	MD\$ = "CHEAP": RETURN		IF K\$ "Y" THEN		GOSUB 8112:		
900	GOSUB 9000		1064:	7000	PRINT @22,"	";	
1000	X9 = 1: CLS :		ELSE	7006	GOTO 7200 W = RND(2):	020,7010,7010	-
1005	PRINT @25, CHR\$(34);"ANDROID X = 194:	NIM"; CH	R\$(34);		ON M GOTO 70:	20,7200	
	GOSUB 8000: PRINT @X,BQ\$;		IF K\$ = "W"	7020	FOR O - 1 TO GOSUB 8070:	12:	
1010	X = 517: GOSUB 8000:		THEN 1099:		NEXT O: GOTO 7275	19	
1011	PRINT @X,BQ\$; X = 835;		ELSE 1060	7200	Z = 1: GOSUB 7500:		
	GOSUB 8000: PRINT @X.BOS:	1064 GO	INKEYS:		Z1 = Z0: Z = 2:	- 6	
1012	Y9 = 1:	Ti	ES "" HEN		GOSUB 7500: Z2 = Z0:		
	RW\$(1) = "0": RW\$(2) = "0": RW\$(3) = "0"		1065: LSE		Z = 3: GOSUB 7500:		

The Text Solution for APPLE II®

Now APPLE II® Owners Can Solve Text Problems With VIDEOTERM 80 Column by 24 Line Video Display Utilizing 7 X 9 Dot Character Matrix

Perhaps the most annoying shortcoming of the Apple II* is its limitation of displaying only 40 columns by 24 lines of test, all in uppercase. All sat, Apple II* owners have a relately trouble-free answer to their text display problem. VIDEOTERM generates a full 80 columns by 24 lines of text, in upper and lower case. Settles the number of characters as the standard Apple II* display, And by utilizing a 7 by 9 character matrix, lower case letters have true descenders. But this is only the start.

VIDEOTERM, MANUAL, SWITCHPLATE



VIDEOTERM

BASICs

VIDEOTERM lists BASIC programs, both Integer and Applesoft, using the entire 80 columns. Without spitting keywords. Full editing capabilities are offered using the ESCape key sequences for cursor movement. With provision for stophstart text scrolling utilizing the standard Control-S entry. And simultaneous on screen displey of text being printed.

Installation of VIDEOTERM in slot 3 provides Pascal immediate control of the display since Pascal recognizes the board as a standard video display terminal streats it as such No changes are needed to Pascel's MISC INFO or GOTOXY files although customization directions are provided. All cursor control cheracters are identiced to standard Pascal defaults.

The rew Microsoft Softcard : a supporter Soft the popular D. C. Nayes Micro-modam III: utilizing customizer BPOMI timume available from VIDEX The power-ful EasyWriter. Professional Word Processing System and other word procession are now complative with VIDEO TERM Or use the Mountain Haraverse ROMWINEY. IV. VIDEOTERM conforms to self Apple OEM guidelines, assurance that you will have no conflicts with current of future Apple III" capations boards.

VIDEDTERM's on-board asynchronous crystal clock ensures litcher-free character display floy the size of the Pascal Language card, VIDEOTERM utilizes CMOS and low power con-sumption ICS, ensuring cool, reliable operation Ail ICS are fully socketed for easy maintenance Add to that ZK of on-board RAM. 50 or 60 Hz operation, and provision of power end input connection for a highly her Problems are descipred out, how

Firmware

1K of on-board ROM firmwara controls all operation of the VIDEOTERM No machina language patches are needed for normal VIDEOTERM use

Firmwara Version 2.0

Display 24 x 80 (full descenders) 18 x 80 (7 x 12 matrix with full descenders) Want to know more? Contact your local Apple dealer today for a demonstration. VIDEOTERM is available through your local dealer or direct from Video in Convalin, foregon Or send for the VIDEOTERM Owners Reference Manual and deduct the amount if you decide to purchase. Upgrade your Apple III* to full terminal capabilities for half Ithe Cosp of a terminal VIDEOTERM. All Ithe Cosp of a terminal VIDEOTERM All Ithe Cosp of a terminal VIDEOTERM.

7X12 MATRIX 18X80 OPTIONAL

7X9 MATRIX 24X80 STANDARD

PRICE: * VIDEOTERM Includes manual * SWITCHPLATE * MANUAL rafund with purchase * 7 x 12 CHARACTER SET * MICROMODEM FIRMWARE

APPLE II® OWNERS! KEYBOARD & DISPLAY ENHANCER

• PUT THE SHIFT AND SHIFT LOCK BACK WHERE IT BELONGS • SEE REAL UPPER AND lower CASE ON THE SCREEN ACCESS ALL YOUR KEYBOARD ASCII CHARACTERS

Videx has the perfect companion for your Videx has the perfect companion for your wired processor software the KEYBOARD AND DISPLAY ENHANCER Install the enhancer in your APPLE if and be typing in lower case just like a typewriter. If you want an upper case character, use the SHIFT key or the ""." CTRL key for shift lock. Not only that, but you see upper and lower case on the screen as you type. Perfectly compatible with Apple Writer and other word processors like for example.

back into the alpha lock mode and you have the original keyboard back with a few im

characters directly from the keyboard, or re-quire the Control key to be pressed with the RESET to prevent accidental resets.

KEYBOARD AND DISPLAY ENHANCER is recommended for use with all revisions of the APPLE II. It includes 6 ICs, and revisions of the APPLE II It includes 6 NS, and EPROM and dip switches mounted on a PC board, and a jumper cable. Easy installation, meaning no soldering or cutting traces. Here have default modes are dip writch selectiable. You can even remap the keyboard, selecting an alternate character set. for custom applications



PRICE • KDE-700 (REV. 7 or greater) . KDE-000 (REV. 6 or less)

Annie II* is a trademark of Apple Computer. In-



897 N.W. Grant Avenue Corvallia, Ocegon 97330 Phone (503) 758-0521

Android Nim, continued	7277 IF VAL(RWS(1)) = (0 7425 GMUR 8070
		K3 INVELS!
Z5 - Z1 + Z3:	72781 ELSE RW - 1: GOSUB 7290: GOSUB 8410: X9 = 1: X8 = 0:	
Z6 = Z2 + Z3:	RW - 1:	7425:
Z45 = STR5(Z4): Z55 = STR\$(Z5):	GOSUB 8410:	ELSE
Z6\$ - STR\$(Z6)	X9 = 1:	THEN
7220 GOSUB 8070: IF 24 0	GOTO 8240	1012:
THEN	7278 IF VAL(RW\$(2)) = (7430
ELSE	7279:	7430 CLS :
Z0 LEN(Z4\$):	ELSE	7450 GOSUB 1040:
YU = 1: Z4 = 0:	GOSUB 7290:	RW\$(1) = "0": RW\$(2) = "0":
FOR N = Z0 TO 1 STEP - 1	GOSUB 8420:	Rw\$(3) = "0":
7222 IF MID\$(245,N,I) = "I" THEN	X8 0:	PRINT @540, "SINCE YOU HAVE GIVEN UP ";;
Z4 Z4 + Y0	7279 IF VAL(PR\$(21)	GOSUB 8070:
NEXT N	THEN	NEXT O:
7230 GOSUB 8070:	7277: FLSE	GOTO 7400
THEN	RW 3:	7500 ON VAL(RW\$(Z)) + 1 GOTO 7505,7510,7515,7520,752
7240:	GOSUB 7290:	7505 Z0 0:
Z0 - LEN(Z5\$):	X9 = 1:	7510 70 1:
Y0 = 1:	X8 = 0: COTO 8240	RETURN
FOR N = Z0 TO 1 STEP - I	7290 M RND(7):	1 A C
7232 IF MID\$(Z5\$,N,1) - "1"	7291 DN 1.	92,7293,7294,7295,7296,7297
Z5 + Z5 + Y0	RNS - "1":	
7233 YO YO * Z: NEXT N	7292 COTO 7291	7515 ZO = 10:
NEXT N 7240 GOSUB 8070: 1F 26 0 THEN	7293 GOTO 7291	7520 Z0 11:
IF Z6 0 THEN	7294 GOTO 7291 7295 RN - 21	7525 70 - 100:
7250:	RN\$ = "2":	RETURN
ELSE ZO LEN(Z6\$):	7296 RN . 3:	7330 ZO = 101: RETURN
ELSE ZO LEN(Z6\$): YO 1: Z6 0:	RN\$ = "3":	7535 20 = 110:
Z6 0: FOR N Z0 TO I STEP - I 7242 IF MID\$(Z6\$,N,1) "I" THEN Z6 - Z6 + Y0 7243 Y0 - Y0 * 21	X8 - 01 229	7540 Z0 111:
7242 IF MID\$(Z6\$,N,1) "I"	THEN	RETURN 7400 COSUB 7700
THEN Z6 - Z6 + Y0 7243 Y0 - Y0 • 21	FLSE	W1\$ MD\$
7243 Y0 = Y0 * 21 NEXT N	7295 ELSE RM = 4: RNS = *4": RETURY	7601 GOSUB 7700:
7245 GOSUB 8070	RETURE	THEN 7601: ELSE 2MS 7602: COUGHS 7700: IF (MDS = WLS) CN (MDS = W2S) THEN
7250 IF VAL(RW\$(3)) < = Z4 THEN	7300 GOTO 7350	7601: ELSE
7255	7350 GOSUB 1040 7360 JE X9	W2\$ = MD\$
GOSUB 8430:	THEN	7602 GOSUB 7700: 1F (MD\$ = W1\$) OR (MD\$ = W2\$)
RN VAL(RW\$(3)) - Z4:	7400 7370 GOSUB 7600:	THEN
RNS RIGHTS(RNS,1):	GOSUB 8070:	ELSE
X9 1:	X = 194: GOSUB 8035:	W3\$ = MD\$
7255 IF VAL(RW\$(2)) < Z5	GOSUB 8114:	#25 : MD5 7602 (ASSENT 7700) FFE FFE
THEN 7260	GOSUB 8035:	THEN 7403.
7256 RW 2:	GOSUB 8116:	ELSE
RN VAL(RW\$(2)) - Z5:	GOSUB 8035:	7604 GOSUB 7700:
RNS STRS(RN):	GOSUB 8114: PRINT 0453.H5\$::	IF (MD\$ = WI\$) OR (MD\$ W2\$) OR (MD\$ W3\$)
X9 = 1:	GOSUB 8116:	OR (MD\$ = W4\$) THEN
GOTO 8240	PRINT @771,H5\$;:	7604: ELSE
THEN	PRINT @130,H5\$;:	W5\$ = MD\$
7270 7261 RW - 12	PRINT 0130 HRS:	7605 GOSUB 7700:
GOSUB 8410:	7375 GOSUB 8114:	1F (MD\$ W1\$) OR (MD\$ w2\$) OR (MD\$ w3\$) OR (MD\$ - w4\$) OR (MD\$ - w3\$)
RN VAL(RWS(1)) - Z6: RNS STRS(RN):	GOSUB 8116:	THEN 7605.
RN\$ - RIGHT\$(RN\$,1):	PRINT @453,HR\$;:	ELSE
GOTO 8240	GOTO 7420	W6\$ = MD\$ 7606 GOSUB 7700:
7260 IF WE (RW\$(1)) < - 26 TO LEVE (RW\$(1)) < - 26 TO LEVE (RW\$(1)) < - 26 TO LEVE (RW\$(1)) - 26 TO LEVE (RW\$(7400 GOSUB 1055: PRINT @536.MB\$::	76031 ELSE W65 MD5 7606 GOSING 77001 FL (MD5 W15) CR (MD5 W25) CR (MD5 W35) GR (MD5 W45) CR (MD5 W25) CR (MD5 W65) 76061 ELSE
IF (Z4 0) AND (Z5 - 0)	PRINT @472,MA\$;:	THEN W457 CR (MD5 W257 CR (MD5 W65)
	PRINT (8600,MC\$;: GOSUB 8112:	7606:
7300 7275 M RND(3)		
7276 ON M GOTO 7277,7278,7279	7420 PRINT @794,"NEW G	SAME? YES (1) OR NO (2)";

QUALITY DISK SOFTWARE

BACKED BY ON-GOING APPLICATIONS SUPPORT

Entire Series \$49.95 (A) (T) REGISTER AND BUDGET: This comprehensive CHECKING ACCOUNT MANAGEMENT SYSTEM not only keeps complete records, it also gives you management is a tem not only keeps complete records. If also gives you need to actively manage your account The system provides routines for 8006ETING INCOME AND EXPENSE OF A MATIC CHECK SEADCH, and 88AKS STATEMENT RECONCILIED TO printer reports are produced for ACTUAL EXPENSE vis 8006ET, CHECK SEADCH 105PLAT RECONCILITION REPORT and CHECK RESISTER 80SFLAY by month Order in recommendation nervint and check networks with the year offence of the year offence menus of standard purposes and recipient codes, speeding data entry and reducing disk storage and retrieval time Six fields of data are stored for each check amount, check no., date, purpose, recipient and TAX OEOUCTIBLE REMINDER, CHECK SEARCH

SAVINGS: Account management system for up to 20 separate Savings accounts Organizes, files and displays deposits, withdrawals and interest

CREDIT CARO: Get Control of your credit cards with this program. Organizes, stores and displays purchases, payments and service charges for up to 20 separate cards or bank loans

UNIVERSAL COMPUTING MACHINE: UNIVERSAL COMPUTING MACHINE: \$49.90 (c) Asset programmable computing system structured around a 50 row x 50 column fable User defines row and column names and equations forming a unique computing machine. Table elements can be multiplied, divided, subtracted or added to any other element. Hundreds of unique computing.

\$29.95 A COLOR CALENDAR Got a busy calendar? Organize if with Color Calendar. Whether if's

birthdays, appointments, business meetings or a regular office schedule this program is the perfect way to schedule your activities only program is net perfect way to schedule your activities.

The calendar display is a beautiful M-RES color graphics calendar of the selected month with each scheduled day highlighted in color. Using the diarly schedule, you can review any day of the month and schedule an event or activity in any one of 20 time slots from 8 00 A.M. to 5.30 P.M.

Entire Series \$159.95 (A) (T) BUSINESS SOFTWARE: DUDITE 50 SUFT WARE: CHINIFE SOLIES \$139.93 © \(\text{V}\)
MICROACCOUNTANT: The ideal accounting system for small businesses
Based on classic T-accounts and double-entry booking, this efficient
program provides a journal for recording posting and reviewing up to 1.000
transactions per month to any one of 300 accounts. The program produces

CRT and printer reports covering TRANSACTION JOURNAL BALANCE SHEET INCOME AND EXPENSE STATEMENT ACCOUNT LEGGERS

Includes a short primer on Financial Accounting (48K) \$49.95 UNIVERSAL BUSINESS MACHINE: This program is designed to SIMPLIFY and SAVE TIME for the serious businessman who must periodically Analyze. Plan and Estimate The program was created using our Universal Computing Machine and if is programmed to provide the following planning and

CASH FLOW ANALYSIS
PROFORMA PROFIT & LOSS
PROFORMA BALANCE SHEET
REAL ESTATE INVESTMENT

SALES FORECASTER SOURCE AND USE OF FUNOS JOB COST ESTIMATOR

Price, including a copy of the Universal Computing Machine \$89.95 BUSINESS CHECK REGISTER AND BUOGET: Our Check Register and Budget programs expanded to include up to 50 budgetable items and up to 400 checks per month. Includes bank statement reconciling and automatic

ELECTRONICS SERIES VOL I & II: Entire Series \$259.95 LOGIC SIMULATOR: SAVE TIME AND MONEY. Simulate your digital logic circuits before you build them CMOS. TTL. or whatever, if it's digital logic. this program can handle it. The program is an interactive, menu driven full-fledged logic simulator capable of simulating the bit-time response of a logic network to user-specified input patterns. It will handle up to 1000 gares, including MANUS, NORS, INVENTERS, FLIP FLOPS, SHIFT REGISTERS, COUNTERS and user-defined MACROS, up to 40 user-defined random, or LOGIC DESIGNER for simulation \$159 95 (A) (T)

LÓGIC DESIGNER: Interactive HI-RES graphics program for designing digital stems Draw directly on the screen up to 10 different gate types, ig NANO, NOR, INVERTER, EX-OR, T-FLOP, JK-FLOP, O-FLOP, RS-FLOP, 4 BIT COUNTER and N-BIT SHIFT REGISTER. User interconnects gates using line graphics commands. Network descriptions for LOGIC SIMULATOR generated simultaneously with the CRT diagram being drawn \$159.95

MANUAL AND DEMO DISK: Instruction Manual and demo disk illustrating capabilities of both program (s) \$29 95 (A) (T)

ELECTRONIC SERIES VOL. III & IV: Entire Series \$259.95 CIRCUIT SIMULATOR: Tired of trial & error circuit design? Simulate & debug your designs before you build them! With CIRCUIT SIMULATOR you build a nodel of your circuit using resistors, capacitors, inductors. Transistors. model of your crucif upon Rassistins, carriariths, mourtains, influence of models with Table and CURRAIT SOURCES and simulate the waveform response to injuris such as PLUES S. SINUSSOUS, SANT SOURS, et all fully programmable from budget of deplayed as an OSCILLIOSCRF STYLE, PLOT of the selected waveforms (Apple only) or as a printed table of voltage vs. time Handles uplo 20 oncies and upon to 20 sources Foreigness 48 AAM . \$1595 & TOO noted and upon to 20 sources Foreigness 48 AAM.

CIRCUIT DESIGNER: Interactive MI-RES graphics program for designing electronic circuits. Draw directly on the screen up to 10 different component types, including those referenced above. Components interconnect list for CIRCUIT SIMULATOR generated automatically Requires \$159 95

MATHEMATICS SERIES: Entire Series \$49.95 STATISTICAL ANALYSIS I: This menu driven program performs LINEAR REGRESSION analysis, determines the mean, standard deviation and plots

the frequency distribution of user-supplied data sets. Printer, Disk NUMERICAL ANALYSIS: HI-RES 2-Dimensional plot of any function. Automatic scaling At your option, the program will plot the function, plot the INTEGRAL plot the DERIVATIVE, determine the ROOTS, MAXIMA, MINIMA,

INTEGRAL VALUE \$19 95 MATRIX: A general purpose, menu driven program for determining the INVERSE and DETERMINANT of any matrix as well as the SOLUTION to any set

3-0 SURFACE PLOTTER: Explore the ELEGANCE and BEAUTY of MATHEMATICS by creating HI-RES PLOTS of 3-dimensional surfaces from any 3-variable equation. Disk save and recall routines for plots. Menu driven to vary

surface parameters. Hidden line or transparent plotting \$19.95 ACTION ADVENTURE GAMES: Entire Series \$29.95 (A) REDBARON: Can you outly the REDBARONY This fast action game simulates a machine-gun 000FIGNT between your WORLO WAR I BI-PLANE and the baron's You can LOP. OWE. BANK or CLIMB-and so can the BARON. In NI-RES

BATTLE OF MIOWAY: You are in command of the U.S.S. HORNETS' DIVE

SUB ATTACK; It's April 1943. The enemy convoy is headed for the CONTROL SEA. Your sub, the MORAY, has just sighted the CARRIERS and BATTLESHIPS
Easy pickings. But watch out for the DESTROYERS - they re fast and deadly

FREE CATALOG-All programs are supplied on disk and run on Apple II w/Disk FRE LATALUS-All programs are supplied on disk and run on Appleit in Vilsik & Applesoft BOM Card & Tilk 80 Level II and require 32K RAM unless otherwise noted. Detailed instructions included. Orders shipped within 5 days. Card users include card number. Add \$150 postage and handling with each order. California residents add 61% sales tax. Foreign orders add. \$5 00 postage and handling



142 Carlow, P.O. Box 2084 Sunnyvale, CA 94087

FOR PHONE ORDERS: (408) 738-4387 DEALER INQUIRIES INVITED.





Android Nim, continued	7985	PRINT @X - 64, HD\$;:	8015	GOSUB 8100:
7610 PRINT @612,"THROUGH SOME ":WIS + ",";; GOSUB 8118; PRINT @670,W25 + ",";; GOSUB 8118; PRINT @670,W25 + "," + W35 + ",";;		PRINT DX - 4 - MDS:: PRINT DX - 127, MCS:: PRINT DX - 6 - MBS:: PRINT DX - 6 - MBS:: PRINT DX - 127, MCS:: PRI		PRINT @X = 64,H35;: PRINT @X = 127,H15;: GOSUB 8100: PRINT @X = 64,HL5;: PRINT @X = 127,HK5;: GOSUB 8100:
GOSUB 8118: PRINT @470,W2\$ + "," + W3\$ + "," + W4\$ GOSUB 8118: 7620 PRINT @534,W5\$ + ",";: CONUB 8070:	7986	PRINT @X - 64,HB\$;: PRINT @X - 127,HA\$;: PRINT @482,HP\$;: PRINT @419,HO\$;: RETURN	8020	PRINT @X - 64,HN\$;: PRINT @X - 127,HM\$;: RETURN GOSUB 8100: PRINT @X - 64,HL\$;:
PRINT 0334,W5\$ + "," + W6\$ + ",";; GOSUB 8070; PRINT 0334,W5\$ + "," + W6\$ + "," + W7\$ GOSUB 8070	7987	PRINT @X - 64,HR\$;: PRINT @X - 127,HQ\$;: PRINT @490,HD\$;: PRINT @427,HC\$;:		GOSUB 8100: PRINT @X - 64,H3\$;: PRINT @X - 127,H1\$;:
7630 PRINT @610, "STROKE OF FATE";: GOSUB 8118:	7988	RETURN N = RND(3): ON N GOTO 7989,7990,7991 RETURN		PRINT @X - 64, HB\$;:
PRINT 0678,"YOU WIN !"; 7640 RETURN	7989	ON N GOTO 7989,7990,7991 RETURN		RETURN
7700 M RND(25) 7705 ON M GOSUB 50,51,52,53,54,55,56,57,58, ,63,64,65,66,67,68,69,70,71,72,73,74 7710 RETURN	9,60,61,62	PRINT (0X - 64,HD\$;: PRINT (0X - 127,HC\$;: PRINT (0490,HJ\$;: PRINT (0497,HI\$:	8025	M = RND(2) + 1: FOR L = 1 TO M: GOSUB 8100: PRINT (0X - 64.HJ\$::
7951 IF VAL(RW\$(1)) < 7 7964 IF VAL(RW\$(THEN THEN	2)) < 2	RETURN PRINT OY - 44 MRS		PRINT @X - 127,H15;:
7952: 7965: ELSE ELSE		ON N COTO 7989,7990,7991 RETURN PRINT BX - 64,HD5;: PRINT B490,HJ5;: PRINT B490,HJ5;: RETURN		PRINT @X - 64,HB\$;: PRINT @X - 127,HA\$;: GOSUB 8100:
7952 IF VAL(RW\$(1)) < 6 7965 IF VAL(RW\$(2)) < 1 7992	N = RND(6):		PRINT (X - 64, HDS;:
7953: THEN 7966:	7993	ON N GOTO 7993,7994,7995, RETURN	7996,	7997,7993 PRINT @X - 127.HC\$::
X = 212: X = 562: GOTO 7975 7951 IF VAL(PW\$(11))	/774	PRINT (0X - 64, HPS;: PRINT (0X - 127, HOS;: PRINT (8812, HRS;:		GOSUB 8100: PRINT @X - 64,HB\$;: PRINT @X - 127,HA\$;:
THEN RETURN	7995	RETURN		NEXT L: RETURN
ELSE 7971 IF VAL(RW\$(X = 219: 7972: RETURN 7972:	3)) < 3	THEN RETURN:	8030	GOSUB 8100: PRINT @X - 64,HP\$;: PRINT @X - 127,HO\$;:
## AFTURN X 1,000 **P392	3)) < 2	PRINT @X - 64,HD\$;: PRINT @X - 127,HC\$;: PRINT @130,HJ\$;: PRINT @67,HI\$;:	8035	RETURN GOSUB 8100: PRINT @X - 64,HR\$;: PRINT @X - 127,HQ\$;:
X = 226: 7973: RETURN FLSE	7996	RETURN IF X3 < > 0	8040	M RND(3):
7955 IF VAL(RW\$(1)) < 3	3)) < 1	THEN RETURN : ELSÉ		GOSUB 8030: GOSUB 8100: PRINT 0X - 64.HBS::
X = 233: 7974: COTO 7979 7956 IF VAL(PWS(11)) < 2 ELSE		PRINT (0X - 69, 1153;; PRINT (0X - 127, HAS;; PRINT (0453, HPS;;		PRINT @X - 127,HA\$;: GOSUB 8035: GOSUB 8100:
THEN X = 876: RETURN	7997	RETURN		PRINT @X - 64,HB\$;: PRINT @X - 127,HA\$;:
ELSE 7974 X = 835: RETURN		THEN		NEXT L: RETURN
RETURN 7973 N = RND(3): ON N GOTO 7	976,7977,7978	ELSE PRINT OY - 64 HDS	8045	GOSUB 8100: PRINT @X + 4,BE\$;:
THEN 7976 RETURN 7977 PRINT @X -	64,HP\$::	PRINT (0X - 127, HC\$;:		GOSUB 8100:
ELSE PRINT @162,	HJ\$;:	PRINT @708,HI\$;:		PRINT (0X + 4,BG\$;: PRINT (0X + 68,BH\$;:
RETURN PRINT @169, 17958 X = 194:	HD\$;: 8000	PRINT @X,BA\$;:		PRINT @X + 4,BI\$;:
RETURN RETURN 7961 IF VAL(RWS(2)) < 5	10311	PRINT (X - 64, HB\$;:		GOSUB 8100:
THEN PRINT &X -	127,HC\$;:	PRINT @X + 128,FC\$;:		GOSUB 8100:
ELSE PRINT 0176, PRINT 0113,	HA\$;: 8005	GOSUB 8100:		PRINT @X + 4,BL\$;: RETURN
RETURN 7979 N = RND(3):		PRINT (0X - 127, HC\$;:	8050	GOSUB 8100: PRINT @X + 4,BK\$;:
THEN 7980 RETURN 7963:	980,7981,7982	PRINT @X - 64,HF\$;:		X3 = X: GOSUB 8070:
ELSE PRINT &X -	127,HQ\$;;	GOSUB 8100:		GOSUB 8070: X = X3:
GOTO 7983 PRINT (8176, 7963 IF VAL(RW\$(2)) < 3 PRINT (8113,	HI\$::	PRINT (X - 127, HG\$;:		QOSUB 8110: PRINT (0X + 4, B1\$;:
THEN 7982 PRINT 0X -	64,HD\$;: 8010	GOSUB 8100: PRINT @X - 64.HFS::		GOSUB 8100:
ELSE PRINT (883 -	HJS::	PRINT @X - 127, HE\$;;		PRINT (0X + 68, BH\$;:
GOTO 7988 RETURN 7983 N - PND(*)		PRINT @X - 64, HD\$;:		PRINT @X + 4,BE\$;:
ON N GOTO 7	984,7985,7986	GOSUB 8100: PRINT 0X - 64.HBS:		GOSUB 8110:
7707 RETURN	74	PRINT @X - 127,HA\$;: RETURN		PRINT @X + 4,805;: PRINT @X + 68,805;: RETURN
	/4			CREATIVE COMPUTING

The story behind the two best selling computer games books in the world.

Computer Games

by David H. Ahi

Everybody likes games. Children like tic tac toe. Gamblers like blackjack. Trekkies like Star Trek. Almost everyone has a favor-Ite game or two.

It Started in 1971

Bridge-It Camel

Condot

Father

Chuck-A-Luck

Concentration

Countdown

Dealer's Choice

Four In A Row

ping Balls

Ten years ago when I was at Digital Equipment Corp. (DEC), we wanted a painless way to show reluctant educators that computers weren't scary or difficult to use Games and simulations seemed like a good

So I put out a call to all our customers to send us their best computer games. The response was overwhelming. I got 21 ver-sions of blackjack, 15 of nim and 12 of battleship.

From this enormous outpouring I selected the 90 best games and added 11 that I had written myself for a total of 101. I edited these into a book called 101 Basic Computer Games which was published by DEC it still is

When I left DEC in 1974 I asked for the rights to print the book independently. They agreed as long as the name was changed.

Hi-Lo Introduction Hi-Lo High I-Q Hockey Horserso Hurkle Conversion to Other Basics

Contents of Basic Computer Games (right) and More Basic Computer Games (below).

Maneuvers Mastermind Maze Motorcycle Jump Nomad Not One Close Encounters Column Pasart 2 Rabbit Chase Roadrace TV Plot Two-to-Ten Under & Ove Van Gam Word Search Puzzle

Life Expectancy

Lissajous Magic Square Man-Eating Rabbit

Acey Ducey Amazing Animal Awari Life For Two Literature Quiz Love Lunar LEM Rocket Master Mind Math Dice Mugwump Name Blackjack Bombardment Bombs Away Nicomachus Boxing Nim One Check Orbit Pizza Buzzword Calendar Rock, Scissors, Paper Chief Roulette Russian Roulette Chomp Civil War Salvo Sine Wave Slalom Depth Charge Diamond Stock Market Super Star Trek Synonym Target 3-D Plot 3-D Tic-Tac-Toe Tic Tac toe 23 Matches

Converted to Microsoft Rasio

The games in the original book were in many different dialects of Basic. So Steve North and I converted all the games to standard Microsoft Basic, expanded the descriptions and published the book under the new name Basic Computer Games.

Over the next three years, people sent in improved versions of many of the games along with scores of new ones. So in 1979, we totally revised and corrected Basic Computer Games and published a completely new companion volume of 84 additional games called More Basic Computer Games. This edition is available in both Microsoft Basic and TRS-80 Basic for owners of the TRS-80 computer.

Today Basic Computer Games Is In its Today Basic Computer Games is in its fifth printing and More Basic Computer Games is in its second. Combined sales are over one half million copies making them the best selling pair of books in recreational computing by a wide margin. There are many imitators, but all offer a fraction of

the number of games and cost far more.
The games in these books include classic board games like checkers. They include challenging simulation games like Camel (get across the desert on your camel) and Super Star Trek. There are number games like Guess My Number, Stars and Battle of Numbers. You'll find gambling games like blackjack, keno, and poker. All told there are 185 different games in these two

Whether you're just getting started with computers or a proficient programmer, you'll find something of interest. You'll find

Job Illing sometring of interest. You Illing 15-line games and 400-line games and everything in between. The value offered by these books is out-standing. Every other publisher has raised the price of their books yet these sell for the same price as they did in 1974.

Moneyback Guarantee

Examine one or both of these books and key some games into your computer. If you're not completely satisfied we'll refund the full purchase price plus your return

Basic Computer Games costs only \$7.50 and More Basic Computer Games just \$7.95 for either the Microsoft or TRS-80 edition (please specify your choice on your order). Both books together are \$15. Send payment plus \$2.00 shipping and handling to Creative Computing Press, Morris Plains, NJ 07950. Visa, MasterCard and American Express orders should include card number and expiration date. Charge card orders may also be called in toll-free to 800-631-8112 (in NJ 201-540-0445).

Order today to turn your computer Into the best game player on the block.

creative computing

Morris Plains, NJ 07950 Toll-free 800-631-8112 (In NJ 201-540-0445) CIRCLE 350 ON READER SERVICE CARD

```
8092 PRINT @390,HA$;:
PRINT @453,HB$;:
   Android Nim, continued...
                                                                                                             8120 PRINT @X, BR$;:
                                                                                                                    PRINT @X + 64, BN$;:
                                                             PRINT @708,HO$;:
PRINT @771,HP$;:
GOSUB 8100:
 8055 GOSUB 8100:
                                                                                                                     RETURN
        PRINT @X - 64,HD$;:
PRINT @X - 127,HC$;:
RETURN
                                                                                                             8130 PRINT @X,BQ$;:
PRINT @X + 64,BB$;:
GOSUB $100:
                                                             RETURN
                                                      8093 PRINT @67,HQ$;:
PRINT @130,HR$;:
 8060 GOSUB 8100:
                                                                                                                     RETURN
        PRINT @X - 64,HJ$;:
PRINT @X - 127,HI$;:
                                                             PRINT @390,HI$;:
                                                                                                             8200 X8 = 0:
IF X9 - 2
                                                             PRINT @453,HJ$;:
        RETURN
                                                             PRINT @708,HO$;:
PRINT @771,HP$;:
GOSUB 8100:
                                                                                                                       THEN
 8065 GOSUB 8100:
PRINT @X - 64,HB$;:
PRINT @X - 127,HA$;:
                                                                                                                       FISE
                                                             RETURN
                                                                                                                        X3 = 0:
                                                     8094 PRINT @390, HO$;:
PRINT @453, HP$;:
PRINT @67, HQ$;:
PRINT @130, HR$;:
                                                                                                                        PRINT @22.""::
 8070 M = RND(16):

K = RND(50) + 50:

Y = RND(18):
                                                                                                                        K$ = INKEY$:
         IF X3 : X
                                                             RETURN
                                                     8095 IF (X = 194) OR (X = 517) OR (X = 835)
            8070:
                                                               THEN
          ELSE
IF X3 = 0
                                                               ELSE
             THEN
8071:
                                                                PRINT @X.BMS::
                                                                PRINT @X + 64,BN$;:
GOSUB 8100:
                                                                                                                           IF (K$ > "0") AND (K$ < "4")
             ELSE
IF (M < 8) OR (M > 12)
                                                                                                                            THEN
                                                                                                                             IF K$ = "R"
                 8070
 8071 IF M > 7
          THEN
           8089:
                                                                                                            8210 RW = VAL(K$):
          ELSE
                                                                                                                  ON RW GOSUB 8410,8420,8430
           ON M GOSUB 8005, 8015, 8030, 8035, 8055, 8060, 8065
 8074 GOTO 8079
 8075 ON Y GOTO 8076,8077,8078,7951,7952,7953,7954,7955
.7956.7957.7961.7962.7963.7964.7965.7971.7972.797
                                                                                                                   K$ = INKEY$:
                                                                                                                      THEN
 8076 X : 194:
RETURN
                                                                                                                      ELSE
                                                                                                                       IF (K$ > "0") AND (K$ < "8")
                                                                                                                        THEN
        RETURN
        RETURN
8079 XI = RND(5)
8080 ON XI GOTO 8081,8070,8081,8070,8081
8081 ON W GOTO 8087,8088,8082,8083,8084,8085,8086
                                                                                                                          IF K$ = " "
                                                                                                                            THEN
                                                                                                                             GOSUB 8325:
8082 PRINT @X - 127,H4$;:
GOSUB 8100:
        PRINT @X - 127,HO$;:
                                                  8096 IF (X = 194) OR (X = 517) OR (X = 835)
        RETURN
                                                               THEN
8130:
                                                                                                 8221 GOTO 8200
 8083 PRINT @X - 64,H5$;:
GOSUB 8100:
                                                                                                 8721 (G10 8200
8225 X9 = 2
8230 RM$ = K5:
RN = VAL(RM$)
8240 IF (RN > VAL(RW$(RW))) AND (X9 = 1)
                                                               ELSE
                                                                PRINT @X,BA$;:
PRINT @X + 64,BB$;:
GOSUB 8100:
        PRINT @X - 64,HR$;:
 RETURN
8084 PRINT @X - 64,H2$;:
GOSUB 8100:
                                                                                                           THEN
                                                      8097 PRINT @X + 4,BO$;:
PRINT @X + 68,BP$;:
GOSUB $100:
RETURN
                                                                                                  X8 = 1
8243 IF (RN > VAL(RW$(RW))) AND (X9 = 2)
        PRINT @X - 64,HD$::
        RETURN
                                                                                                         THEN
 8085 PRINT @X - 64,H3$;:
GOSUB 8100:
PRINT @X - 64,H3$;:
                                                                                                            X9 # 1
                                                                                                  8245 ON RW GOSUB 8260,8270,8280
8247 IF ( VAL(RW$(1)) = 0) AND ( VAL(RW$(2)) = 0)
AND ( VAL(RW$(3)) = 0)
                                                      8098 PRINT @X + 4,BG$;:
PRINT @X + 68,BH$;:
GOSUB 8100:
        RETURN
 8086 PRINT @X - 64,HI$;:
GOSUB 8100:
                                                                                                           THEN
                                                              RETURN
                                                                                                                                                           HAVE A
                                                      8100 FOR N = 1 TO 8:
                                                                                                  8250 IF X8 = 0
        PRINT @X - 64, HB$::
                                                               NEXT N:
        RETURN
                                                                                                           THEN
                                                                                                                                                            NICE DAY, ANDY!
                                                             RETURN
 8087 PRINT @X - 64,H6$;:
                                                      $110 RETURN :
                                                             FOR N = 1 TO 50:
        PRINT @X - 64, HH$;:
                                                               NEXT N:
        PETIEN
                                                      RETURN
8112 FOR N - 1 TO 400:
NEXT N:
                                                                                                  8260 PRINT @128,RN$::
                                                                                                 8260 PKINI 0128,KN3;;

X = 194;

GOTO 8300

8270 PRINT 0448,RN$;;

X = 517;
 8088 PRINT @X - 64,H7$;;
GOSUB 8100:
PRINT @X - 64,HN$;;
                                                                                                                                                                NICE DAYS
PRINT 82 - 69,0003;
RETURN
2038 - 80,000 - 809,8091,8092,8093,8094,8095,8096,
8097,8098
8097,8098
8097,8098
8097,8098
8097,8098
8097,8098
8118 FOR N = 1 TO 200
8097,8098
8118 FOR N = 1 TO 200
8097,8098
8118 FOR N = 1 TO 200
8097,8098
8118 FOR N = 1 TO 100
8097,8098
8118 FOR N = 1 TO 100
8097,8098
8118 FOR N = 1 TO 100
                                                                                                                                                                 ARE MADE
                                                                                                  GOTO 8300
8280 PRINT @768,RN$;:
                                                                                                                                                                 NOT HAD
                                                      8114 FOR N . 1 TO 200:
                                                                                                  8300 GOSUB 8015:
                                                                                                         X3 - X:
                                                      8116 FOR N = 1 TO 100:
NEXT N:
                                                                                                         GOSUB 8070:
RETURN
8091 PRINT @67,HQ$;:
PRINT @130,HR$;:
PRINT @708,HI$;:
PRINT @771,HJ$;:
                                                                                                         X = X3:
                                                      RETURN
8118 FOR O : 1 TO 3:
GOSUB 8070:
                                                                                                         GOSUB 8060:
                                                                                                         GOSUB 8005:
X3 = X:
                                                                                                                                                                    185 35
       GOSUB 8100:
                                                                                                         GOSUB 8070:
                                                              RETURN
                                                                                        76
                                                                                                         GOSUB 8010
                                                                                                                                                 CREATIVE COMPUTING
```

THE PROGRAM STORE 800 424-2738



By Infocom from Personal Software In Zork, the Great Underground Empire, un earthly creatures guard 20 tressures. Brino all the treasures back to the trophy case and you can leave alliev! You must pick your way through intricate mazes, collecting objects that may help or hinder you in your quest. But keep your with about you, because in Zork, they take no prisoners!

TRS 80 or Apple II 32K Disk ... 539.95

LABYRINTH

From Med Systems
A nightmare of an adventure in graphically
depicted three dimensions. Corridors stretch
toward infinity right on your TRS 80 screen
as you search this mare for tressures. If you
get the feeling you're not alone, it's because
voorire not!

You use the arrow keys, plus two word commands to move, manipulate objects and avoid the many pitfails (pun intended) that await you in Labyrinth.

16K Tape (May be tranferred to 32K disk)



By W. Godwin & D. Knowlton from Acorn Challenge the world's highest moutain without ever leaving home. In this simulation you must buy the manpower and supplies you will need to support your quest. Now the adventure begins as you conquer the predeferment of the control of the control of the compensate. Will you reach Everest's 29, 282 foot summit! It can be done, but it takes planning, willower, and tuck.

Level II, 16K tape....\$14.95 32K disk version (with "save game" feature and other enhancements)....\$20.95. TRS-80 Level II lók unless atherwise noted



COSMIC FIGHTER

By Hoque & Konyu from Big Five Terrific sound, graphics and unique chal lenges mark his new space game a winner! While fighting off the alien convoys— each more skillful than the last you must keep track of your rocket luel or risk explosion. Finally your space station appears. Can you dock immediately, or is the station over run by aliens? Find out by ordering Cosmic Fighture.

16K tape \$14.95 (Mod I) \$15.95 (Mod III) For 32K disk...\$17.9S



ATTACK FORCE!

By Mogue & Konyu Froe Big Five Unlike the usual space "shool en ups," At-tack Force lets you control both speed and direction as you maneuver all over the screen in search of the allen Ramships and Flanships. Enemy ships chase you everywhere, and the Flagships' lasers can fire in any direction! The Ramships can even impersonate your spacecraft, so don't look away even for an instant. Machine language action with

sound. 16K tape \$14.98 (Mod I) \$15.95 (Mod III) For 32K disk...\$17.95



BASKET BALL

By John Allen from Acorn
You have to be fast to keep up with the action
as you try to outscore your opponent in five
minutes of one-on one basketball against a
friend or your computer.

Steal the ball, duck around your opponent and slant toward the basket for a lay up! The graphics are based on a 3-dimensional depic tion of a basketball court, and ball dribbling sounds add to the realism. It's all there but the cheers in this fast, machine language came!

Protected Tape...\$14.95 Protected Disk...\$20.95 अगिन स्वत्योग

By Richard Wilkes from Acorn Using your Super-Script modified Scripsit Word Processor and a compatible printer, you can now underline, boldface, insert text during printout, slash zeros, set type plich, subscript and, of course, superscript! You can even read your directory and kill files without ever leaving Scripsit.

SuperScript comes with drivers for popular serial and parallel printers (now including Centronics 737 and RS Daisy III), and easy in structions for patching to your Scripsit program (does not include Scripsit).

Model 1 32K disk., 5239

DISASSEMBLER

By Roy Soltoff from Milooys & Acorn
A two pass disassembler for TRS 80 that converts machine code to Z 80 assembly language
listings. DISASSEMBLER produces symbolic
Radio Shack's Editor-Assembler will read and
load the tapes for easy modification and reassembly. Extend the capabilities of
case of the composition of the composition

14.95

If new LDOS were just another disk operating system (DOS), we would not recommend it to you. However, two differences make this system unique and important: customer support and user benefits.

Bleen you buy any OOs, you need service for Men you buy any OOs, you need service for how best to use list featurest. This is part of heavy best to use list featurest. This is part of your registration card. Second, you will be your registration card. Second, you will be your registration card. Second, you will be your for the young they will be you have you will be you will be you will be you will you will be you will b

The power of LDOS is its asset of operation, its independence of barcheave configuration, and its device independence. You can aske secticed beaution of the configuration of the

LDOS with comprehensive manual...\$139

Visit Our Baltimore, MD Store: W. Bell Plaza – 6600 Security Blvd TO ORDER CALL TOLL FREE 800 424-2738

OKDER CALL TOLL FREE 800 424-2738 Call (202) 363-9797

MAIL ORDERS: Send check or M.O. for total purchase price, plus \$1.00 postage & handling. D.C. residents, add 6% tax. Charge card customers: include all embossed information on card.

THE PROGRAM STORE 4200 Wisconsin Avenue NW, Dept. R12 Box 9609

Washington, D.C. 20016

NEA.

For information

Android Nim, continued... 8310 IF RN > VAL(RW\$(RW)) THEN 8320: 8320 GOSUB 8025 8325 ON RW GOTO 8330,8340,8350 8330 PRINT @128," ";: PRINT @192," ";: 8340 PRINT @448," ";: PRINT @512," ";: DETHIN 8350 PRINT @768," ";: PRINT @832," ";: RETURN 8400 GOTO 8405: GOSUB 8040:







8420 PRINT (8512, "2";: RETURN 8430 PRINT @832,"3";: RETURN 8450 ON RW GOTO 8460,8470,8480

IF VAL(RW\$(1)) - 0 ELSE

FOR O = 1 TO VAL(RW\$(1)): X = X - 7: GOSUB 8015:

8461 X = 517: GOSUB 80 30: X = 570:IF VAL(RW\$(2)) = 0ELSE FOR O = 1 TO X = X - 8: GOSUB 8030: NEXT O 8462 X = 835: FOR O = | TO VAL(RWS(2)): GOSUB 8030: X = 885: IF VAL(RW\$(3)) = 0

8463: FOR O - 1 TO VAL(RW\$(3)): X - X - 9: GOSUB 8030: NEXT O

RETURN 8470 X = 570: IF VAL(RW\$(2)) = 0 THEN 8471: ELSE FOR O : 1 TO VAL(RW\$(2)):

X = X -GOSUB 8015: NEXT O 8471 X : 194: GOSUB 8035: X = 254: IF VAL(RW\$(I)) = 0 8472: FOR O - I TO VAL(RW\$(I)): X = X - 7: GOSUB 8035:

NEXT O 8472 X = 835; GOSUB 8030: IF VAL(RW\$(3)) = 0 THEN 8473: ELSE

FOR O = 1 TO VAL(RW\$(3)): X = X - 9: GOSUB 8030: NEXT O 8473 X = 517: RETURN

8480 X = 885: IF VAL(RW\$(3)) = 0 THEN 8481: FOR O = 1 TO VAL(RW\$(3)): X = X - 9: GOSUB 8015:

NEXT O

8481 X = 517: GOSUB 8035; X = 570: IF VAL(RW\$(2)) = 0 THEN FOR O : 1 TO VAL(RW\$(2)): X = X - 8: GOSUB 8035: NEXT O 8482 X - 194:

GOSUB 8035: X = 254: IF VAL(RW\$(1)) = 0 8483: ELSE FOR O - 1 TO VAL(RW\$(1)): GOSUB 8035:

NEXT O 8483 X = 835: RETURN 8500 ZI = VAL(RW\$(RW)): Z2 = ZI - RN: RW\$(RW) = STR\$(ZI - RN) 8520 ON RW GOTO 8530,8540,8550 8530 Z\$ = "===-": Z3 = 205:

23 = 203; 24 = 7; 25 = 254 - 7 * Z1; GOTO 8560 8540 25 - "===="; Z3 = 528; Z4 = 8; Z5 = 570 - 8 * Z1; GOTO 8560 8550 Z\$ = "= -": Z3 = 846:

Z4 = 9: Z5 - 885 - 9 ° Z1:

PRINT @Z - 1, "";

NEXT N:

NEXT N:

PRINT @Z - 1, "";

PRINT @Z - 1, "AS : :

PRINT @Z - 1

8580 Z5 : Z5 + Z4:

Popular Computing









Chas Andres

MEMOREX

WHY SPEND MORE WHEN YOU CAN'T BUY BETTER? BUY MEMOREX FLEXIBLE DISCS FROM PACIFIC EXCHANGES AND SAVE.



For Data Reliability— Memorex Flexible Discs

CALL FREE FOR PRICES & INFORMATION

(800)235-4137


In California, (805)543-1037







O D L ACCEPTED



Android Nim, continued...

```
8590 Y9 = Y9 + 1:
                                         GOSUB 8070:
                                         RETURN
  9000 HA$ = CHR$(160) + CHR$(181) - CHR$(186) -
                                         CHR$(144)
                                         CHR$(128) + CHR$(143) + CHR$(182) + CHR$(185) + CHR$(143) + CHR$(128) + CHR$(128) + CHR$(128) + CHR$(128) + CHR$(183) + CHR$(1
  9001 HBS
                                         CHR$(187) + CHR$(143)
                                                                             = CHR$(160) + CHR$(186) + CHR$(176) +
9005 HC$
                                         CHR$ (149)
                                                                                         CHR$(128)
                                                                                                                                                                                  + CHR$(143) + CHR$(189) +
9007 H2S
```

CHR\$(179) + CHR\$(142) + CHR\$(128) H2\$ - CHR\$(128) + CHR\$(143) + CHR\$(191) + CHR\$(179) + CHR\$(143) CHR\$(160) + CHR\$(176) + CHR\$(181) + 9010 HES CHR\$(149) 9011 HFS

CHR\$(128) + CHR\$(143) + CHR\$(191) + HG\$ = CHR\$(160) + CHR\$(176) + CHR\$(178) HG\$ = CHR\$(160) + CHR\$(176) + CHR\$(186) + 9015 HGS CHR\$ (144)

CHR\$(149) HI\$ = CHR\$(128) * CHR\$(143) + CHR\$(191) + CHR\$(131) + CHR\$(142) + CHR\$(132) + CHR\$(128) H6\$ = CHR\$(128) + CHR\$(143) + CHR\$(119) + CHR\$(1191) + CHR\$(143) + CHR\$(131) + CHR\$(151) + CHR\$(143) + CHR\$(181) + 9016 HHS

CHR\$(144) 9021 H3\$ = CHR\$(128) + CHR\$(141) + CHR\$(179) + H35 = CHR\$(128) + CHR\$(143) + CHR\$(128) H35 = CHR\$(128) + CHR\$(143) + CHR\$(179) + CHR\$(191) + CHR\$(143) CHR\$(191) + CHR\$(143) HK\$ = CHR\$(170) + CHR\$(186) + CHR\$(176) +

9025 HKS CHR\$(144) 9026 HLS HL\$ = CHR\$(136) + CHR\$(139) + CHR\$(190) + CHR\$(191) + CHR\$(143) + CHR\$(128) 9030 HM\$ = CHR\$(160) + CHR\$(181) + CHR\$(176) +

CHR\$ (144) 9031 HNS CHR\$(136) + CHR\$(141) + CHR\$(191) + CHR\$(191) + CHR\$(143) + CHR\$(128) 9032 H75 CHR\$(136) + CHR\$(143) + CHR\$(191) + CHR\$(191) + CHR\$(143)

CHR\$(171) + CHR\$(183) + CHR\$(191) +
BA\$ = CHR\$(184) + CHR\$(135) + CHR\$(191) +
CHR\$(191) + CHR\$(139) + CHR\$(180)
BB\$ = CHR\$(130) - CHR\$(141) + CHR\$(151) +
CHR\$(171) + CHR\$(142) + CHR\$(129) 9036 BBS CHR\$(136) + CHR\$(140) + CHR\$(133) +

CHR\$(138) + CHR\$(140) + CHR\$(132) HO\$ = CHR\$(160) + CHR\$(164) + CHR\$(152) + CHR\$ (144) 9051 HPS CHR\$(128) + CHR\$(143) + CHR\$(189) +

CHR\$(190) + CHR\$(143) + CHR\$(128) H4\$ = CHR\$(160) + CHR\$(180) + CHR\$(184) + CHR\$(144) 9055 HOS CHR\$(160) + CHR\$(180) + CHR\$(184) + CHRS (144) 9056 HRS CHR\$(128) + CHR\$(175) + CHR\$(155) +

CHR\$(167) + CHR\$(159) + CHR\$(128) H5\$ = CHR\$(128) + CHR\$(175) + CHR\$(159) + CHR\$(175) + CHR\$(159) BC\$ CHR\$(139) + CHR\$(180) BD\$ CHR\$(142) + CHR\$(129) 9060 BCS

9061 BDS

- CHR\$(191) - CHR\$(128) - CHR\$(143) - CHR\$(128) - CHR\$(191) - CHR\$(128) - CHR\$(128) - CHR\$(130) - CHR\$(141) 9066 BF\$ 9070 BG\$ 9071 BHS CHR\$(191) + CHR\$(176) + CHR\$(176) + CHR\$(128) + " " BJ\$ = CHR\$(128) + CHR\$(128) DAY = CHRS(128) + CHRS(128) ERS = CHRS(128) ERS = CHRS(139) + CHRS(130) + CHRS(156) + "--" = BLS = STRINGS(4) (CHRS(131)) + CHRS(191) + CH 9080 BK\$ 9085 BL\$ 9090 BMS 9091 BNS 9095 80\$ CHR\$(130) + CHR\$(141)

9100 FAS STR ING\$ (6, CHR\$ (191)): 9105 BR\$

FA) = STRINGS(6, CHRS(171)); FBS = STRINGS(6, CHRS(178)) + CHRS(179) + CHRS(171) 9110 BOS

+ A\$ + A\$ MC\$ = A\$ +

9220 MCS 9300 RETURN

GOSUB 7600 10010 K\$ = INKEY\$: IF K\$ = "" THEN

10020 PRINT "WHEN YOU SEE AN (*) TO THE LEFT OF 'ANDROI D NIM' ITS YOUR TURN."

10030 PRINT : PRINT "YOU NEED NOT PUSH ENTER, JUST THE ROW NUMB ER, 1 2 OR 3,"
10040 PRINT "AND THE NUMBER OF ANDRIODS YOU WISH TO HAV

E REMOVED." 10060 PRINT "IF YOU WISH TO GIVE UP, PUSH THE 'R' KEY." 10080 PRINT

PRINT "RULES - - YOU MAY REMOVE AS MANY ANDROIDS FROM ANY"
10090 PRINT "ROW AS YOU WISH WHEN IT IS YOUR TURN. TO WIN YOU MUST"

10100 PRINT "REMOVE THE LAST ANDROID."

10110 PRINT : INPUT "PUSH ENTER WHEN READY & WAIT A BIT";X:

Popular Computing









Orange Micro

"THE COMPUTER PRINTER SPECIALISTS"

UP TO 25% DISCOUNTS! — SAME DAY SHIPMENT!

RADIO SHACK CENTRONICS 737 (RADIO SHACK LINE PRINTER IV)

Word Processing Print Quality



• 18 x 9 dot matrix; suitable for word processing • Underlining • proportional spacing • right margin justification • serfit typeface • 50/80 CPS • 9½° Pif Feed/Friction feed • Reverse Platen •

VISTA - C. ITOH

Daisy Wheel Letter Quality



· 25 CPS (Optional 45 CPS) · Typewriter quality . Centronics parallel . RS 232 Serial (Optional) . Proportional spscing . Bidirectional . Programmable VFU . Self test . Diablo compatible . Friction feed (Optional tractors) • 136 printable columns • Manufactured by C. ITOH.

VISTA V300 (C. ITOH)

..... (List \$1895) \$ Call

OUR BUY

EPSON MX80/MX70



Low-Priced Professional Print Quality

 9 x 9 dot matrix * Lower case descenders
 80 CPS * Bidirectional, Logic seeking *
40, 56, 80, 132 columns per line * 54 special
graphic characters: TRS-80 Compatible *
Forms handling * Multi-pass printing * Adjustable tractors

OKIDATA MICROLINE SERIES

EPSON MX80 (List \$645) \$Call
EPSON MX 70 Dot graphics, 5 x 7 matrix (List \$450) \$Call

Friction Feed

ANACOM

Low Cost, High Speed, Wide Carriage 9 x 9 dot matrix • Lower case descenders • Wide carriage •
Adjustable tractors to 16" • 150 CPS, Bidirectional, Logic Seeking

ANACOM 150 (List \$1350) s Call

ANADEX

Dot Graphics, Wide Carriage

• 11 x 9 dot matrix; lower case descenders • Dot resolution graphics • Bi-directional, logic seeking • Up to 200 CPS • RS 232 Serial & Parallel • Forms control • X-ON/X-OFF • Up to 6 part copy. ANADEX 9501 . (List \$1650) \$1350

NEC SPINWRITER High Speed Letter Quality

. 55 CPS . Typewriter quality . Bidirectional . Piotting . proportional spacing.

5510-5 RO, Serial, w/tractors . 5530-5 RO, Parallel, w/tractors (List \$2995) \$2625 (List \$2970) \$2599



• 9 x 7 dot matrix • 80 CPS • 80, 132 • 9 X 7 dot matrix • 80 CPS • 80, 132 columns — 64 shapes for charts, graphs & diagrams • Double wide characters • 6/6 lines per inch • Up to 3 part copy • Friction & pin feed • 200 M character head warranty

TRS-80 Graphics Compatibility,

OKIDATA MICROLINE 80 OKIDATA M82 Bidirectional, Forms handling OKIDATA M83 Wide carriage, 9 x 9 dot matrix

(List \$960) \$750 (List \$1260) \$1050

TELEVIDEO CRT'S AT DISCOUNT PRICES!

TVI 912C Please Call Toll Free Prices are too low to advertise TVI 920C TVI 950

(List \$2495) \$ 1975 (List \$2905) \$ 2559

S Call

s Call

IDS PAPER TIGERS

Dot Resolution Graphics, quality print, speed



 7 wire printhead (445); 9 wire printhead (460) with lower case descenders • Over 150 CPS • bi-directional, logic seeking (460) • 8 character sizes; 80-132 columns • Adjustable tractors • High-resolution dot graphics • Proportional spacing & text justification (460).

IDS 445G 7 wire printhead, graphics . . . IDS 460G 9 wire printhead, graphics . . . IDS 560G 9 wire, wide carriage, graphics

. (List \$895)

PRINTERS INTERFACE EQUIPMENT

CCS APPLE PARALLEL Interface & cable APPLE II - EPSON MX80
parsilei interface board & cable
SSM AIO BOARD Apple Sensityarallei interface
MICROTRONICS Atari parsilei interface (List \$225) \$ 175

TRS-80 CABLES to keyboard or Exp. Interface NOVATION D-CAT direct connect modem.

MALIBU 165 wide carriage, graphics, letter quality QUME 5/45 typewriter quality

TELEPHONE ORDERS, Mon. Fri. 8:30 - 5:00 The Orange Micro Printer Store (Retail): Mon. Fri. 10:00 - 6:00, Sat. til 4:00

Phone orders WELCOME; same day shipment. Free use of VISA & MASTERCARD. Personal checks require 2 weeks to clear. Manufacturer's warranty included on all souloment. Prices. subject



(800) 854-8275 CA. AK. HI (714) 630-3322

At Orange Micro, we try to fit the right printer to your application Call our printer specialists for free consultation.

CALL FOR FREE CATALOG



From sound effects on digital discs to real-time image simulation, the computers of Hollywood are working behind the scenes to expand the artistic capabilities and productivity of the film industry. Borrowing and adapting technologies from fields such as flight simulation and industrial automation, movie makers and animation houses are turning out a higher quality product quicker. Computer aids enhance the creativity of sound editors, animators and other film artists, while freeing them from time-consuming, pedestrian tasks. Hollywood is cranking out twice the film it did a decade ago, business is booming, and computers have played a strong supporting role.

With audiences demanding more sophisticated special effects in films and a larger supply of films, producers have been using computers in ever-greater numbers and for more applications. Both film and television now benefit from well-stocked, easily accessible and manipulated digital sound effects stored on dises. Films for TV commercials have gotten a boost from computerized drawing boards that help the artists prepare animation except that hot golden effect of the recent reals of select of the common for the product of the computerized camera control camera camera camera camera camer

The great popularity of recent science fiction movies is partly attributable to Hollywood's delivery of impressive special effects. Movies like *The Black Hole* would be extremely difficult, if not impos-

sible, to make without computerized camera positioning systems for filming scale models, and Star Treek would have been bland without a computerized multiplane camera to create depth and animation from static two-dimensional artwork.

Walt Disney Studios (Burbank, CA)
made The Black Hole with the ACES up
its sleeve—i.e. its Automated Camera

Movies like The Black Hole would be extremely difficult, if not impossible, to make without computerized camera positioning systems for filming scale models.

Effects System. ACES is a computer controlled camera platform coordinated with a computer-controlled model platform. The system, which made a ten-foot scale model look like a mile-long space colony, provides film makers with the very best capabilities of the machine-tool industry: the precise positioning and repeatability, fast servo control, and good notee immunity that model filming

ACES uses a "key position" technique to identify nodes of camera travel. The camera operator first defines the points for a filming sequence via a keyboard. Then, the system software interpolates between nodes and automatically tracks the camera along the appropriate course to gain the desired effect.

ACES' camera dolly can move along a 46-foot long track at 31/2 feet per second, yet position itself with an accuracy of 0.01 inch. Its camera can roll through 720 degrees at 36 degrees per second, yet position itself with an accuracy of 0.01 degree. System software contains a variety of safety checks and warnings to preven damage to people and props. When the 312 with 64% were also foreign lovus 312 with 64% were also foreign lovus 312 with 64% were also foreign lovus 312 with 64% or a calculated move, it won't execute that move.

ACES includes an instant replay system that simulates the "take" on video disc. No film is exposed unless a scene is exactly correct. Also, the combination of dolly and camera moves executed in scenes is put onto floppy disc for archival storage. Any take can, thus, be reproduced if a

flaw is later discovered.

"During eleven months of filming The Black Hole", notes David Inglish, Disney's key ACES engineer, "we used eleven floppy disset or ecord everything. There is enough room on each disse to hold 99 takes, but most are nowhere full. Floppy disse is an ideal way to store the information because if the archives were to be printed on paper, it would easily fill a five-drawer file cabinet."

Inglish, who was closely involved in the design and implementation of ACES, emphasizes the system's reliability,

Reprinted with the permission of High Technology Magazine.

THEY ALL LOOK THE SAME WITH THEIR CLOTHES OFF.



The difference lies with the software.

The difference between one computer's performance and another's lies with the software.

We think we have the best Apple™ software there is for business. A complete line of packages for data base management, mailing lists, order entry, inventory, accounts payable, payroll, billing and apartment management.

So what makes us so different? For one thing, STC programs are proven, accepted and in operation throughout the world. Secondly, we offer an extremely unusual 90-day guarantee. Third, you can learn to run STC programs in about half an hour, compared to 5 or 6 days with other packages. And last, STC programmers

have many years of experience developing business systems for much larger computers. As a result, we design packages that exploit every ounce of power the Apple has to give. Take our inventory program, for example, it provides for all kinds of inventory information.

ventory information.	
MAILING LIST PROGRAM	At .
- 10FO DATA BASE MANAGER	All I
NVENTORY	A
- FAYROLL	AS I
· APARTMENT MANAGER	AL -
TIME & BILLING	AS .
ACCOUNTS PAYABLE	R
ORDER FATTRY	AL.

You can generate numerous reports, calculate inventory value, and accumulate inventory over a 13-month period. All for only \$140.

All STC packages are designed for DOS 3.3 and will run on the Apple III in the emulated mode.

So check out STC business packages with your local Apple dealer today. For dealer information or inquiries, write or call Software Technology for Computers: (617)923-4334, in Europe: Great Northern Ltd., Horsforth, Leeds, England.

SOFTWARE TECHNOLOGY FOR COMPUTERS P.O. Box 428 Belmont, Ma. 02178

Apple is a trademark of Apple Computer Company

CIRCLE 210 ON READER SERVICE CARD



Computerized camera platforms and scale-model platforms helped provide the special effects for Walt Disney Studios' The Black Hole. Automated camera motion, rotation and focusing made a tenfoot model look like a mile-long space colony.

"Down time can cost as much as \$10,000 per day in production costs, but during the entire eleven months of shooting, we tost only four hours." The problem, Inglish says, was quickly diagnosed as a faulty capacitor in a memory bank, and most of the four-hour delay was the time needed to get a new tantalum capacitor. The movie studio now keeps spare parts on hand.

Star Trek, another science fiction film with impressive special effects, was made at Paramount Studios with a similar computerized camera system called COMPSY-Computerized Multiplane System. COMPSY updates the multiplane imaging technique first developed by Disney Studios in the early 1930s. Then, a camera moved past 8 or 10 sheets of glass painted with different details of a scene and stacked in series. When screened, the paintings closest to the camera seemed to move more quickly and to be part of the foreground, while details at the back appeared to be in the distance.

COMPSY reduces the required multiplane images to just one piece of flat art. The computer generates spatial-dynamic effects by multiple-exposing the art from different perspectives, so images stack up on film to create the illusion of depth. Typically, art work is painted on a 38 x 80 inch transparency called a cel, which is then mounted in a light box at the end of a 36 front track.

An animation camera on a dolly is mounted on a computer-controlled platform that traverses the track. The dolly and the camera's focus and axes are under the control of the system's DEC LSI-11 microcomputer. COMPSY generates standard camera moves and sequence-c.g. logarithmic acceleration sequences and close to the control of the cont

"Non-standard moves are too complex

to easily describe," says Evans Wetmore, a Manhattan Beach, California film-industry consultant who designed a major part of COMPSY. "If the director gestures in the air with his hands and says, "I

The oldest and most pervasive use of programmable computers in the film industry is in sound editing.

want the scene to look like this....', that's a non-standard move."

To accommodate these moves, Wetmore designed COMPSY to track a cameraman's actions and capture the camera's movement in memory. Once in memory, the minicomputer can stretch or compress them, and play back a combination of moves simultaneously to produce special effects. With this technique, Star Trek's creators were able to make the starship Enterprise look like stretched taffy when it went "into warn drive."

A computerized animation control system similar to COMPSY is being marketed by Robert Able & Associates, an award-winning animation hous specializing in commercial TV spots. The 12channel system is base priced at \$149,900, wired to suit the user's animation camera, and can be expanded to up to 16 channels at a cost of \$2500 per channel.

Computer aids are also having a substantial impact on the animation field, especially for TV commercials. Composing a properly organized animation sequence is a difficult task. A sequence is filmed one frame at a time and played back at a standard rate of 24 frames per second. The action ("moves" in animation parlance) of the sequence is the result of slight changes in the image from one frame to the next. A 60-second TV spot requires 1440 individual frames. Computerized systems are currently simplifying the artist's task by generating and manipulating images for direct filming of line drawings, and by providing an outline of moves for more complicated images.

Able & Associates uses a "move generation system" to assist its staff of artists. Originally designed as a flight simulator, the system assures that moves are evenly distributed over a sequence and that the sequence itself begins and ends where it should.

Commercials can be filmed directly from the 21-inch vector graphic display unit, but only in the form of line drawings. An artist first draws three orthogonal views (top, front, and right side) of the product to be animated. The digitizer "translates" the drawings into numerical points for the computer, Once all three views are stored in memory, the processor



In Disney's ACES (Automated Camera Effects System), a Fortran-programmed minicomputer stores and controls predetermined moves. The camera dolly, moving along a 46-foot track at 3½ feet per second, is accurate to 0.01 of an inch.

Components Express, Inc.

Santa Ana. CA 92705



THE LAST WORD IN 8" FLOPPY DISK ENCLOSURES

The Vista V-1000 Floppy Disk Drive Subsystem

ROLL YOUR OWN SUB!



569.95eech HUGART SASO1 SINGLE SIDED. HUGART SASS1 DOUBLE SIDED IEMENS FD100-8 SINGLE SIDED.

NOW SAVE ON TRS 80 ADD-ON ONLY \$299.00 20 05 2 Fen 279.00 m

R\$232 CONNECTORS 6.99/set

LM 340K-12 LM 320K-5 el IMSAI 8-100 3.95 such 6 FOR 36.95

8 FOR 45.95 32K STATIC RAM BOARD 16K 4MHz KIT 16K 4MHz AAT 32K 4MHz KIT

HIGH PERFORMANCE 51/4" DRIVES

SUPPLY 89.95

MPI51 239.95 MPI91 335.95 MPI52 335.95 MPI92 475.95 TANDEM TM100-1 . TANDEM TM100-2 DUAL HEAD SIEMENS/WANGCO 62

MINIATURE COMPUTER | IC SPECIALS

MicroAce 149.00 169.00 1K KIT TOGGLE SWITCH .49 sach

CH MOM SWITCH CARBON POT 0.95 20K .39 CLOCK COUNTER

VISTA COMPUTER COMPANY

1317 E. EDINGER SANTA ANA, CA 92705

APPLE™ 40 CHARACTER TYPE-AHEAD BUFFER



ACTUAL SIZE

MODEL 150

• UP TO 40 CHARACTER TYPE-MEAD CAPASILITY.

"ENTER COMMANDS OR DATA WHILE YOUR APPLE"

COMPATIBLE WITH ALL APPLE"

COMPATIBLE WITH ALL APPLE"

KEYBOARDS AND SOFTWARE.

INCLIDES COMPLETE INSTRUCTIONS FOR QUICK

AND EASY INSTALLATION.

ON CLUTS. NO JUMPER. NO SOFTWARE PATCHES

REQUIRED.

CONTACT YOUR LOCAL DEALER OR VISTA COMPUTER CO. (800) 854-8017

DVANCED -COMPUTER PRODUCTS

SPECIALS OF THE MONTH!

1. Proven Quality Factory tested products only 2. Guaranteed Satisfaction

3. Over \$1,000,000.00 Inventory 1981 CATALOG NOW AVAILABLE.

MD525 MD-1 Soft Sector

Double Side, Double Deneity, 40 track 34.95 box MD-2 Soft Sector MD550

Single-Side. 34 95 box **SAVE 40%**

on our Diskette Head Cleaning Kit. Send this Coupon with your disk order and receive the Cleaning Kit for

palar \$30.00 value \$1 895

RETÄLL STORES OPEN MON-SAT W1. 1310 "B" E. Edloger, Såntu Ann. CA 92700 Shourcoars, Rolell, Warehouse STORE AT2: 074 El Camino Real, Tuelle, CA 92900 Specializing in Specime STORE AT3: 642 W. Frinche Read, Res Joos, CA 95121 14000 540-7610 **SAVE 50%**

19.95 box

on our Binder Storage Pages and Disk Binders Send this Coupon with ur disk order and receive the Disk Binder and 10 disk

storage pages for gular \$19.95 value sacity 51/4" or 9" \$995

P.C. Bex 17329, Irvine, GA 11713 714) 558-8813 (806) 854-8235 (806) 854-824 FOR INTERNATIONAL ORDERS 1310 E. Edinger (714) 953-0504 Ita Ana. CA 92705 TWX: 810-585-158

CIRCLE 146 ON READER SERVICE CARD

Hollywood, continued...

generates a unified perspective image of the object, and can rotate it in free space, move it closer and further away, and otherwise manipulate it for the animation camera.

The system's 21-inch CRT, operating with a fast vector graphics display, produces a white image with high resolution – 4096 x 4096 pixels and 256 grey levil. Interposing colored filters between the display and the camera produces animated, color line drawings.

matted, color line drawings.

The move generation system can also be used to provide a "pencil test" for animated artwork—an outline of sequence moves. When used in this fashion to preview a sequence, the system operates in much the same way as it does when animating lines, except that the computer-animating lines, except that the computer-form that the computer of the computer o

Able & Associates' flexible, real-time simulation system was put together inhouse, and at no small cost. But for animators on a shoestring, a commercially available pencil-test system can be purchased for as little as \$8500 from Lyon-Lamb Company (Los Angeles, CA).

The Lyon-Lamb single-frame video amiation system uses little more than a zoom lens camera, a video recorder and a 5mch monitor. The arist sketches frames and depresses a foot pedal to take "pictures" of them. Sequential video frames are put not no ampetic tape, and when the sequence is complete, it is played back at a real-time rate. A \$2800 option allows the animator to "trace" the real-time moves of objects on film.

Sophisticated as they presently are, computer animation aids are still incapable of producing electronically generated cels. Full-color raster graphic systems that could produce and animate art of the caliber of hand-drawn images remain a long way off. The major impediment is the cost of applicable hardware and software.

Grant Snellen, director of engineering for Able & Associates, estimates that it would take a \$50 million commitment to overcome barriers to computerized animation. The major elements of the necessary technology already exist and are commercially available: full-color 10 x 10 inch computer output microfilm with 1000 lines-per-inch resolution and fast (20.000 data bytes per second) writing rate is available in an optical plotter from Optronics International (Chelmsford, MA); and of course, computers with the required power are available from several companies. However, the software to tie the two together is lacking.

"If and when a computerized animation system emerges," says Snellen, "It will operate on the principle of inputting key frames to the system that depict just the beginning and end frames of animated moves. The processor supposedly would aid the artist by generating intermediate frames."

The oldest and most pervasive use of The oldest and most pervasive use of programmable computers in film industry is in sound editing. Since 1970, automatic dialogue replacement (ADR) systems have been helping to synchronize revoicing, overdubbing and sound effects with the visual portion of a film. More recently, microcomputer-based disc libraries of sound effects have been easing the job of sound effects with the properties of sound effects when the properties of sound effects with the properties of sound effects and sound effects with the properties of sound effects with the

The minicomputer-based ADR system from Magnetec (New York, NY) is a multi-channel controller that cues voice actors and sound effects editors when to begin a scene, and paces them through the scene. Dolby recording techniques and logarithmic faders blend new dialogue and sound effects into as many as 30 course and sound effects into as many as 30.

"I can stretch a sound or shrink it to get just the right coloring before putting it to film."

different tracks. "ADR systems have become very popular, and are used in some 90% of all professional studios," observes Don Rogers, technical director of Samuel Goldwyn Studios.

Rogers, who also chairs the Motion Picture Academy's Science and Technology Committee, notes that computer technology opy has contributed significantly to the film industry. To acknowledge this contribution and foster futher innovation, the Academy directors presented a special technology award this April for "an automated, computer-controlled eidling sound system that stores digitized sound effects on disc and provides instant access to them."

This special award for ACCESS, a microcomputer-based disc library and editing system, was presented to Neiman-Tullar Associates (Hollywood, CA), owners and users of the system, and to William R. Dietrich and Mini-Micro Systems. Inc. (Anaheim, CA) for its hardware and software design. ACCESS reduces a 15-to-20 minute editing task to a few seconds.

ACCESS contains a complete sound effects library in pulse code modulation -

a method of storing sound in digital form. The system's video terminal displays an index of a wide variety of sounds (e.g. chirping crickets, an automobile crash) that can last up to 30 seconds. These sounds are called up and manipulated via the system keyboard to augment the visual action.

when movies are shot, the sounds accompanying on-screen action are not recorded along with the visual portion of the film. Unsightly microphones and wires mar the camers' field of view, and sound needs to be more tightly controlled than it can be during shooting. Appropriate footsteps, bells, sirens, etc. are added by sound editors after filming.

again and a desirable of ACCESS over nortion of editing machines is that it commound editing machines is that it commound editing machines is desirable of the commachine in a single synery and editing
machine in a single synery and a single synery
Neiman, president of Neiman Tille Austy
Neiman, president of Neiman Tille Austy
Neiman, president of Neiman Tille and its corresponding film portion are coordinated
inside the computer's memory before
being committed to a physical medium, an
incorrect sound effect can be simply overlaid with another, instead of being discarded.

"And since the system has so much flexibility," notes Neiman-Tillar sound editor Pamela Bentkowski, "I can stretch a sound or shrink it to get just the right coloring before putting it to film." Ms. Bentkowski edited sound effects with a Moviola for years before switching to the ACCESS aystem. She feels very comfortable using ACCESS, although she has had no computer training. "It's a valuable tool for our industry. It certainly can't replace any artists, but it expands our capabilities and eliminates a lot of wasted time."

William Dietrich of Mini-Micro Systems custom-designed ACCESS. He reports that it took 18 months to design ACCESS, program it in assembly language, and debug it—at a cost of about \$500,000. Mini-Micro Systems is now offering similar systems to the film industry at large.

ACCESS is configured around two 8080 microprocessors from Intel Corp. (Santa Clara, CA). The system includes 1400 megabytes of off-line removable disc storage for the sound effects library, and another 50 Mbytes for on-line working files. The microprocessors have access to a quarter-million bytes of fast semiconductor memory. Sound effects are sampled at 20-microsecond intervals (50 kHz) with an accuracy of 12 bits per sample. Also included in the system are a matrix printer, a video tape deck, several TV monitors (one used as a volume-unit meter), and time-code generators that identify each frame.

Film makers have always been responsive to audience demands for perfection. Film technology has been pulled from black-and-white to color, and from monophonic sound to stereo, quad, soundsurround and now to Dolby recording techniques. The audience, in turn, has responded well to the industry's technical improvements. "Just displaying the Dolby logo on a theater marquee adds to a film's gross earning," Don Rogers of the Motion Picture Academy points out.

Film audiences are now pulling the industry toward computerized film aids by their avid acceptance of highly stylized commercials and awesome special effects. And the film industry is moving quickly to meet the demand. "Perhaps the greatest challenge of COMPSY," says Evans Wetmore, "was that we designed and built in only seven weeks.

PROVEN STOCK MARKET SUCCESS

NOW the home computer owner can have the same analytical techniques used by the TOP PROFESSIONAL MONEY MANAGERS. CYBER-TECH now offers a Stock Valuation Program based on Modern Portfolio Theory which provides logical computerized criteria for identifying undervalued stocks. See review in May issue of Creative Computing.

The CYBER-TECH STOCK VALUATION PROGRAM-

- Is based on a model developed by a major west coast bank for the management of pension and trust funds. In a
 3 year period this bank quadrupled their managed assets to \$2 billion. During this period its stock rated "most
 attractive" advanced 263's while the Dow Joines industriats gained only 36"s.
- Comes with a 22-page printed INSTRUCTION MANUAL, which explains the operation of the program, provides background theory and analyzes two separate stocks
- Input data required for program operation can be obtained from investment periodicals such as Value Line
- Output consists of expected DIVIDENDS. EARNINGS, GROWTH RATES. PAYDUT RATIOS. the INTERNAL BATE OF RETURN over a MULTI-YEAR PERIOD and a COMPUTERIZEO RISK ADJUSTED STDCX-ATTRACTIVENESS RATING
- Since the purchase of this program is an investment expense, the FULL PRICE of your CYBER-TECH STOCK VALUATION PROGRAM IS TAX DEDUCTIBLE

For more information send one dollar (refundable with order) VISA OR M.C. ORDERS ARE SHIPPED THE NEXT DAY CHECK ITEMS TRS-80 level II (32K) NAME **ADDRESS** APPLE II/APPLESOFT (32K) \$29 95 🖂 CASSETTE CITY_ STATE DISKETTE \$29.95 (CA residents add \$1.80 sales tax) VISA M.C. CHECK SIGNATURE **EXP DATE** CARD NO.

Cyber-Jech P.O. BOX 924 CHATSWORTH, CA. 91311 MAH TO: CIRCLE 132 ON READER SERVICE CARD

EXCITING MAIL ORDER DISCOUNT



Disk II with Controller \$535. . . without \$446

APPLE II ACCESSORIES

WE SHIP FAST!




APPLE II PLUS 16K \$1099 APPLE II PLUS 48K \$1199

PRINTERS, MONITORS, DISCS

TOLL FREE ORDER 1-800-854-2833

MAIL TO: 1251 ORDADWAY EL CAJON CA., 92021 (714) 579-0330



APPLE COMPUTER INTERFACE CARDS

AUTHORIZED

DIV O

Software Techniques of Digital Music Synthesis

Hal Chamberlin

The author has been active in electronic sound synthesis since 1966 and in computer music synthesis since 1970. He has published numerous articles about this and other topics in a number of magazines including the first hobby computer magazine. The Computer Hobbysts. He has recently published a book entitled Musical Applications of Microprocessors with Hoyden Book Co. which describes currently works for Micro Technology Unlimited, a manufacturer of 5052 system components, where he is Vice President of Research and Development.

Music withesis seems to be one of the fastest growing applications of small computers. Every new magazine issue announces a new synthesizer board, music program, or packaged system with music capability. Even in the pages of Creative Computing, as much space seems to be devoted to discussion of music related products as to word processing which is probably the current top application area (besides games of course).

Although the title implies concentration on software based computer music synthesis, it is important to briefly examine the entire field of computer music first. This will enable us to recognize the place of software synthesis and to objectively evaluate its strengths as well as weaknesses. To many, the following treatment will seem to be oversimplified and as a consequence not perfectly accurate. To others it should be an enlightening breath of fresh air in a field with more than its share of opinions, misconceptions, and hearsay. In any case, referral to the bibliography will carry the reader as far as desired into this truly fascinating computer application.

We should be careful not to leave out professional musicians either. The performer in a neighborhood band may wish

Who Uses Computer Music?

Before looking at the computer music family tree, let's find out who actually uses computer music systems and for what purpose. It goes without saying that a large number of people view and use computer music casually as an entertaining computer "game" that is fundamentally different music casually as an entertaining computer game. Others may buy a music program in from the usual competitive or simulation game. Others may buy a music program in Still others may be used to simulation. Still others may wish to show off their creative skills or the computer itself to relatives and house guests.

Then we have the educational applications which can be divided into at least three levels. The lowest level is concerned with teaching the basic concepts of pitch and rhythm and how to correlate the sound heard with music notation. The next level is concerned with harmony, composition and the nunances of sound that give "life" to performances. Then of course every music department has recearches investigating department has recearches investigating to complete music systems.

Electronic and computer music today makes a fascinating hobby which has many of the qualities the computer hobby tised had in the early 1970's hefore fully packaged personal computers were available. Some may be just easually trying out some things they have read about while others may be serious about building viable computer music systems. The very serious hobbyists seek to combine synthesis techniques in new ways to get new thesis techniques in new ways to get new thesis techniques in new ways to get new formed by these individuals.

sound for a couple of numbers. The keyboard player of a larger group may add a computer based synthesizer to his keyboard collection or use a programmable synthesizer to provide a repetitive background. A commercial music producer can use a computer to speed up the process of composing, perfecting, and process of composing, perfecting, and process of composing perfecting, and illustrated gramuse to the imagery being illustrated programs and movies's synthesized nowadays although usually not by a computer—at least not yet. These are just some of the uses to

to use the computer to provide a different

which computer music is being put currently but the real potential for consumers has not even been addressed vet. Learning and playing music today is primarily a physical activity, not really unlike playing basketball. Of course there is some theory and logic included in music training but the emphasis is on dexterity. technique, and practice. Just as there are probably over a million "basketball players" in this country but only a handful of really good ones, there are millions of people involved in music but only a few that are outstanding. Computers have the potential to eliminate physical factors from the composition and performance of music and thus make it a purely mental endeavor. In other terms, millions of people with the mind for music but not the body can now become involved and make significant contributions.

Each of these users and applications has need for a different kind of computer music system. The rank beginner or casual user needs a simple system that's easy to use and gives immediate results. The professional user and researcher is constantly searching for new capability and is not afraid to tackle any new complexities that may accompany it.

The Computer Music Family Tree

Figure 1 should aid in understanding the diversity of approaches taken in music

THE ORIGINAL MAGAZINE FOR OWNERS OF THE TRS-80™* MICROCOMPUTER

SOFTWARE FOR TRS-80" OWNERS

MONTHLY NEWSMAGAZINE Practical Support For Model I, II & III

- PRACTICAL APPLICATIONS
- BUSINESS
- GAMBLING GAMES
- EDUCATION
- PERSONAL FINANCE
- BEGINNER'S CORNER
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS AND ANSWERS
- PROGRAM PRINTOUTS AND MORE

PROGRAMS AND ARTICLES PUBLISHED IN OUR FIRST 12 ISSUES INCLUDE THE FOLLOWING

A COMPLETE INCOME TAX PROGRAM ILONG AND SHORT FORMS

- INVENTORY CONTROL
 - STOCK MARKET ANALYSIS
 - WORD PROCESSING PROGRAM (LOR DISK OR CASSELLE LOWER CASE MODIFICATION FOR YOUR VIDEO MONITOR OR PRINTER
- NEW DISK DRIVES FOR YOUR 1RS 801*
- PRINTER OPTIONS AVAILABLE FOR YOUR TRS 80*
 A HORSE SELECTION SYSTEM***ARITHMETIC TEACHER
- RANDOM SAMPLING***BAR GRAPH CHECKBOOK MAINTENANCE PROGRAM
- CREDIT CARD INFORMATION STORAGE LIFE
- LINE RENUMBERING
 - LLEMENTARY AND ADVANCED)

FREE*

WORD PROCESSING PROGRAM For writing letters, text, mailing lists, etc., with each new subscriptions or renewal 1.EVEL II RAM TEST Checks random access memory to ensure that all memory locations are working properly FREE

DATA MANAGEMENT SYSTEM Complete file management for your TRS 80° CLEANUP East action Maze Game

ADVENTURE Adventure #10 by Scott Adams (From Adventureland International) * All programs are supplied on cassette (add \$3 for Diskette Version - add \$5 for modified Mod-II Version)

SEND FOR OUR NEW 48 PAGE SOFTWARE CATALOG (INCLUDING LISTINGS OF HUNDREDS OF TRS 80° PROGRAMS AVAILABLE ON CASSETTE AND DISKETTE) \$2.00 OR FREE WITH EACH SUBSCRIPTIONS OR SAMPLE ISSUE

(914) 425-1535

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977

ONE YEAR SUBSCRIPTION \$24

TWO YEAR SUBSCRIPTION \$48 SAMPLE OF LATEST ISSUE \$ 4

START MY SUBSCRIPTION WITH ISSUE

(#1 - July 1978 • #7 - January 1979 • #12 - June 1979 • #18 - January 1980)

NEW SUBSCRIPTION RENEWAL CREDIT CARD NUMBER

SIGNATURE

CITY STATE

"" ADD 56 YEAR (CANADA, MEXICO) ADD 512 YEAR AIR MAIL OUTSIDE OF U.S.A. CANADA & MEXICO."

NEW TOLL-FREE

ORDER LINE (OUTSIDE OF N.Y. STATE) (800) 431-2818

CIRCLE 138 ON READER SERVICE CARD




Figure 1 The Computer Music Family Tree.

synthesis. Actually the taxonomy of electronic music is considerably more involved than the diagram indicates. The commercial products cited are merely the best known ones and in no way represent all that are available. In addition, emphasis is given to products that would be practical for an individual to own.

In reality computer music is just a branch of the electronic music tree. Complex musical sounds may also be synthesized by means of tape manipulations and with voltage-controlled analog synthesizers. Once into computer music, there is an immediate split between hardware and software techniques. The difference is that hardware techniques always involve a synthesizer peripheral that is connected to the computer. The music program merely controls this peripheral much like a listing program controls a printer to produce a document. Software techniques on the other hand use a relatively simple conversion peripheral

which converts an internal representation of sound into an external representation that can be heard. The music program actually simulates the synthesizer as well as controls it!

Looking at the hardware side of the tree first, we see that the synthesizer peripheral may either use primarily analog circuitry or digital circuitry in its implementation. Computer control of analog synthesizers is actually of considerable interest to professional and academic users at this time. Often computers are used merely to automatically set up the dozens of patched connections typically required by an analog synthesizer much like replacing an old-fashioned telephone switchboard with a modern electronic one. In more sophisticated installations the computer can also "play" the synthesizer through an interface consisting of dozens of digital-to-analog converters. The fixed voice synthesizer is primarily applicable to

pipe organ replacements where each synthesizer board is designed for a particular instrument or stop.

Digital synthesizers are built with logic circuits just like computers but the "architecture" is optimized for high-speed sound wave computations. Some digital synthesizers are programmable which means that they may be restructured on command from the host computer. These are very flexible but tend to be large machines confined to the experimental music studios of large universities. The DMS-1000 unit from Digital Music Systems is more modest in its size (and capabilities) however. Most digital synthesizers have a fixed organization instead which greatly reduces their cost. I-ixed organization means that parameters such as the number of simultaneous voices and the waveform computation algorithm are fixed by design.

The simplest digital synthesizers also have a fixed square waveform which

ALF Music Synthesizer

The ALF Apple Music Synthesizer (AMS) is an easy to use peripheral which allows you to program music into an Apple II computer using standard musical notation. The ALF kit includes the synthesizer board (plugs into any peripheral slot), exceptional quality software, and an extensive user manual.

Sophisticated Music Entry Program

Sheet music is easily entered using the Apple game paddles. The high-resolution ENTRY program features the familiar music staff with a "menu" of musical items listed beneath it (note lengths, rests, edit commands, accidentals, etc.). One game paddle moves a cursor up and down the music staff and is used to select the note pitch; the second paddle chooses from the menu items (note length, etc.) With the ALF hi-res ENTRY program, you won't have to use cryptic codes to select note parameters

As you program sheet music with ENTRY, measure bars are inserted automatically (and note values are tied over the bar where necessary). Key signatures are also automatic-you don't have to keep writing in every sharp

Three monophonic, Individual parts can be programmed with each ALF Music Synthesizer. Two boards are required for stereo. A total of three synthesizers can be used simultaneously for a maximum of nine volces. By controlling the envelope (or shape) of each voice, many different instrumental sounds can be simulated.

Eight-octave Range

The ALF Music Synthesizer has a pitch range of eight octaves-a wider range than a grand piano. The ALF can also play semitones-"blues notes" or the pitches in between the keyboard notes of a piano. (The pitch range is from 27.5 to 55,000 Hertz, well beyond the limits of human hearing.) Tuning accurancy is virtually perfect within two cents of pitch value.

Every parameter of the ENTRY program can be changed again and again during a musical piece. For example, you can make changes in key, time signature, volume, and timbre (envelope). Parts can be edited at any time, also. Notes can be added or deleted, note length can be changed, as well as pitch, volume, etc.

You can save songs on either cassette or disk, and play them back using either ENTRY or PLAY. The playback speed is adjusted with one of the game paddles, and can be varied during the playback, if you wish to change the overall tempo.

Colorful Playback Display

The ALF Music Synthesizer features a 16-color low-res graphic display during song playback. Each musical part is represented on a stylized piano "keyboard"—the intensity of the note determines the color, and the pitch is shown in relation to "middle C"

The ALF Music Synthesizer requires the use of an external audio amplifier. Stereo programming is possible with the use of two or three synthesizer boards.

The ALF software includes the ENTRY and PLAY programs, sample songs, an introduction to "envelope shaping", and demonstrations of advanced uses of the synthesizer



With the ALF software, entry of music is easy, tast and accurate.

Nine Voices for only \$198

The new ALF "AM-II" music synthesizer offers an unbeatable value for the Apple owner who is a music hobbylst. With nine voices on a single music board for \$198.00, the AM-II is the most economical device for creating music with the Apple.

The AM-II uses the same excellent ENTRY and PLAY programs as the more sophisticated ALF Music Synthesizer (AMS); the same hi-res graphic display from which notes are selected with the Apple game paddles (not typed with cryptic codes). All of the conveniences of the ENTRY program apply-easy editing, playback with low-res display, ability to save songs on cassette or disk, etc.

The AM-II has stereo output (3 voices in left, 3 voices in

the middle, 3 voices in the right).

How can the AM-II offer so much for only \$198.00? The two basic differences between the AM-II and the ALF Apple Music Synthesizer (AMS) are pitch accuracy and dynamic range. The AM-II has an accurate pitch range of about six octaves. Pitch values above the treble staff become increasingly inaccurate. Also, the AM-II has a dynamic range of 28db, with 16 different volume levels. (the AMS has a dynamic range of 78db).

The AM-il is manufactured with the same high quality standards as other products from the ALF Corporation. No sacrifice has been made in reliability; the new AM-II is simply a great bargain.

Professional musicians will still want to use the original Apple Music Synthesizer (AMS) for its extended range and volume controls (the AMS has a range of 8 octaves). But for the Apple owner who is Interested in music as a hobby, the AM-II is the best music peripheral value available today

Regulres: 16K Apple II or Apple II Plus, cassette or Disk II, and an external audio amplifler (all necessary patch cords are included).

AM-II ALF/Apple Synthesizer AMS ALF/Apple Synthesizer \$198.00

248 00 To order, send payment plus \$3.00 shipping and handling to Peripherals Plus, 39 E. Hanover Ave. Morris Plains. NJ 07950. Credit card customers should include card number and expiration date of Visa MasterCard or American Express. Credit card customers may also order toll-free

> 800-631-8112 (In NJ call 201-540-0445)

Peripherals Plus

39 E. Hanover Avenue, Morris Plains, NJ 07950

Music, continued...

eliminates waveform computation in the synthesizer allogether. These are abundantly available for most small computers. In fact, a "digital synthesizer on a chip" is now available from General Instruments which provides three square-wave voices, a white noise voice (for percussion), and a separate amplitude envelope for each of the 4 sounds. While this chip has accelerated the introduction of music peripherals for personal computers, its modects capabilities limit use in serious applications. The primary defect is its fixed square avaceform which sounds baseledly like a vaceform which sounds baseledly like a

Programmable waveform synthesizers can generate a much wider variety of sounds and thus are suitable for the more sophisticated applications. Along the professional branch we have very comprehensive units such as the Synclavier which has 32 voices of dynamically reprogrammable waveforms. A less expensive example is the Casheab S-100 plug-in synthesizer which has 16 dynamically reprogrammable voices. Waveform variation during a note is necessary for realistic instrument simulation as well as for most "synthesizer sounds" and is expected in a professional unit. The "amateur" units represented typically have fewer voices and only statically reprogrammable waveforms (no provision for smooth waveform change during a note) as well as a much lower cost. The two systems to the left utilize "voice per board" organization which means that multiple synthesizer boards are needed for multiple voices. The one on the right is a recent introduction that can create 16 voices on two boards giving a much lower cost per voice.

Turning to the software side of the tree we see an immediate split between real-time systems and delayed-playback systems. In a real-time system, the music program runs fast enough to send its computed waveforms directly to the conversion peripheral for immediate audio output. In a delayed-playback system, the computation results are saved on a massstorage device for later high-speed playback, thus there is no speed constraint on the music program itself. Although a realtime system is obviously preferable, currently available computers are not fast enough to do everything that might be desired as accurately as desired in realtime. Thus a real-time software synthesis system involves numerous compromises.

Looking at real-time systems first we find very simple single-voice systems branching off first. Over the years some unusual conversion peripherals have been pressed into service including line printers. AM radios, and amplifiers connected to single output port bits. Simple timed-loop programming is all that is necessary to implement this type of systems.

Along the multiple voice branch, which is necessary for any kind of chord structure in the music, we see that a single bit conversion device can be extended to 3 voices, each with a fixed pulse-like waveform. The software is now more complex because the effect of 3 simulated. With some external filtering (which turns the pubse waves into sawtooth waves), sounds reminiscent of old-time reed organs can be obtained. Several years ago, Software Technology had such a system for \$-100 machines and even earlier they could be found in the minicomputer software libraries.

To go further, it is necessary to use a more sophisticated conversion device A digitals-to-analog convertor (DAC) point and the source of the

Basic waveform table scanning tends to produce mostly organ-like music but with a very wide variety of timbres or stops because any waveform may be used. This is due to the on-off (rectangular amplitude envelope) nature of the tone synthesis. Arbitrarily shaped envelopes require either high-speed multiplication (which most microprocessors lack), or software hardware tricks. One hardware approach is to add a programmable volume control to the DAC (thus making it a "multiplying" DAC). Normally one would then need one multiplying DAC per voice, but timedivision multiplexing is possible, which allows one properly designed multiplying DAC to handle several voices with independent amplitude envelopes. Software techniques for fast multiplication abound but the most successful method simply involves scanning through dozens of waveform tables in sequence, each precomputed at a different amplitude level.

The final twig shown in this branch is the incorporation of "timbre envelopes". This is just another term for the "dynamically reprogrammable waveform" capability which essentially separated the professional from the amateur systems over on the hardware side of the tree. The same multiple waveform technique mentioned above is also applicable here and the results are generally quite good. Many conventional musical instruments can be simulated with a surprising degree of realism as well as many "way out" synthesizer effects. A moderate background noise level is the only defect keeping this type of system out of professional applications. Two systems incorporating the multiple waveform technique are currently on the market as

shown. In the future this branch will be nurtured by faster microprocessors and continue to grow into dynamically variable pitch (for glides) and percussion instrument synthesis.

Delayed playback systems form the professional side of software synthesized computer music. Since program execution speed is no longer a constraint, literally any synthesis algorithm is admissible. In addition, more calculation precision. wider wordlength DAC's, and higher sample rates can all be used to suppress noise and widen frequency response for true high-fidelity output. The important branch here, and the one the author is currently involved in, uses floppy disks for sound storage. Full development of this branch will make professional quality music synthesis practical on personal computers with none of the limitations associated with hardware synthesizers.

Digital-to-Analog Conversion of Audio

The key to any kind of digital music synthesis beyond square waves is the ability to accurately convert from a numerical representation of sound waveforms to an analog representation through the use of a digital-to-analog converter. The best way to view the DAC is as a programmable power supply whose output voltage is determined by a binary number given to it as input. Whenever the computer changes the input number (which is typically held in an output port register), the output voltage immediately changes to the new value. Generating the electrical representation of a sound wave then is simply a matter of feeding a string of numbers to the DAC at high speed. Once in analog electrical form, an amplifier and speaker is all that is necessary to make the sound audible.

Like everything else in this, world, there are inherned errors in the process. The most obvious one is that the DAC. The most obvious one is that the DAC update rate, which will be called the sample rate, is finite. This means that the actual waveform generated by the DAC is a stair-step approximation of the desired audion waveform. Round-off error, which will be called quantization error, is less obvious and is caused by the DAC's finite word size although round-off in the synthesis calculations can also contribute.

A thorough analysis of the effect of these two errors could take up several pages and a lot of math so it will be summarized here. Typically the stain-step waveform from the DAC is smoothed by a low-pass filter before the signal is amplified and converted to sound. If the filter is perfect, the smoothing is also perfect. There is still imitation as to related assets waveform wiggle that may be reprolated to the converted to the stain of the requency waveform, will require at least four numbers or samples from the computer to specify. Any fewer than four

COMPUTER REFERENCE GUIDE

135 South Harper Avenue, Los Angeles, CA 90048.

Phone: (213) 852-4886

MICROCOMPUTER REFERENCE HANDBOOK

The MICROCOMPUTER REFERENCE HANDBOOK reviews in detail more than 130 microcomputer systems from over 50 major microcomputer suppliers, including some of the latest Japanese manufacturers. It is designed to aid both first time and experienced computer users in choosing a single-board microcomputer or microcomputer system to suit their application. It is presented in four parts.

PART I. Chapters 1 to 3 include a wealth of useful information on microcomputer theory including peripheral and software capability. Succeeding Chapters provide additional microcomputer information under the following headings: BASIC Language Summary: Guidelines for the Selection of Microcomputers and Word Processing, Big Future for Desktop/Fersonal Computers in Education (Selection of Microcomputers and Word Processing, Big Future for Desktop/Fersonal Computers on the Selection of Microcomputers and Microcomputers in Education; and Microcomputers in Educ

PART II. Covers a range of microcomputer software from independent vendors. Products discussed are broken down into the five major system types: CP/M-based; Apple Systems; Commodore Systems; Radio Shack TRS-80 Systems; and the 6800-based models. The different programs described include operating systems, high-level languages, utilities and a wide variety of application packages.

PART III. Provides a 2 to 5 page summary on more than 130 different microcomputers and microcomputer systems from over 50 suppliers. These summaries describe hardware, software, peripherals, pricing and head office location. The different microcomputer suppliers covered include, in manufacturer order.

• APF • AI Electronics Corp. e Archites • Alpha Microsystems • Alba • Apple • Atar • CMD • Colifornia Microsystems • Alba • Apple • Atar • CMD • Colifornia Colifornia • Consumero • Computero • Data General • Datapolar • Diablo Systems • Digital • Diablo Systems • Digital • Digital Equipment • Durango • Esidy • Findes • Heuster Pacha • Bilm • His • Intel Intelligent Systems • Interior • Microbasys Millie • Intelligent Systems • Interior • Microbasys Millie • Microwation • Microwation • Microwation • Microwation • Microwation • Simon • Si

PARTIV. Includes a summary on a selection of terminals and printers for microcomputers. Both visual display and keyboard printing terminals are discussed as well as a number of low and high-speed character printers.

MICROCOMPUTER REFERENCE HANDBOOK



If you are interested in keeping abreast of this very important segment of the market or are planning to purchase a microcomputer for home, office or factory use then this Handbook is of vital interest to you. For just \$25 (or \$20 with introductory offer) it can save you up to six months of your own research, time and effort. The publication is printed \$10.75" x 8.2" and contains over \$250 pages. This publication will be available in May.

I would like to order the MICROCOMPUTER REFERENCE HANDBOOK. The cost of the HANDBOOK is normally \$25, plus \$2 postage and handling.


Special Introductory Offer (now extended to June 30th) is

Na	me	. Company
Ad	dress	
Zij	Code	Telephone ()
	Check enclosed (\$22)	OR you may use your credit care
	Check enclosed (\$22) Master Charge	OR you may use your credit can Card No. Expiration

Computer Reference Guide, 135 South Harper Avenue, Los Angeles, CA 90048. (213) 852-4886

.......

RESOLUTION OF DAC, BITS



Lieure 2. Audio Device Comparisons,

will cause the double wiggle to be severely distorted or glossed over entirely. Thus it follows that the sample rate must be at least twice as high as the highest audio frequency to be reproduced. If the lowpass filter is less than ideal, then the sample rate must be higher yet. With practical filters the sample rate must be about 2.5 times the highest audio frequency. It is interesting to note that there is no low frequency limit so hass down to DC may be reproduced without difficulty!

Round-off error on the other hand creates noise and distortion; thus, the more bits or digits of precision in the DAC and calculations, the less background noise there will be. Adding a single bit to the DAC will reduce the noise level by 6. decibels, a substantial but not dramatic difference. In decimal terms, adding a digit will reduce the noise by 20dB which is a dramatic difference. Audio DAC's used with personal computers nearly always have 8 hits of precision which gives an audible, but not always objectionable, background noise level.

The important point about these two error sources is that they degrade the sound independently. A finite sample rate only limits the high frequency response, it does not have any effect on noise or distortion. Conversely, round-off error has no effect on the frequency response.

Figure 2 should give the reader a feel for DAC performance compared to common audio devices. Since noise and frequency response are independent, a "performance plane" can be constructed with the vertical direction representing increasing freedom from noise and the horizontal direction representing increasing high frequency response. As mentioned before, low frequencies are no problem for DAC's. Be aware however that "sound quality" is very subjective and is greatly influenced by low frequency as well as high frequency response. Many devices listed have very poor low frequency response so when imagining how a device sounds, think only of adjectives like "clarity" or "brilliance" rather than "fullness" or "power". The points plotted

are typical, they should really be diffuse ellipses to cover the often considerable spread in actual performance. The two stars represent the two computer music systems that will be discussed at the end of this article.

In order to approach these theoretical performance levels, it is necessary to use a quality DAC followed by a nearly ideal low-pass filter. Inaccurate components in the DAC circuitry (an 8 bit DAC needs component accuracy within 0.25% to approach its theoretical noise level) and an inadequate low-pass filter can seriously degrade the resulting sound. The simplistic DAC circuits that are published occasionally are fine for experimentation but should be replaced by a better unit for any serious work (or judgement of DAC synthesis quality).

Basic Synthesis Algorithms

Now that a suitable method exists for making the results of synthesis calculations audible with as little error as desired.



DISCOUNT DATA PRODUCTS

presents

SOFTWARE

*** GAMES *** UTILITIES *** BUSINESS ***

Software at Affordable Prices for the budget minded individual *SPECIAL JUNE ISSUE DISCOUNT

	Ret	OUR		Hel	DUR
	price	PRICE		price	PRICE
APPLE			Dog Fight D	30 00	23 95
ADVENTURE			Crown of Amartham D	34 95	27 95
INTERNATIONAL			ON-LINE SYSTEMS		
Adventure Hint Book	7.06	6.35	Mission Asleroid D	19.05	15 95
Adventures at a2 a2	20.06	31.95	Mystery House . D	24 95	19 95
Adventures \$1, \$2, \$3 D Adventures \$4, \$5, \$6 D Adventures \$7, \$8, \$9 D	39 93	31.95	Wizard & Princess D	32.05	22.95 ±
Adventures \$7 \$8 #9	39 95	31.95	Hi-Res Football. D	39 95	27 95 e
Adventure \$10 Savage Island D	20.95	18 75	Hi-Res Football. D Missile Defense D	29 95	23 95
Asteroids/Planetoids D		15.95			
Poker Tournament D	19.95	15.95	PERSONAL SOFTWARE		
Tank Command D	14.95	10 50°	Checker King D Gammon Gambler D	24 95	17 50 °
Tank Command D Adventures 0 - 10 T	14 95	11.95	Gammon Gambler D	24 95	19.95
Asteroids/Planeloids T	14 95	11.95	Monty Plays Monopoly D Zork D	20 05	31.95
ARTSCI			Microchess.	34 95	19 95
	99.95	79 95	Desklop Plan D	00.05	79 95
	99 93	1995	CCA Data Management Sys D	99.95	79.95
AUTOMATED SIMULATIONS			Visicalc	149.95	
Introductory 3-pack (Rescue.			SIERRA SOFTWARE		
Morloc's and Datestones) D	49 95	39 95			
Temple of Apshai D		31 95	Alien Lander D	24 95	19 95
Helitire Warrior D	38.82	31.95 31.95	Retro-Ball . D	SA A2	23 95
Star Warrior	39 95	19 95	SIRIUS SOFTWARE		
Starrieer Orion D	24 95	19 95	Space Eggs D	29 95	23 95
Invasion Orion D Dragon's Eye D	24 95	19 95	Space Eggs D Cyber Sirike . D E-Z Draw 20 D	39.95	31 95
Dragon's Eye . D	20.05	23 95	E-Z Draw 20 D	34 95	27 95
Mortoc's Tower	19.06	15 95			34 95 #
Rescue al Riget D Mortoc's Tower D Datestones of Ryn D	10.05	15.95	Phantoms 5 . D	29 95	23 95
		23 95		29 95	23 95
Starffeet Orion T	24 95	19.95	SOFTWARE PUBLISHING		
Invasion Orion T	24 95	19 95	PFS (Personal Filing Sys) . D	95 00	75 95
Starfleet Orion T Invasion Orion T Recue at Rigal T Morloc's Tower T Datestones of Ryn T	29 95	23 95	SOUTHEASTERN SOFTWARE		
Morloc's Tower T	19 95	15 95	Data Capture 4.0	64.06	51.95
Datestones of Ryn T	19 95	15 95		04.00	01.00
AVALON HILL SEE TRS-80			SOUTHWESTERN DATA		
SRODERBUND SOFTWARE			SYSTEMS		27.95
Galactic Empire D	24 95	17.95 e	Apple Doc 3 2 . D Apple Doc 3 3 . D The Correspondent 3 2 . D	34 95	27 95
Galactic Trader D	24.95	17 95 a	Apple Doc 33	34 95	35.95
Galactic Revolution D	24 95	17 95 ↔	The Correspondent 3.2 D	44 95	35 95
Tawala's Last Redoubt D	39.95	31.95	Listmoster	24.05	27.95
Apple Galaxian D	24 95	19.95	ACE 32 D	30.05	23 95
Galaxy Wars D	24 95	19.95	ACE 33	29.95	23.95
Hyper Head-On D	24 95	19.95	Ascu Express 3.2	64 95	51.95
Golden Mountain D		15.95	Ascu Express 33	64 95	51.95
Light Pen	24 95	19 95	ACE 3 3 D Ascii Express 3 2 D Ascii Express 3 3 D Z-Term (CP/M for Z 80) D	99 95	79 95
DAKIN S			Online D	89 95	71.95
3 3 Programming Aids D	90.00	71 95	Vinyl Pages (per 10) .		5 95
			STRATEGIC SIMULATIONS		
DATA SOFT Micro Painter . D	34 95	27.95	INC.		
Mychess w/Z-80 . D	34 95	27 95	Computer Quarterback . D	30.05	31.95
			The Warp Factor . D		31.95
DELTA SOFTWARE		71.95	Computer Bismark D	59.95	47 95
Bookkeeper Master Program D		31.95	SYNERGISTIC SOFTWARE		
The Check Writer D	26.80	31.95	Deam Courses		
HIGHLANDS COMPUTING			Wizards Revenge D	19.95	15 95
CRAE 20 D	24.95	17 50 *	Dungeon Campaign D	17.50	13.95
MCAT 20 D	19 95	13 95 *	Higher Graphics II D	35.00	27.95
Creature Venture D	24 95	19 95	Higher Text D	35 00	27.95
MICRO LAS			Odyssey D	30 00	23 95
Data Factory D	150 00	119 95	Star Gazers Guide D	30.00	23.95
Mini Factory D	75 00	59.95	Wilderness Campaign D	20 00	15.95
Invoice Factory D	100 00	79.95	Wilderness & Dungeon Cam D	32 50	25 95
The Learning System D	150.00	119.95	Modifiable Data Base D	79 50	63 95

PLEASE CHECK FOR SYSTEM REQUIREMENTS BEFORE ORDERING INCLUDE PUBLISHER AND PRODUCT NAME SEMD \$1.00 FDR OUR COMPLETE PRICE SHEET FOREIGN INQUIRIES INVITED

FOREIGN MOURIES INVITED
All Order Prepaid by Personal Check. Money Order. Cashier Chack
For Faster Delivery Service. COD — Cash Only/Master Charge — Vias
Plassa Andro Sufficient Time for Cinceta to Claser
Califormia Rescients Add 6th Sales Tax
Prices Valid Through This Month's Issue
Prices Valid Through This Month's Invited This Valid This

UNITED SOFTWARE OF AMERICA Appleworld D 59 95 3-D Supergraphics VERSA COMPUTING Versawriter D 249 00 198 00 Versawriter Expan Pak I ... D 39 95 31 95 **ATARI** ADVENTURE 7 95 7 95 7 95 7 95 AVALON HILL Conflict 2500 . III.. T 15 00 11 95 PERSONAL SOFTWARE D 199 95 159 95 DATA SOFT Alari Meiling List D 24 95 19 95 Alari Character Generator . D 19 95 15 95 L.J.K. ENTERPRISES INC. Letter Perfect ... D 150 00 119 95 **TRS-80** ADVENTURE INTERNATIONAL
Adventure 0-11 each . T 14.95
Zossed in Spece . T 14.95
Missile Allack . T 14.95
Star Trek 3.5 . T 14.95 11 95 11 95 AVALON HILL AVALON HILL
BI Nuclear Bombar T 15 00
Midway Campasan T 15 00
Midway Campasan T 15 00
Nukewar T 15 00
Conflict 2500 T 15 00
Planel Miners T 15 00
Computer Acquire T 20 00
Lords of Karma T 20 00 11 95 11 95 11 95 BIG FIVE SOFTWARE T 15.95 T 15.95 T 15.95 T 15.95 Super Nova . . . Galaxy Invasion Allack Force . . . 12 95 12 95 12 95 12 95 STRATEGIC SIMULATIONS
Computer Bismark T 49 95 39 95

Mailing List Data Base ...

Commodore Pet - write for Info DIRECT ORDER INQUIRIES TO: **DISCOUNT DATA PRODUCTS** P.O. BOX 19674-J SAN DIEGO, CA 92119

DIRECT OTHER INQUIRIES TO: DISCOUNT DATA PRODUCTS 8745 MAGNOLIA AVENUE SANTEE, CA 92071

Music, continued...


the focus shifts to the synthesis algorithms themselves. The ones that will be described here are equally applicable to both realtime and delayed playback systems. The algorithms will be illustrated through the use of program segments written in the Basic programming language so that they may be easily understood. However any practical software synthesis music program would certainly use machine language in the actual programming. Speed is doubly important in real-time systems since even a couple dozen microseconds can make the difference between a 3 voice system and a 4 voice one or a half-octave difference in the high frequency response. Perhaps the best way to appreciate the difference in speed between machine language and Basic is to compare the examples with their machine language equivalents; the ratio is several hundred to one! Actually such a comparison is not very fair because the Basic program calculates to far greater accuracy than is required for an 8 bit result. Also, binary arithmetic overflow can often be used to advantage in machine language; in Basic, an extra statement is usually necessary to simulate the desirable effects of overflow.


Before describing actual program camples, let's establish some variables that will be used. What we are looking for its a subroutine that will generate a one of a specified period of time before returning, i.e., a single note. It will be written for direct output to a DAC, that is, real-time but the final waveform samples could just as well be passed to a data storage subroutine metand, as in a delayed playback system.

Most of the parameter values are sensitive to the sample rate of the system. The sample rate must be constant throughout a software synthesis system to facilitate simultaneous tones and is usually chosen when the system is designed. In the examples, the sample rate will be called SR

The duration parameter passed to the tone subroutine will simply be the number of samples to generate before returning. Thus if the sample rate is 10kH and the tone must last ½ of a second, the duration parameter will be 2500 which is the result of applying: (Duration parameter) are seconds)*SR. In the examples, the duration parameter will be called D.

The frequency parameter specification may seem strange but it will simplify the tone generation routines considerably. With this method, the frequency parameter will be the fraction of a waveform cycle that a sample period represents. For example, if SR-10000 and the desired tone frequency is 1000Hz, then a sample period, which is 110,000 of a second, represents. 1,10 of the tone waveform period which is 1/1,000 second. In equation form, (Frequency parameter) 2. (Tone





frequency)/SR. In the examples, the frequency parameter will be called F.

The final variable will be the address of the DAC. The DAC will be assumed to be an 8 bit unit that accepts offset binary, which means that - 128 is represented as 0. 0 is represented as 128, and +127 is represented as 255. This is nice because it just happens to coincide with Basic's typical requirement that POKE d data be between 0 and 255. In the examples, the DAC's address will be called DAC's address will be calle

Simple Waveforms

Probably the simplest synthesis algorithm is one for directly computing association for the computing association of the computing association and the computing association as the computing the computing the computing timbre. Figure 3 shows the shape of a sawtooth waveform and the example Basic tone subroutine. The FOR loop of course controls how long the tone is generated according to D. The algorithm itself revolves around a variable called R.

During each sample period, F is first added to R in statement 200. In statement 300, a check is made to determine if R has reached or exceeded unity or in other terms, overflowed. If so, one is subtracted from R, otherwise it is left alone. Assuming that F is fairly small, it can be seen that the repeated addition of F is responsible for the upward sloping ramp of the sawtooth and that the overflow is responsible for the sudden drop at the end of a cycle. Note that in general the tone frequency is not a submultiple of the sample rate. What this means is that the string of numbers sent to the DAC will differ from cycle-to-cycle. They will, however, always be points along an ideal sawtooth shape, so the intercycle variation itself is of no consequence.

Some study will reveal that regardless of the initial value of R, it will eventually be confined to the range of zero to one. Typically in a music system, all R's in the system will be initialized to zero before any music is played. In statement 400 R is simply multiplied by 256, truncated to an



The next generation of business software

If you are still searching for quality software for your small burines computer search no more. Designer Software spleased to announce PHOCNIX" the first line of microcomputer software to include prafessional word processing and general accounting.

We knaw word processing. A year-and-a-half ago the owners of Designer Software" wrote a well-known word processor for conother company in the last 18 months we we learned about other features you want in a word processing package. PHOENIX* Word Processing reflects our expensence. It is more powerful and flexible than other word processing packages you can buy. And since we designed human engineering into PHOENIX* Word Processing from the beginning, it can compete, feature for feature, with expensive dedicated word processors.

Many people have remarked that the user's manual we wrate centier was the best ever for microcomputer software. Even so we felt that we could have made it more accessible to the non technical user. With PPLOSHIX" Word Processing we have a separate 1 suring Manual with beginning, intermediate and other models the software of the process which was a whome model the Borning process easier and less intimidal ing.

All five PHOENIX" general accounting packages Genera Ledger Accounts Receivable and Payable, Payroll and Inventory were designed by CPA's based on invitor packages from min and packages computer. The programs are COROL with an alegal assembly language data bars. They are fully integrated to allow outsomed posting to the General Ledger. An internal screen handler permits full screen data entry lor speed and ease of use Although we made cosmetic enhancements prior to distribution, the basic programs have been user tested for all loss eighteen months.

PHOENIX" Accounting also includes a growing number of specific application packages. We have completed a scheduled for completion Fixed Assets, Tenant Processing, Mail Management, Financel Projections and Firme/Billing Each packages stands alone, but many also work in conjunction with other PHOENIX" packages. For example, PHOENIX" Mail Management will work very well by itself. but we also designed it to fit in easily with the merging capabilities of PHOENIX" Word Processing.

With PHOENIX* Accounting we have, as always, given special attention to documentation. Not being content to describe which buttons to push, we have taken the time to explain the accounting principles behind the programs and how each pockage fits into an outemated office. To this end we creded the fellowal town of Smallville with a tectional company, Maustache Mandacturing. By seeing how Mr. Small and his smployees use PHOENIX* Accounting at 2M. you lear to paply it to your office as well. The Smallville sections are amounting as well as informative and you will kindly read the manual just to find out what Sidney, Mr. Small* incampetent brother in leav will do not?

Designer Software™
HOUSTON


CIRCLE 150 ON READER SERVICE CARD

f you want to know what PHOENIX" Word Processing and accounting can do for your business, call write, telex or use The Source to request more information.

See us at West Coast Computer Faire Booth #1219H.

3400 Montrose Blvd ● Suite 718 ● Houston, Texas 77006 (713) 520-8221 ● Telex 790510 ● Source TCU671

Designer Software and PHOI NIX are trademarks of Palanto. Inc.



integer which will always be between 0 and 255 inclusive since R is never equal to one. and POKEd to the DAC's register. If the reader has machine language experience, it is apparent that these five Basic statements could typically be replaced by about five instructions. In such a machine language equivalent, R would simply be a machine

Figure 4 illustrates a modification that can be made to the sawtooth waveform generator to produce triangle waves. These have a mellow and somewhat hollow timbre that is pleasant to hear. Essentially only statement 310 need be added which flips the bottom half of the sawtooth shape up to produce the triangle shape. The multiplying factor in 310 would normally be 2 but then it would be possible for T to equal I and the POKE to fail. Using 1.99999 instead prevents this problem. In machine language, the problem would not arise so the multiplication by 2 could be performed with a single shift instruction.

Square waves can be produced with the program in Figure 5. Square waves have a very distinctive kazoo like sound. Statements 310 and 320 simply determine whether the sawtooth is in its lower or upper half-cycle and sets T to .99999 if it is the upper. The subroutine can be extended to rectangular waveforms by defining a variable S for the symmetry factor of the rectangular waveform. Then in statment 320, the comparison would be with S rather than the constant .5. Changing the symmetry has a fairly large effect on the timbre. A value of .25 for example gives a sound similar to a sawtooth while very small values give a thin buzzing sound. It is interesting to note that there is no audible difference between complementary values of S such as .2 and .8.

The program in Figure 6 is very interesting because it can produce a pure sine wave without using the trigonometric sine function in Basic. The timbre of sine waves

is pure, sweet, and devoid of any color just like white sugar. Here it is important that R1 and R2 be initialized to reasonable values since the algorithm is not selfcorrecting like the previous ones were. Statement 200 computes an internal frequency parameter, F1, from the given F. Although a trig function is used in the F1 calculation, it is outside the tone generation loop. Both R1 and R2 represent the sine waveshape, the only difference is a phase shift of approximately 90 degrees. Also the conversion to DAC number format is slightly different than before because R1 and R2 vary between -1 and +1



rather than 0 and +1. This algorithm works best when F is . I or less. If F is greater than I, R2 should be initialized to a smaller value, such as .9, to avoid overflow in statement 600. The algorithm itself is simply the adaptation of a trigonometric

100 R1=0: R2=.98 200 F1=2*SIN(3.14159*F) 300 FOR I=1 TO D 400 R1=R1+F1*R2 500 R2=R2-F1*R1 600 POKE DA, INT(R1*128+128) 700 NEXT I

Figure 6. Sine Waveform Generator.

identity to continuous sine wave gen-

Simultaneous Tones

Although a variety of waveforms can be synthesized with the preceding subroutines, we are only about half way up the computer music tree since only one tone at a time can be generated. The amazing thing about software digital synthesis is that any number of simultaneous tones may be produced using the same DAC hardware. Of course more simultaneous tones means more compute time which is a problem in a real-time system but not in a delayed playback system.

The basic idea behind simultaneous tone generation is to compute a sample value for each tone during a sample period and then add all of the sample values together and give the sum to the DAC. This has the same effect as audio mixing except that any number of samples may be added up. The only problem is that the sum can overflow the DAC's range and create terrible distortion if care is not taken. Thus the sample values representing each voice must be scaled by an amplitude factor before being summed for output. The amplitude values may be different if it is desired that some tones be louder than others. Freedom from overflow is guaranteed if the sum of the amplitude values is less than unity. Strictly observing this rule however often results in a low average amplitude and thus a higher relative noise level in the final DAC output.

Figure 7 shows the Figure 3 tone Figure 7. Multiple Sawtooth Waveform

```
100 FOR I=1 TO D
 200 SM#0
 300 FOR J=1 TO N
400 R(J)=R(J)+P(J)
500 IF R(J)>=1 THEN R(J)=R(J)-1
 600 SM=SM+A(J)*R(J)
 800 POKE DA, INT(SM*256)
 900 NEXT
1000 RETURN
```

subroutine modified for multiple voices. Now instead of a single frequency parameter, F, we have an F array. The same is true of R. An A array has been added which is the array of amplitude parameters. Finally the variable N is introduced which is the number of simultaneous voices to generate. Examination of the program reveals nothing more than an added inner loop to run through the N voices for each sample period. As can be seen, this new subroutine will be about a factor of N slower than the original subroutine. In a delayed playback system where time is not the dominant factor, the ultimate limit on N is the amount of memory available to hold the F, R, and A arrays.

Music Synthesis" will be continued

WE WILL NOT BE UNDERSOLD

VVE	VVILL	1 UV		OINDE	HOUL	<u>.U</u>
DISK DRIVES	FOR TRS-80° Model I	T	PRIN		pinwriter Quality High Speed Pri	
		Track (102K) :		RQ.	Quality High Speed Pri	\$2395
			رغ التنا		ith tractor leed	\$2595
	ADD-ON DRIVES FOR CCI-189 514", 40	ZENITH Z-89 Track (102K)	*****	KSRw	ith tractor leed	\$2895
		Track (102K)		Starwriter \$1	ene Storu	vriter II \$1895
			995 EPSON		ALL MX-70	
Exiernal card edge an	d power supply included. 9	0 day warranty	one PAPER			
year on power supply			IDS 445	Graphics & 2K Graphics & 2k I		\$ 699 \$1050
			IDS 560	Graphics	builei	\$1450
RAW DRIVES 8" SH			\$425 ANADE		849 DP-95	500/01 \$1345
51/4" TEAC or TANDON	SCALL POWERSU	IPPLIES \$ C	ALL OKIDAT Microlin		and	\$ 420
			Microlin		in & tractor leed	\$ 520
MORROW DESIGNS/ DISCUS 2D	THINKER TOYS™ 1 DRIVE \$ 938	2 DRIVE S	1635 Microlin			\$ 620
DISCUS 2+2	1 DRIVE \$1259	2 DRIVE \$				737 \$ 749
DISCUS Hard Disk	M26 \$3990	M10 \$	2999 TI-810	750 3 3	133 \$ 303	131 3 143
DISKETTES	Box of 10		TRS-801	soltware, compresse	ed print & vert torm con	trol \$1865
	\$35 Maxell \$40 BAS		26.95 16K F	RAM KITS	2 for 1	s37 \$19
			36.00		80°, Apple II. (specify)	
PLASTIC FILE BOX-H PLASTIC LIBRARY CA			19.00 4.00 S.100	CALIFORNIA	COMPUTER SY	VSTEMS
SCOTCH HEAD CLEA			25.00	CALIFORNIA	COMPOTENS	TOTEMS
FLOPPY SAVER	\$11.95	RINGS \$	6.95			WX 00 23
SYSTEM SPEC	CIAL		_		Land	1000
Apple II Plus 48K w/c	Irive and controller. Epsor			The state of the s	E-Brown	THE STORE
interlace. SUP-R Mod	RF Modulator: List \$29	65 You Pay \$	2299		THE REAL PROPERTY.	BERRY
COMPUTERS/	TERMINALS			The same	32,000 880	
	Drives, 77 Track		5495		THE STATE OF	
ALTOS ACS80 TRS-80* II-64K	00 Series \$3499	III-16K \$	ALL MAINFI 899 Z80 CPU		Model 2200A Model 2810	\$349 \$269
	sion Interlace		299 MOTHE	R BOARD	Model 2501	\$106
	I-in-one computer			TIC RAM, 200ns	Model 2116C	\$309
ZENITH Z-19 TELEVIDEO 920C	\$ CALL			TIC RAM, 200ns	Model 2032C Model 2065C	\$619 \$599
	Isplay Terminal	s	1189 FLOPPY	DISC CONTROLLER	Model 2422A	\$359
ATARI 400	\$ 479			ER BOARD	Model 2520K	\$ 52 \$309
MATTEL INTELI APPLE PERIPHERALS	LIVISION		At I		Model 2718A	
					IES AND SOFT	
MONITORS APE 9" B 8	W TVM-10		VISICAL \$120 DB MAS			\$120.00 \$159.00
BELL&	W I VM-1U			TCARD		\$269.00
	W BHD911		\$199 VIDEX E		number of	\$259.00
	3 W \$ 129 W VM4509		\$369 16K CAI \$155 APPLE	OYSTICK	NAME OF TAXABLE PARTY.	\$169.00 \$ 49.00
	W DM5012		\$226 SUP-R M	IOD	18 -	\$ 29.00
	en Screen DM5112		\$238 CCS CA	RDS		\$ CALL
SANYO 13" Col ZENITH 13" Col	lor DMC6013		\$416 \$349 GALAX	AN -	in #	\$ 22.95
			SPACE	ALBUM /	Curita	\$ 35.00
TELECOMMUI			ASTER		-COMMUNICATION	\$ 17.95
LIVERMORE STAR M	ODEM 2-year guarantee		\$125 FLIGHT	SIMULATOR /	THE OWNER OF THE OWNER,	\$ 29.00

For tast delivery, send certified checks, money orders or call to arrange direct bank wire transfers. Personal or company checks require two to three weeks to clear. All prices are mail order only and are subject to change without notice. Call for shipping charges.

\$179

\$189

DEALER (NATIONAL/INTERNATIONAL) INQUIRIES INVITED Send for FREE Catalogue

The CPU SHOP TO ORDER CALL TOLL FREE 1-800-343-6522

TWX: 710-348-1796 Massachusetts Residents call 617/242-3361

5 Dexter Row, Dept. CC06M Charlestown, Massachusetts 02129 Hours 10AM-6 PM (EST) Mon.-Fri. (Sat. till 5)

UNIVERSAL DATA SYSTEMS UDS-103

D.CAT HARD WIRED DIRECT MODEM

D.C. HAYES MICRO-MODEM

AUTO-CAT Auto Answer, Direct Connect Modem

Technical Information call 617/242-3361 Massachusetts Residents add 5% Sales Tax Tandy Corporation Trademark/* Digital Research

WIZARD & PRINCESS

HI-RES FOOTBALL

MYSTERY HOUSE

SARGON 2






\$ 29.00 \$ 35.00



Peter Payack

Peter Payack, 64 Highland Avenue Cambridge MA 02139.

SUPER-TEXT"



From the leader in quality software...

For the Apple II or Apple II Plus (48K) Apple is a trademark of Apple Computer Corp

unmatched by many dedicated WP sys-

tems costing thousands of dollars more.

MUSE:

OFTWARE'*

Form Letter Module \$100 and the Address

Book \$50 at computer stores everywhere.

330 N. Charles St. Baltimore, MD 21201 (301) 659-7212

CIRCLE 226 ON READER SERVICE CARD

Pictures by Funny Numbers

Frank Dietrich and Zsuzsa Molnar

What do pictures and numbers have in common? Nothing. Unless a computer is used to generate the pictures. Otherwise pictures and numbers live in two separate domains: the image being a concrete visual phenomenon, the number an abstract concept of order, counting or measuring.

Since computers deal quickly and efficiently with numbers, they can be used to calculate things like taxes and interest in a straightforward manner. Input is numeric anyway and if the right into red numbers appear as the output, the user is satisfied. In order to make images with this machine, one is forced to deal with numbers. Lots of them. The more efficient the computer, the more numbers it requires to be kept busy. Nice ways around this

Frank Dietrich and Zsuzsa Molnar, Electronic Visualization Program, Dept. of Information Engineering, School of Art, University of Illinois at Chicago Circle, Box 4348, Chicago, IL 60860. greedy demand for numbers have been developed in paint programs, in which the user draws with the old-fashion but flex-ible pen on a tablet. The computer picks up the appropriate numbers according to the position of the pen. Or, a TV image is digitized and the machine assigns the digital numbers.

In both cases, pen drawing and digitizing, we face again the question we started
with: how are numbers and images
related? Once an image is in the machine,
it is sitting there in the form of numbers,
waiting to be processed. We decided to
investigate concepts of combinatories,
which have fascinated people since the
first minutes of mathematics.

The three concepts illustrated here. Vedic and Latin Squares and Permutations, require minimal input, but generate a large variety of change and harmony. two extremly valuable principles in image-

making. Implemented on a microcomputer graphics system, the ZGrass UV-1, these number games brought about interesting visual results wed like to share. In its toolbox of graphic commands, ZGrass provides four basic primitives: POINT, LINE, BOX (filled rectangle) and CIR. CLE (filled ellipse). All graphic commands need numerical information for the X and Y location as well as for the color option. Furthermore the width and height of boxes and circles has to be specified to turn bare numbers into visual beauty.

Vedic Squares

Our idea was to create pictures using sets of numbers which feature harmonic relations. The Vedic Square, a thousandyear-old number game, neatly fulfills these requirements. In the first row and column of a 9x9 square the numbers 1 through 9 are placed consecutively. All remaining numbers are computed by multiplying the values of the respective values of row by column. Each time the product exceeds 9, the number is reduced by forming the sum of the first and second digit, so that the Vedic Square contains only onedigit numbers. Astonishing patterns of numbers can be detected by further examining the square, now stored as a twodimensional array.

Eapple

At last! The programs that have driven TRS-80 owners into oblivion are available for the Apple II and the Apple II Plus! Deathmaze 5000, Labyrinth, and the incredible Asylum are among the first full. 3-D perspective graphic adventures that take advantage of the advanced features of the Apple microcomputer!

These programs feature full upper/lower case text mixed with full-screen, hi-res graphics! Graphics generation is virtually instantaneous! None of these adventures can be solved in a single evening. Or even a single week!

What do we mean by 3-D perspective? We mean that you can actually see what you're doing and where you're going! And yes, extensive English language vocabularies are always available to the user!

SATISFACTION IS GUARANTEED!

We know that our claims may be hard to believe. If you are not satisfied with our products, we allow you to return the programs for a prompt and cheerful refund within 14 days of receiving them!

Med Systems Software P.O. Box 2674-P Chapel Hill, NC 27514 (919) 933-1990



... truly one of the best adventure games by any criteria... it borders on the unbelievable. Believe it.

Buy it. " M.J.M., The Space Gamer

"This has got to be the most infuriating, irritating, aggravating, frustrating, angering, spellbinding game on the market."

D.M., '80 Microcomputing

 Deathmaze 5000
 32K cassette
 \$ 12.95

 Labyrinth
 32K cassette
 \$ 12.95

 Asylum
 32K cassette
 \$ 14.95

DISKS: DOS 3.3, 48K required. Add 8 4.00 to price for programs on diskette. All three on a single diskette, 8 44.95. Tape versions include disk save option and can be saved to DOS 3.2 by the user.

CIRCLE 221 ON READER SERVICE CARD



Figure 1. Vedic Squares.



4

6 3 9

Figure 2

9

6 4

5

4 9

9

4

The drawing program scans through the rows and columns, relates them to an XY-grid and plots boxes or circles on the TV screen. The size and amount of the graphics depend on the current magic number called from the Vedic square, thus forming subtly symmetical images. (See Figure 1.) Since the righthand bottom lines of the square consist only of 9s, we decided to ignore them, leaving an 8x8 drawing square. (See Figure 2.)







MOO-					
Mod-I	II. 4	8K I	RAM	#2A-1	065
Mod-I					
RS-23	12-C	ace.	10831		
Talas.					

or Comp. 16K RAM (#28-3001+) \$399.00 or Comp. 32K RAM (#28-3001++) \$479.00 or Comp. 16K Ext Basic (#28-3002) \$529.00 or Comp. 32K Ext Basic (#28-3002+) \$599.00 cket Computer w/Interface \$259.00

ATARI COMPUTERS ATARI 800, 16K RAM (#36-800) ATARI 800, 32K RAM (#36-801). ATARI 800, 48K RAM (#36-802)

ATARI 400, 8K RAM (#38-400). ATARI 400, 16K RAM (#36-401). ATARI 400, 32K RAM (#36-402).

APPLE COMPUTERS

APPLE-II PLUS, 48K RAM (#47-203) \$1299.00



CIRCLE 180 ON READER SERVICE CARD

Funny Numbers, continued...

Magic Squares

To the Hindus these numbers revealed hidden secrets of life and time. The Arabs used Magic Squares to represent the astrological constellation of the stars. The numbers are arranged so that the sum of each row or column or diagonal is always the same. Three pictures based on a 4x4 Magic Square, the square of Jupiter, are shown in Figure 3. They are drawn with the method described above for the Vedic Square. In the second, the decision to draw a box or a circle depended on whether the Magic Number was even or odd. For the third image the center of the circles shifted to the right each time a smaller one was overlaid.

Other interesting types of squares are the Latin Squares. (See Figure 4.) These are NxN squares filled with numbers ranging from 1 to N in a way that each number is placed only once in a particular row or column. This feature guarantees an equal distribution of numbers, which is why Latin Squares are commonly used in statistics. An initial sequence of random numbers provides all the necessary information to compute the entire square. Once the square is computed and stored as a lookup table, its numbers are called by a drawing routine. This time the numbers specify four different graphic events: First, the size of the boxes and how many are drawn for each number. Even numbers direct the center of the boxes diagonally downwards, odd numbers direct them upwards. Finally, the color depends on whether a number is smaller, equal to or larger than the median of the set. As the images in Figure 3 demonstrate, each Latin Square forms different distributions of the graphic primitives, each exhibiting an internal harmony as well as a visible relation to all the other squares of the same set of numbers.

Permutations

The mathematics of permutation cycles a basic set of numbers through all of its possible variations. N enumerates the number of permutations or arrangements possible, where N defines the number of elements in the set, as well as setting the range of each individual element of the set from 0 to N. Here is the permutational path of a four element set:

0 0 1 1....until the 4 numbers produce 256 combinations.

Combining permutations with pictures, we can systematically explore how many pictures exist in one single composition. In the ZGrass language a complex userbuilt pattern can be defined by a high powered primitive, the SNAP. Once a SNAPped picture is given a name, it is









Figure 4. Latin Squares.



These Latin Squares show the initial distribution of numbers to produce the graphic representation in Figure 4.

51234	51234
45123	23451
34512	45123
23451	12345
12345	34512

版 **GUIDE** from OSBORNE/McGraw-Hill

The Apple II User's Guide by Lon Poole, Martin McNiff, and Steven Cook #46-2 \$15 This Guide is the key to unlocking the full power of your Apple II or Apple II plus computer. The Apple II User's Guide brings together in one place a wealth of information for Apple computer users. It will fell you more about your Apple than any other single source. This book will save you both time and effort. No longer will you have to search endlessly for useful information, it's all here, in the Apple II User's Guide. thoughtfully organized and easy to use Topics include

Applesoft and Integer BASIC pro represent are integer back pro-gramming especially how to make the best use of Apple's sound, color and graphics capab-ides. The book presents a thorough description of every

CP/M User's Guide by Thom Hogan #44-6 \$12 99

*Machine level programming—a though not a machine language programming guide, this book covers the Machine Language Monitor in detail

*Apple is a trademark of the Apple Computer Corporation

PET/CBM Personal Computer Guide Second Edition by Adam Osborne and Carroll Donahue #55.1 \$15

The PET CBM Personal Computer Guide is a step-by-step guide that assumes no prior knowledge of computers. If you can read Ended you have this book. This revised second defiding you can use this book. This revised second defiding provides even more useful material than the popular first destion it covers the ones renor cBM products the CBM book and 6000 sized 4000 sized 4000 sized.

Apple II User's

PET/CBM

Personal Computer

well as the technical aspects of CP/M's internal structure which will permit you to make simple modifications. A full glossary and several useful appendices are included Guide System Gu

If you naver the purchase of LPTA (OF) you any system rise CPTA UBLE a Locker will make your fish use of LPTA easy if you are also have CPTA. It is book will help you modify your system and let you 'prockey' your disks' like and expert. The CPTA User's Guide describes types of CPTA and their compatibility it includes a discussion of conventions used to create life names and command ines. Numerous samples screen displays for each setamon! CPTA graphically explain each operator command and computer response. CPTA is Assembly Language Unities.

If you haven't yet purchased CP/M for your system, the CP/M User's Guide will make your first use of CP/M


The Business System Buyer's Guide by Adam Osborne #47 0 \$7.95 When you enter the marketplace of small business computers you face a bewilder your computer needs by applying the same know how that made your business a choose software and hardware for all business applications, what to expect from vendors, what to avoid, and what questions you must ask. It also provides a wealth of detailed information on products, manufacturers, retailers, and the whole microcomputer, read this book. You'll never make a better investment

Make check payable to (**) OSBORNE/McGraw-Hill 630 Bancroft Way, Berkeley, CA 94710 Dept. L=10 Phone Orders (415) 548-2805

Address

Plus © 75/item 4th class ©\$1.25/item UPS ©\$2.50/item Air Mait ©\$4.00/item Overseas (California residents add applicable tax.) ☐ Please send me your free catalog

Total amount enclosed \$ ______ or charge my CIV/sa CIMastercharge



stored as one shape in the frame buffer and can be quickly thrown onto the screen. Permutation triggers the rapid animation of a sequence of these image tiles. Each frame draws in two seconds.

The basic circle image in the center of Figure 5 generates all the other patterns. It is fragmented into quarters, each of which is given a name: PICO, PICI, PIC2. PICA. These four modules form the image data bank. As the permutation program cycles through the numerical variations, the permutation is applied to the name of the picture. Specified pictures are pulled out of the data bank and recombined to

form a new image, which is popped on the screen in four-fold symmetry.

Some of the pictures are simply drawn variations of the initial image. The additional complexity and interconnections of other drawings is achieved by using one of ZGrass' fancier drawing modes, the "EXCLUSIVE-OR."

These concepts of Magic Squares and Permutation are so general, that they could be used to produce new pictures on any system. We look forward to getting feedback from readers who feel encouraged to give it a try, wandering off into other stimulating regions of Pixelland.

Figure 5. Permutations

Resources Magic Squares:

The Language of Pattern, Keith Albarn et al. Thames and Hudson, London & NY 1974.

Magic Squares and Cubes, W.S. Andrews, Dover, N.Y. Permutation:

The Sense of Order, E.H. Gombrich. Cornell University Press, Ithaca, N.Y., 1979.

ZGrass:

"Language Control Structures for Easy Electronic Visualization," Tom DeFanti, Byte, Nov. 1980, Vol. 5, No. 11.



and soft sectored single density type.

Box of 10...

and soft sectored Double density type.

\$36.00

m recording density of 5,800 BPI

Box of 10..... \$46.00 501 E. Third Street

Williamsport, PA 17701

(800) 233-8950

Dealer Inquiries invited.



David R. Adams

This print, like all of my computer graphics, was coded by hand using printer spacing charts. Then a numeric code was assigned to represent each combination of shading character (1= 1:2= 1:etc.) and the number then was keyed into a file. A short Fortran program translates the numbers to overprinted characters. This is more a problem of coding than programming.

David R. Adams, College of Business, Arkansas State University, AR 72467.

SOFTWARE UNLIMITED

presenting the LARGEST SELECTION OF SOFTWARE EVER ASSEMBLED...

for ATARI® • APPLE® • PET® • TRS-80® and other Microcomputers

at SUPER DISCOUNT PRICES!

AUTOMATED SIMULATION STRATEGIC SIMULATIONS ATABI ATARI ATARIA ATARI 800 COMPUTER ATARI 800 COMPUTER ATARI 800 COMPUTER SPACE INVADERS (ATI ASSEMBLER DEBUG (ATI ASSEMBLER DEBUG (ATI VIDEO EASEL-LIFE (ATI SUPER BREAROUT (ATI MUSIC COMPUSER (ATI OMPUTER CHESS (ATI 3-D TIC TAC TOE (AT) STARRAIDERS (ATI) PADDLES (ATI) JOSTICUS (ATI) AUTOMATEO SIMULATION STARFLEET ONION (C.O. (APT) STARFLEET ONION (C.) (P. ...) I STARFLEET ONION (C.) (P. ...) TEMPLE OF APSHALL (C.) (P. ...) TEMPLE OF APSHALL (D.) (APT) DATESTONES OF RYN (C.) (P. AP) MORICO TOWER (C.) (A.P.) MORICO TOWER (C.) (A.P.) MORICO TOWER (C.) (P. ...) COMPUTER BISMARCK (I) COMPUTER CONFLICT (D) (AP) COMPUTER CONFLICT (D) (AP) COMPUTER NAPOLEONICS (D) (AP) COMPUTER OLARTERBACK (D) (AP) COMPUTER AIR COMPAT (D) (AP) WARP FACTOR (D) (AP) CUTHROATS & CARTES (D) (AP) OPERATION APDCAL YPSE (D) (AP) TORPEDO FIRE (D) (AP) SUB-LOGIC D 3D GRAPHICS (AP) D 3D GRAPHICS [D] (AP) D 42-FS1 FLIGHT SIMULATOR (AP) D 42-FS1 FLIGHT SIMULATOR (T) D 50-FS1 FLIGHT SIMULATOR (T) D 3D GRAPHICS (T) ADVENTURE INTERNATIONAL BIG FIVE SOFTWARE ADVENTURE 40 (1) ADVENTURE 40 (1) ADVENTURE (23) (D) (AP T) ADVENTURE (458) (D) (AP T) ADVENTURE (590C) 7 (10) (AP T AT) PROJECT OMEGO (1) PROJECT OMEGO (1) PROJECT OMEGO (1) APT AT) ARCHIVE (1) ARCHI BIG FIVE SOFT ATTACK FORCE (T) GALAXY INVASION (T) METEOR MISSION II (T) SUPER NOVA (T) COSMIC FIGHTER (T) 35 CARAPHES TT MICROSOTT SOFTWARE ADVERTURE [DI [APT] BASIC COMPLETE [DI [17] BASIC COMPLETE [DI [17] COMPLETE [DI [17] LEVEL INASC. TT OLYMPIC DECATHALON [DI [17] OLYMPIC DECATHALON [DI [17] TYPHICK TUTOR [DI [17] ZAN SOCTICAND [DI [17] LE ALMEROLOU [17] LE TYPHICK TUTOR [DI [17] ZAN SOCTICAND [DI [17] LE ALMEROLOU [17] COSMIC FIGHTER (1) COMPUTER SIMULATIONS COMPANY DATE OF BIOLOGY STATEMENT (1) SATILE OF BIOLOGY SATIONES (1) DATE CANDOON (1) MEAN CHECKERS MACHIP OR CHIPS: (1) KID-VENTURE: (1,P.) LUNARLANDER (1) MOUNTAIN SMOOT (AT) STAR THEX 35 (AT,T.) STAR THEX 35 (AT,T.) SUNCH (1,S.) SUNCH FLASH (1) SILVER FLASH (ON LINE SYSTEMS ON LINE STSTEM HI RES ADVEN *0 | D| (AP) HI RES ADVEN *1 | D| (AP) HI RES ADVEN *2 | D| (AP) HI-RES FOOTBALL | D| (AP) HI-RES CRIBBAGE | D| (AP) MISSUE DEFENSE | D| (AP) SUPERSCRIBE | D| (AP) DAME LIGHT SOUTH AND TO THE PROPERTY OF THE PR AVALON HILL MIDWAY (PT.AP) NUKE WAR (PT.AP) PLANET MINERS (PT.AP) 81 BOMBER (PT.AP) 61 BOMBER (PT.AP) CONSCIPLICT 2500 (AP.AT.P.T) COMPLIED ACQUIRE (AP.P.T) SIRIUS SOFTWARE SIRIUS SOFTWI STAR CRUSIER (AP) (D) BOTH BARRELS (AP) (D) CYBER STRIKE (AP) (D) PHANTOM FIVE (AP) (D) SPACE EGGS (AP) (D) GRACE EGGS (AP) [D] RODERBUND SOFTWARE GALACTIC EMPIRE (AP) [D] GALACTIC TRADER (AP) [D] TAWALA SECOUST (AP) [D] TAWALA SECOUST (AP) [D] APPER GALAXIAN (AP) [D] APPER GALAXIAN (AP) [D] APPER GALAXIAN (AP) [D] GOLDEN MOUNT (AP) [D] ACORN SOFTWARE ATERM (1) SYSTEM SAVERS (1) SYSTE ACORN SOFTWARE PERSONAL SOFTWARE

CCA MGMT-TRS-60 [D] (7)

DESK TOP PLAN [D] (AP)

MONTY MONOPOLY [D] (AP)

VISICALC [D] (AP).

VISICALC [D] (AT.P)

ZORK (T) [D] **QUALITY SOFTWARE** INVADERS FROM SPACE [D]
PIGSKIN [D] (T)
PINBALL (T)
PINBALL [D] (T)
SUPERSCRIPT [D] (T)
EVEREST EXPLORER (T)
EVEREST EXPLORER [D] (T) AUTOMATEO SIMULATION

TUESDAY OJARTERBACK [D] (APT)
STAR WARRIOR [C D] (AP T)
THREE PACK [D] (AP P.T) If you don't see it listed, write... we probably have it in stock!

Mail to:

DUNGEON & WILDERNESS [D] (AP)
DUNGEON [D] (AP)
ODYSSEY [D] (AP)
WILDERNESS [D] (AP)
PROGRAM LINE EDITOR [D] (AP) APPARAT STRATEGIC SIMULATIONS

COMPUTER AMBUSH (D) (AP) . 51 50
COMPUTER BISMARCK (D) (APT) .51 50 MAGIC WINDOW [F] (AP) Ship the above programs as checked to: Number of Programs Ordered. Amount of order N Y residents add Sales Tax Add shipping anywhere in the U.S. 2.00 Charge my Master Charge

DPUCKMAN [0] (API

BOTTOM SHELF

ANALYSIS PAD [0] (T)

BUSINESS MAIL [D] (T)

CHECKBOOK II [D] (T)

CHECK REGISTER [D] (T)

LIBRARY 100 (T)

HEAD CLEANER [0] (AP TI

SYNERGISTIC SOFTWARE

AT-Atari AP-Apple P-Pet T-TRS-80

If not marked-Cassette ATARE is a trademark of ATAREINC APPLE is a trademark of APPLE COMPUTER, INC TRS-30 is a trademark of TANDY CORP PET is a trademark of COMMODORE BUSINESS MACHINES Prices subject to change without notice

___ k memory Card No Personal Checks please allow 3 weeks DIGIBYTE SYSTEMS CORP.

31 East 31st Street, New York, N.Y. 10016 Phone: (212) 889-8975

C-Cassette D-on Disc.

Expires

Why would anyone spend \$59.95 for a joystick?



Super **Joystick**

Star Wars. Played with paddles, it's difficult at best and frustrating at worst. But with a joystick it becomes an entirely new experience. It's still challenging. It's also fun. And very addictive.

in which one paddle controls the horizontal movement of the "brush" and the other paddle the vertical? It's slow, tedious work. But with a joystick, drawing is an absolute

Exceptional Precision

The Apple high-resolution screen is divided into a matrix of 160 by 280 pixels. To do precise work on this screen, you need a precise device. Most potentiometers used in paddle controls are not quite linear. If you rotate a paddle control at a constant speed, you'll notice that the cursor speeds up slightly at the beginning and end of the paddle rotation.

The Super Joystick has a pure resistive circuit which is absolutely linear within one tenth of one percent. In other words it would give you precise control over an image of 1000 by 1000 pixels, were such resolution available. Thus it is suitable for high precision professional applications as well as educational and hobbyist ones.

Matched to your application

The Super Joystick also has two external trim adjustments, one for each direction. This allows you to perfectly match the unit to your application and computer. Say you want to work in a square area instead of the rectangular screen. Just reduce the horizontal size with the trim control.

How many times have you played Space Invader and had your thumb ache for hours from the repeated button pressing? This won't happen with the Super Joystick. It's two pushbuttons are big. Moreover, they use massive contact surfaces with a life of well over 1,000,000 contacts. A few games of Super Invader using these big buttons will justify the purchase of the Super Joystick.

The Super Joystick is self-centering in both directions. That means when you take your hand off it, the control will return to the center. However, if you want it to stay where you leave it, self-centering may be easily

The Super Joystick plugs right into the paddle control socket and doesn't require an I/O slot

High-quality construction

The sturdy metal case of the Super Joystick Have you ever used a drawing program matches that of the Apple computer. Every component used is the very highest quality available. The Super Joystick even uses a full 16-conductor ribbon cable so you can add a second joystick if you wish. The first Super Joystick replaces Paddles 0 and 1 You may not realize it, but the Apple can support four paddle controls. A second Super Joystick would replace Paddles 2 and 3.



By removing two springs, self-centering can be defeated.

We invite your comparison of the Super Joystick with any other unit available. Order It and use it for 30 days. If you're not completely satisfied, return it for a prompt and courteous refund plus your return postage. You can't lose

The Super Joystick consists of a selfcentering, linear Joystick, two trim controls. and two pushbuttons mounted in an attractive case. It comes complete with an instruction booklet and 90-day limited warranty. Cost

Order Today

To order the Super Joystick send \$59.95 plus \$2.00 postage and handling (NJ residents add \$3.00 sales tax) to our address

Experience the joys of using the world's finest joystick. Order your Super Joystick at no obligation today.

Peripherals Plus

Morris Plains, NJ 07950 Toll-free 800-631-8112 (In NJ 201-540-0445)

Synergism: Artist & Computer

Joan R. Truckenbrod

The artist and the computer are a unique and unlikely pair. The linear, rational functions of the computer appear counter to the intuitive, free-flowing sensitivities of an artist.

Yet the delicate sensitivities inherent in my work, illustrated here, reflect the complementary character of the relationship between the artist and computer. Although opposite in nature, when integrated in the process of creating aesthetic visual imagery, the artist and this contemporatory media form a synergistic unit.

The synthesis of these polarities is an innovative, artistic process. The aesthetics of these color images reflects the synthesis of the logical processing of the computer with the intuitive aspects of the creative process.

These color images are experiments in creating ambiguous pattern systems by absorbing various foreground elements into the background. This interpenetration of foreground and background camouflages the real character of both the figure and ground elements.


The background is created by a series of color transitions in which one color gradually fades into another color to create an amorphous environment with soft edges. As one color fades into another color, a set of inbetween colors is created by the optical mixing of different color dots. These color changes create fuzzy edges and imply soft spaces.

Next, a geometric pattern based on reflective symmetry is superimposed on this soft background to create an interesting contrast. This pattern is created in colors similar to the background and thus appears to fade in and out of space. This pattern becomes fluid as it floats through the background.

The images were created on a Tektronix 4027 Color Display Terminal with the aid of a Tektronix 4051 Microprocessor. The programs used to create the imagery were written in Basic by the artist. They are being transferred to large panels, 7' high and 10' wide with an ink-jet plotter to create elegant tapestries.

These new tapestries have a very special character, reflecting aesthetic innovative potential of contemporary media. Computer artists will play a major role in developing the creative potential of computing devices and will contribute a sense of aesthetics to the human interface with computing systems.

Joan R. Truckenbrod, Department of Art, Northern Illinois University, DeKalb, IL 60115.





Introducing 4 new programs from the

These new programs are going to do for you just what our VisiCalc^{rvi} program makes it a snap for you to rememhas done: make your computer work

puter to take over more of those tasks eating up so much of your concentrate on the tasks where your do the most good. Things like thinking, planning and managing.

you do all these things better. And

VisiDex. The VisiDex™ program ber anything, and everything. you don't want to forget.

referencing.

VisiDex "thinks" and "remembers" just the way you ask it to-so you can access it anyway you want, and find exactly what you wantVisiPlot. The VisiPlot™ program makes it easy to see what your numbers really say:

analysis, forecasting, budgeting and business planning. Because VisiPlot takes hard-to-grasp numbers and automatically turns them into easy-toright before your eyes!

shading, and color-all at the touch

HOW TO WORK **SMARTER** NOT HARDER



people who brought you VisiCalc!

VisiTrend/VisiPlot. If you want sophisticated trend forecasting and statistical analysis-and you know how hard it is to create them by hand-you'll want to get your hands on the VisiTrend/VisiPlot TM program!

you with comprehensive charting

VisiTerm. The VisiTerm ™ program enables you to reach out to the world.

With VisiTerm, you'll be able to municate with larger computers, to

VisiTerm gives you all the benefits of a personal computer, plus all the advantages of an intelligent terminal, all in one package.

All of these programs are currently efits, these new programs deliver enhanced version of VisiCalc.

Together, they give you an

computer work harder, so you can work smarter
PERSONAL SOFTWARE INC.

Or call us at (408) 745-7841 for the name of the Personal Software dealer nearest you. Or write us at 1330 Bordeaux Drive Sunnyvale, CA 94086.

CIRCLE 170 ON READER SERVICE CARD

Fast-Changing Screen Display

Michael Flanagan

When your Basic program uses the same display several times, you can waste a lot of time waiting for Basic's slow graphic routines to redraw the display. Here is a machine language subroutine that allows you to store your display in high memory on a 16k TRS-80 and almost instantly transfer it to the screen with a USR call.

There are two distinct methods available. You can use the Editor/Assembler, or you can POKE in the machine language from Basic. To use the Editor/Assembler:

Load EDITOR/ASSEMBLER.
 Type in assembler program as in List-

ing 1.

3. Assemble program and create object

tape.
4. Turn computer off then on again using 30975 for memory size.

5. Type SYSTEM and load the object

6. Load the program to be modified and add subroutines 3 and 4.

To POKE the routine in from Basic:
1. Turn on the computer using 30975

for memory size.

2. Load the program to be modified and

add subroutines 2, 3 and 4.

In either case subroutine 3 is executed just once, when the screen to be saved is visible on the monitor. The screen takes less than a minute to move, and once it's done, subroutine 4 may be called as often as necessary to redisplay that screen

"instantly."

The first method assumes you have an editor/assembler, a desire to learn, and much patience. There is one advantage to offset the extra steps involved: this is the ability to make changes in the machine

language subroutine.

The second method is faster, both initially and upon every loading of the program thereafter, as the object program does not have to be loaded from tape, since it is created by the Basic program itself (Listing 2).

With either method you must POKE 16526.0 and POKE 16527,121 before calling subroutine 4. This simply tells the computer where to branch to (in decimal) when it encounters the USR statement.

The subroutines are written for the TRS-80 Level II, 16K, and only work in a tape-based machine. For disk machines, you must relocate the routine to the top of 3XK or 48K and use DEPUSR instead of POKE 16526.0 and POKE 1652.121. Other 2-80 machines can use similar block move routines, with the address changed and different patches to Basic.

	Listing 1.		
100 110 120 130 140 150 160 170 180	VIDEO MAP	ORG EQU LD LD LD LD IR RET END	7900H 3000H 7A00H HL,MAP DE,VIDEO BC,400H

Listing 2.

1100	REM	CREATE	MACHINE	LANGUAGE
		DUTINE		
1110	POKE	30976,	33: POKE	30977,0:

7 1120 POKE 30980,0: POKE 30981,60:

POKE 30982,1: POKE 03983,0 1130 POKE 30984,4: POKE 30985,237 : FOKE 30986,176: POKE 30987,

1140 RETURN

Listing 3.

1200 REM SAVE SCREEN 1210 I1=15872 1220 FOR I=15360 TO 16383 1230 P= PEEK (I) 1240 POKE I+II;P 1250 NEXT I

1260 RETURN

Listing 4.

:PR#0 %LIST 1300 REM REDRAW SAVED SCREEN 1310 N=0:X=USR(N) 1320 RETURN

For Two Kinds of Minds...


Two Distinct Kinds of Software.

At Edu-Ware Services, we take pride in knowing who we are. Thus, we specialize in just those kinds of software we produce best: EDU-WARE, the science of learning. INTERACTIVE FANTASIES, journeys into the imagination.

Our thousands of satisfied customers have made a new look and new facilities

possible. Yet behind them still lie Edu-Ware's high standards of service and quality.

Edu-Ware extends an invitation for submisware or interactive Fantasies in quality and distinction. Ask for EDU-WARE or interactive Fantasies from your local computer dealer.



Ask for EDU-WARE or INTERACTIVE FANTASIES from your local computer dealer.


EDU-WARE SERVICES, INC. 22222 Sherman Way, Suite 102 Canoga Park, CA 91303



(213) 346-6783

Dealer Inquiries Welcome

CIRCLE 164 ON READER SERVICE CARD



Part 1

David and Sandy Small

There you are, seated in front of your new Arain. You know a little Basic, and would like to learn about making graphics displays—anything from the READY in blue letters now looking at you to the incredible animations of Star Raideas. You would like explained to you, in plain English, how on earth this box is making your TV set do these things. You woelfully recall asking a computer-white friend how it worked, and being deluged with words you'd never heard before or since: "Dee-Em-A," rastering." Dandwidth." and worst of all, that mysterious god, "Exzorandnandon," or Gate."

"Surely," you say, "a degree in electronics and physics isn't needed to understand Atari graphics." And you are right.

It is the purpose of this article to explain the powerful graphics abilities of the Atari 400/800 without hopelessly confusing, boring, or annoying you. No high-level computerese or snob talk. No dry discussion of binary arithmetic. ("Thank heavens," I hear you say.) And there are examples you can punch directly into your Atari and run, understanding the graphics they generate. Only a limited knowledge of Basic is assumed. Along the way, we're going to learn things about the Atari that you can't find in your Basic manual-the inner secrets of Atari graphics. Only recently has this information become available, so don't be surprised if one day, you amaze your friends, and leave them looking blank, with what you've learned.

So, let's get to it.

How a TV Works

In order to understand how the Atari does its work, we need to touch on how a David and Sandy Small, 11314 Yucca Dr., Austin. TX 78750.

TV set works inside. (If you already know all about raster scan and don't need a review, skip this part). Go turn on a TV and look at it closely. You'll see many horizontal lines, packed very closely together. Any picture you see on TV is made up solely of those lines; let's find out

Inside the TV picture tube you're looking at, painted on the inside surface, is a substance called phosphor. Phospor has

an interesting property; when an electron hits it, the place where the electron hit glows briefly. (A meteorite hitting the atmosphere glows briefly also; an electron by itself, like a meteor without an atmosphere, doesn't glow.) Now inside the picture tube there is a device for shooting out electronics, called an electron gun. It fires electrons at the screen in a very accurate path. The way the gun is aimed at the phosphor is shown in Figure 1. When the electron gun fires, an electron leaves it, travels to the screen, hits the phosphor, and the phosphor glows briefly. Since the electron gun fires a steady stream of electrons, the spot where the electron gun is aimed glows continuously, while the gun is firing. The picture on your TV is composed of glowing phosphor dots.

At this point, we have an electron gun firing continuously onto the phosphor of the screen. The TV picture shows one brightly glowing dot in an otherwise dark screen. If you'll enter Program I, and run it, you'll get a good idea what this looks like

> 5 REM PROGRAM : 10 GRAPHICS 8+16 20 SETCOLOR 2-0.0 30 SETCOLOR 1-0.14 40 COLOR 1 50 PLOT 160.92 50 GLOT 60

Listing 1.

In order to draw graphics on the screen, more than one dot must be energized by the beam of electrons. This is done with charged "deflection plates," which bend the beam, causing the position of the dot to move onscreen. When the dot is moved to move onscreen.

HUNTINGTON COMPUTING

PROGRAMS LISTED BELOW ARE ON DISK:

	HOGHAMS	LISTE
Apple Galaxian EPYX (Automated Simulations) SPECIAL —	\$24 95 now	\$22.99
While they last Ryn/Morloc/Rigel all three		\$39.99 \$22.99 \$76.39
Galaxy Wars Super Scribe	\$24 95 now	\$22.99
Interactive Fiction (cass.)	\$89 95 now	\$76.39
Alien Lander	\$14 95 now	\$12.99 \$21.99 \$17.99
Sorcerer/Doom Cavern	\$24 95 now	\$21.99
Hyper Head-On	\$20 00 new	\$17.99
Galactic Emoire	\$24 95 now	\$21.38
Galactic Empire Galactic Trader	\$24 95 now	\$21.26
Galactic Revolution	\$24 95 now \$24 95 now	\$21.28
Golden Mountain	\$29 95 now	\$21.28 \$16.95
Tank Command	\$19.95 now \$14.95 now	\$12.49
DB Master	6400 00	912.49
Bloody Murder	\$189 00 now \$19.95 now	3109.00
Tranquility Base	\$24.06 mm	\$17.99
Anstotle's Apple	\$34 99 now	\$29.99
	\$24 95 now \$24 95 now \$34 99 now \$39 95 now	435.00
The Data Factory	\$39.95 now \$150.00 now	4134.00
Mission Asteroid	\$19 95 now	\$17.00

beautiful deluxe padded binder Skybombers II Programmers Utility		\$12.00
Skybombers II Programmers Utility DOS Tool Kit Microsoft Adventure Olympic Discathlor Compu-Math Arithmetic Apple Plot College Boards (Krell)	\$19.95 now	\$17.99
Programmers Utility	\$16.95 now	\$15.09
DOS Tool Kit	\$75.00 now	\$49.00
Microsoft Adventure	\$29 95 now	\$26.09
Olympic Decathlon	\$29.95 now	\$26.09
Compu-Math Anthmetic	\$49.95 now	\$44.95
Apple Plot College Boards (Krell) Time Traveler	\$75 00 now	\$49.00
College Boards (Krell)	\$79.95 new	\$69.95
Sword of Zedek		\$22.99
CRAE 2 0	.324 95 now	\$22.99
CRAE 2 0 MCAT 2 0	\$24 95 now \$24 95 now \$19 95 now	\$21.99
The Tarturian	\$24.95 now	\$21.00
TI PROGRAMMER - Hexicecimal/Octal Calcula	ior	******
Retail \$65 00	DOW .	\$50.00
Retail \$65 00 MPI 88G Printer The Prisoner		1477.00
MP1 88G Printer The Prisoner The Wizard & The Princess The Wizard & The Princess Computer Ambush Computer Bismark Computer Bismark Computer Quarterback Fight] Simulator (disk) Star Cruseer Space Album	\$29 95 new	\$26.99
The Wizard & The Princess	\$32.95 now	\$28.99
Compu-Spell	\$39 95 now	\$34.99
Computer Ambush	\$59.95 now	\$52.99
Computer Bismark	\$59.95 new	\$52.95
Computer Napoleonics	\$59 95 now	\$52.99
Computer Quarterback	\$39.95 now	\$35.99
Star Cruster	334.95 now	\$29.38
Space Album	\$24 95 new \$39 95 new \$29 95 new \$24 95 new \$79 50 new \$24 95 new \$34 95 new	328.77
Space Album Odyssey	\$39.93 now	\$34.30
Both Barrels	\$24.95 now	\$20.00
Modifiable Database	\$79.50 now	544,99
Micro League Baseball	\$24 95 new	\$22.99
	\$34.95 now	\$29.78
Program Line Editor	.\$40.00 new	\$34.99
Retro-Ball	\$29.95 now	\$25.99
Space Eggs Mystery House in French	\$29 95 now	\$25.39
Z-80 Softcard	******	\$22.99
Videx 80-Col Board	\$349 00 now \$ \$350 00 now \$	***
Head On	\$24.95 now 1	\$20.00
3D Super Graphics	\$39.95 now	\$35.99
Compu-Math I or II	\$40 00 now	\$34.00
HI-RES Cribbage	\$24 95 now	\$21.99
Phantom Five	\$29 95 now	\$21.40
Star Gazer's Guide	\$30.00 now	\$25,39
	\$30 00 now \$20.00 now	\$16.99
Tawala s Last Redoubt	\$29 95 now	\$25.49
Apple PIE & Formatter (Reg. \$129.95) Apple World	Special	
Apple World ABM (Muse)	\$59 95 now	\$52.99
Data Plot (Muse)	\$24 95 new	\$22.49
Computer Conflict	\$59 95 now	757.99
Computer Combat	\$39 95 now \$59 95 now	\$35.99
Terrorist		\$25.45
The Temple of Apshau		\$33.95
Super-Text II		128.99
Magic Window	\$99 95 now	\$85.00

VISICALC
Thrilogy
Zork
Howardsoft Real Estate Analyz
Super Disk Copy-Sensible
The Landlord
Teacher's Pet (Dynecomp)
Missile Detense
Acant. Fortune-telling
Acant. Fortune-telling
Horriblescope
Gomoku (cass.)
Reversal
16K NEC Memory
Savage Island Adv (cass)
Baker's Tnlogy

SUPER DISCOUNTS

GPPIC SOFTWARE	MEMOR	\$24.
TIPING SOFTWARE		
Crosswords	\$29 95 now	\$25.99
Microgammon II .	\$19.95 now	\$17.99
	\$29 95 now	\$25.99
Dogright	\$29 95 now	\$25.99
Cyber Strike	\$39 95 now	\$36.99
HI-RES Football (On-Line)	\$39 95 now	\$34.99
Fastgammon .	\$24 95 now	
The Voice	\$39 95 now	
Beneath Apple Manor Astro Apple - Akalabeth	\$20 00 now	
Akalahath	\$20 00 now	
ANDROMEDA 16K RAM Expansion Board for Apple	\$34.95 now	\$29.99
Retail is \$195 — Our price		
	6000	\$179.99
Centronics 737 Printer ROM+ w/hiter M&R 80-col. Video Card		
DOM - w/biter	\$995 now	
MS D 90 col Video Cord	\$200 now	\$170.00
Versawriter	\$375 now	
VERBATIM DISKS (Datalife w/hub rings - unmarked	\$249 now	
VERDATIM DISKS (Datalite w/hub rings - unmarked		\$27.99
Spanish Hangman .	\$29 95 now	\$26.99
D.C. Harris + L.C.A.	\$59 95 now	\$49.99
Spanish Hangman Lazer Plus + L.C.A D.C. Hayes Modern Data Capture 4 0	\$379 00 now	
Data Capture 4 0	\$60 00 now	\$52.99
Hyperspace wars .	\$29 95 now	\$25.39
Hyperspace Wars . L.A. Land Monopoly	\$29 95 now	\$25.39
	\$30 00 now	\$26.99
Astroscope The Warp Factor DYSAN DISKS in plastic case "Clock: Time Teaching Program Apple II Animation Package (sublogic) D Datey's Software Library	\$30 00 now	\$26.99
DVCAN DICKE	\$39 95 now	
"Clock Time Teaching Description	181	or \$49.99
Clock Time Feaching Program	\$29 95 now	\$26.99
Dr Daley's Software Library	\$54 95 now	
Physics I (Educ Courseware)	\$79 95 now	
Basic Tutor I-VII (Introduction to	\$24 00 now	\$21.49
Programming) Reg. \$24.00 each Medical Office Management (CMA)	* S	21.49 ea
J&S Computer Chemistry		
	\$150.00 now	\$139.99
POL's Computer Programme	\$14 95 now	\$13.49
PDI's Computer Programming EAI Literal Comprehension (grades 2-4)	\$59 95 now	\$58.99
CAT Literal Comprehension (grades 2-4)	\$39 95 now	\$35.99
COMPAR MATH Grade by Concept	\$495 00 now	
COMPAK MATH Grade by Concept Hartley Prescriptive Math Drill Heithire Warnor	\$79 95 now	
Mimco Joy Stick	\$39 95 now	\$33.99
Scotch Disk Cleaning System	\$60 00 now	
Super Invader/Space Wars		\$26.99
Vicinet	\$29 95 now	\$25.39
Word Fun	\$24 95 now	
Visilist Word Fun Paper Tiger 560G	\$19 95 now	
Mt. Com Music System	\$1795 00 now	\$1499
Apple Menu Cookbook	\$545 00 now \$19 95 now	3477.00
		\$14.99

HUNTINGTON COMPUTING, Dept. CC5 2020 Charles Street

Post Office Box 787

CCA Data Management


Corcoran. California 93212


Order by Phone (209) 992-5411

We take MasterCard or VISA (Include card # and expiration date). California residents add 6% tax. Include \$2.00 for postage. Foreign extra.. Send for free catalog.

UNIT COLOR LA TAMON READER SERVICE CARD

\$99 95 now \$85.00





from one point to another, a line appears on the screen; this is because the beam of electrons lights all the dots between the two points on its way. These individual lighted dots appear to be a line because they are so close together. Enter and run Program 2 to get a drawn line on the screen; if you have a very sharp picture, you may be able to see individual dots.

5 REM PROGRAM 2 10 GRAPHICS 8+16 20 SETCOLOR 2,0.0 30 SETCOLOR 1,0.14 40 COLOR 1 50 PLOT 1,96 60 DRAWTO 319,96 70 GOTO 70

Listing 2.

However, if we trace the line just once, a will stop glowing quickly because when the electrons stop hitting the phosphor, it stops giving of light, Its order to display a line that glows steadily, the beam of electrons has to hit every dot in it over 30 times a second. At that speed, or faster, the phosphor doesn't have time to fade out before the beam energizes it again. If the line is not retracted, or "refreshed." 30 or more times per second, it will start to flicker.

Any steady image you see on a TV screen is being continuously refreshed; the most common refresh rate is 60 times per second. If this refreshing process stops, the TV screen goes blank. Televison stations seen information continuously to the TV, even when the screen is "frozen" (during a test pattern, for instance). An Atari sends continuous signals that mean "READY" to the TV. 60 times per second, when the TV displays "READY" (as right after you switch it on).

In a TV set, the electron beam is moved in a standard pattern, by deflection plates. It starts at the top left and travels down to the lower right, scanning back and forth across the screen. (See Figure 2.) The beam traces hundreds of horizontal lines across the screen. This is called a "ruster scan," and the lines are called "scan lines."

While the beam is being traced in the fixed path, the intensity of the electron gun is varied. Now when electrons hit the screen, the phosphor glows more brightly, and vice versa. By varying the intensity of the beam as it scans across the screen, the screen will show shades of grey.

Let's review what we're covered so far, we'll need it later when we discuss some of the more sophisticated features of the Atari. The phosphor is painted on the inside of the picture tube. Electrons fired from an electron gun cause it to glow. The number of electrons the gun fires determines the brightness of the glowing phos-



Looking Out For You.

The V1000, Vista's sophisticated new disk drive subsystem, sets new standards for ease of access and use. Its innovative design permits disk drives to be mounted or removed quickly and easily for system reconfiguration or servicing.

Features:

- · Deluxe chassis with internal slide allows easy access. Storage capacity from 250 kilobytes to 2.5 megabytes.
- · Desk or rack mountable.
- Accomodates both single-sided and double-sided drives.
- · Industrial quality cabinet with die cast front bezel. Drives pull out for easy service and maintenance.

- Cabinet with (2) single sided drives w/power supply ... \$1595.00



Vista's Line of High Performance, High Reliability Products also Includes these Advanced Components Daisy Wheel Printer Model V300

Features:

 96-character proportional, bi-directional printing Interface Parallel or RS232-C option

Prices: V300-25cps

Minifloppy Disk System, Model V200

Storage capacity from 200K bytes to 1.2 megabytes
 Compatible with industry standard \$100 main frames.

System software Vista CP M'" VOS Disk Operating System and Basic E compiler.

Starting as low as \$695.00 V200-Exidy version \$1199.00



Model V300

Vista Computer Company 1317 E Edinger Avenue • Santa Ana, CA 92705 • (714) 953-0523

Atari Graphics, continued...


phor and allows shades of grey. Finally, the TV traces the beam in a horizontal pattern, left to right, one line at a time, from the top to the bottom of the screen. At the end of the screen, the gun starts all over again at the top.


Well, you ask, "What about color? How does that work?" Color isn't very different from black and white in terms of how it is generated. Instead of a phosphor that glows only shades of grey, the screen is split up into very small dots. Inside of each dot is a place that when hit with a beam of electrons will glow one of several colors. (See Figure 3.) The gun is aimed very precisely at these sub-dots, so that when it is signalled, for example, to show a blue dot at a particular point on the screen, it hits the blue "sub-point" that causes that dot to glow blue. Note that now there is a limited number of dots onscreen, because each color must be represented, packed in next to each other. No dot is located next to another dot of the same color; for example, two blue dots could not be lit, one right next to the other. Every dot fixed in one position, so they cannot be moved. The Atari knows the positions of all the color dots, and draws graphics using them.

All any TV transmitter does is synchronize with the TV and then send it a continuing stream of color and brightness, or unimance, information. The TV handles scanning back and forth and putting the information coming to it onsecree at the right color/luminance. (Ill refer to color and luminance information scolor/lum from now on.) The TV station doesn't specify to the TV just where a given color/lum should be displayed; rather, it sends that information as the time when the TV can will have reached the proper manner. If a fauri works in the same manner, it was the station of the same manner.

An Atari needing to plot a dot at a particular point can't directly ledl the To 'put it here,' and give it X and Y coordinates, Instead, it has to wait until the electron beam has reached those coordinates in its top to bottom scan, then send the TV color/lum information for that dot. Incidentally, the Atari must immediately send information for the next dot over too, and if the one dot is meant to test and out tasis nou example, the next dot over too, and if the one dot is meant to information. Remember that the Atari must do all this sixty times per second to keep a steady TV picture onscreen.

Since the Atari conforms to TV standards, it must display everything with horizontal lines composed of individual dots. This includes lines and characters; all must be composed of these dots at a certain color and certain intensity. Let's examine how the Atari does it for characters.





Character Generation

When you turn on your Atari, the work "READY" appears. We know that the letters of "READY" have to be made out of

dots of various color/lum. Let's find out how the computer does this.

Look at Figure 4. Here we have an "R" with a grid on top of it. Wherever in that

consumer computers

mail ord

formerly Computers 'R' Us

OPEN EVERY DAY 9 to 6 PST California, Alaska & Fareign orders (714) 698-8088 (714) 698-0260 (714) 460-6502 Shipping Information or Backerders call Service Center and for Technical Information

TELEX 695-000 ANS:BETA REF.CCMO

ORDER TOLL FREE 800-854-6654





APPLE II PLUS 48K (APPLE Memary)... 1189 APPLE II Standard Models. CALL DISK II DRIVE & CONTROLLER, 529 This model includes DOS 3 3 16 sector

TOP TIVE SELLERS
Language System W/Pascal
Silentype Pinnter W/Interface
Hayes Micromodem III
Videx Videoterm 80 w/graphics
Z-80 Microsoft Cord
APPLE COMPUTER INC. APIL COMPITE NC.

APIL COMPITE NC.

Applied II Prevove Cord

Applied II Prevove Cord

Applied II Prevove Cord

Applied Interface Cord

Applied Send Interface

Applied Send Interf

CALIFORNIA COMPUTER SYSTEMS

CALIFORNIA COMPUTE SYTHAL
CONTINUENT CONTINU

800 16K \$799



810 Disk Drive 410 Program Recorde 850 Interface Module 822 Thermal Printer (40 cal) 825 Printer (80 cal) Atori 16K Rom Module

DRINTERS

Anodex DP-9500 W/2k Buffer	1375
	1450
Anodex DP-9501 W/2K Buffer	
C Itah Stanwinter 25 CPS	1750
C Itoh Storwiter 45 CPS	2450
Centronics 737	825
Epson MX-70 W/Graphics	449
Epson MX-80 132 Col	620
Paper Tiger IDS-445 W/Dot Plot	749
Paper Tiger IDS-460 W/Dot Plot	1195
Paper Tiger IDS-560 W/Dot Plot	1495
Qume Sprint 5/45 Daisywheel	2550
Silentype w/Interface for Apple II	549
Wotonobe Digiplot	1295

VIDEO MONITORS

mdex/Leedex Video-100 12 B6W



Challenger 4P C4PMF (Mini Floppy System) CIP Model II Sargan II (Disk or Cassette).

APPLE SOFTWA	ARE
DOS Toolkit	65
Appleplot	60
Tax Planner	99
Apple Writer	65
Apple Post	45
D.J. Partfolia Evaluator	45
D.J. News & Quotes Reporter	85
Apple Fortron	165
Apple Pilot	129
DOS 3 3 Upgrade	49
Music Theory	45

ntroller Dus Sys MISC. APPLICATIONS PACKAGES

CCA Data Management DMS	85
Easywriter Word Processor	225
ASCII Express	65
Super Text II	139
Programma Apple Pie	119
The Landlord Apt Mgmt Pkg	049
Peachtree Business Software	CALL
Tax Preparer by HawardSoft	89
Applebug Assem/Disassm/Editor	75
3-D Graphics By Bill Budge GAMES	53
Flight Symulator	34

The Wizard and The Princess	32
Casmas Mission (Space Invaders)	24
Sorgon II Chess	32
Mi-Res Footboll	39
Adventure by Microsoft	2
Phontoms Five	39
Reversol (Othello)	34

ung VSA MASTERCATO AMERICAN EXPRESS DINERS CLUB CANTE BLANCHE on born wire sonate. Credit MC 3% for ML DC 6 CB Med Dotten may send order cod occount murber include explanous deals with the mL 3% officers of the control of the control occount of the control occount of the country opening of the country of the country of the country opening opening of the country opening of the country opening opening of the country opening openin

Triangle as character




Figure 5

grid "R" crosses a square, the square is filled in. Thus we get a rough "R" from the shape of the squares. These squares can be thought of as dots. If we send the TV this dot pattern, line by line, by having it turn on the fill-in dots and leave the others off, an "R" will appear onscreen. Since we've broken the "R" up into eight horizontal segments, the "R" on the TV screen will be eight scan lines high.

"READY" is just a bit more difficult. We must first send the top "slice" of "R," then of "E," then of "A," "D," "Y," then finish out the scan line, then do the next slice down on "R," and so forth. After eight scan lines are done, we'll have our "READY" on the TV screen. Remember we have no choice about what order the lines are plotted in (top to bottom, left to right).

We can display any character we want, or any shape, through these methods. If we wanted to display a triangle onscreen, we'd split it up into eight horizontal segments, each composed of dots, and send that. (See Figure 5.)

Go switch on your Atari and examine the "READY" characters. You'll be able to see the scan lines and individual dots provided the picture isn't too fuzzy.

Remember that the Atari must refresh the TV image 60 times per second, or the dots will stop glowing and fade away. In order to regenerate the image, it must be stored, in some form, inside the Atari, To find out how the Atari stores this image. we'll have to examine (briefly) some concepts of computer memory.

When you turn on your Atari, the word "READY" appears. Let's find out how the computer does this.


Your Atari is equipped with computer memory organized in "bytes." One "byte" is composed of eight "bits." A given amount of computer memory is generally referred to as a certain number of "bytes"; for example, a "48K Apple" is an Apple machine equipped with about 48,000 bytes of memory. (The K refers to "thousand.") Your Atari has a variable amount of memory, depending on how much you buy for it. (Maximum is three 16K memory expansions or 48K; the Atari has limits in its design which prevent it from using any more.)

A "byte" can represent any numberinteger-from 0 to 255. It does this by using unique combinations of the eight "bits" to represent the number. A bit, of which a byte is made up, can represent only a 0 or a 1. Further explanations of this can be found in any discussion of binary arithmetic, and we'll be going into it in a bit more detail soon. However, it isn't necessary for right now to know anything more than this: a byte can be any integer from 0 to 255, and a bit, from which bytes are constructed, can be 0 or 1.

Let's see how this can be used. Our Atari is trying to represent the letter "R" in its memory. It thinks of the "R" as a group of on or off dots. This corresponds nicely to the concept of a "bit"; a 0 can be thought of as an unlit dot and a 1 as a lit dot. Let's go back to our figure of the "R" broken up into dots, and represent it as bits instead. (See Figure 6.)

It takes eight bytes, each composed of eight bits, to store our "R" in the memory of the Atari. When refresh time comes for the "R," it takes the first byte, and sends it to the TV as a blank dot for each 0 bit, and a bright dot for each 1 bit. After completing the rest of the scan line, it does the second byte, or row, of the "R." After eight scan lines are done, the "R" is fin-

R as dot-matrix and bit patterns





sersational software

Greative compating software

Trivia Unlimited



Outdoor Games





Original Adventure Haunted House

Available 7/81

Trivia Unlimited Disk CS-7501 (16K) \$19.95 This is a menu driven version of CS-7001

Hail to the Chief Disk CS-7701 (40K) \$24 95 Cassette CS-7201 (32K) \$24 95

nprehensive election simulation is

Outdoor Games & Haunted House

Disk CS-7502 (40K) \$19.95 This disk contains all five progr

To order any of these software packs send payment plus \$2.00 postage handling per order to Creative Compu Morris Plains, NJ 07950 Visa Master

\$11.95 guires 32K



It's 6:00 pm and you have until midnight to find the secret passageway out of a large rambling HAUNTED HOUSE. During your search you'll encounter skeleton keys, charms, friendly ghosts, and evil spirits. Sound effects add to the eerleness. The layout changes in every game.

Order Today

Morris Plains NJ 07950 Toll-free 800-631-8t t2 In NJ, 201-540-0445

creative computing software

Atari Screen, upper left hand corner shown

ished. Of course, the "READY" must also be represented, so each letter has an eight-byte chunk of memory assigned to

Hence, if the Atari used this approach, we'd need eight bytes for each character onscreen. There are 40 characters per line and 24 lines (960 characters), so this comes out to a memory requirement of

7,680 bytes. In order to clear up any confusion at this point, let's construct an analogy. Imagine a chessboard with 40 squares across and 24 down. On each square we put one letter. This is the Atari's "display memory." When the Atari needs to refresh the screen, it starts at the top left corner of the board, finds an "R," put it onscreen, then "E," and so forth. (Remember that it must do this in slices). Each square thus corresponds to one character displayed on the Atari. Since we're saving the shape of each character in the square, we need eight bytes of memory per square. (See Figure 7.) You can consider the chessboard as stored in memory a row at a time, in one long line.

This approach to display memory is called "bit mapping." The name refers to the fact that every bit in display memory corresponds to a dot onscreen—one-to-one. (The "bit" is "mapped" onto the screen.) It gives you the ability to control any dot on the TV individually. There's just one problem with it, and that's the amount of memory required to do it.

other of the control of the control

(Each "1" is represented by a lit dot, each "8" by an unlit dot.)

Figure 7.

Memory is a scarce commodity in a computer. The cost of 16,000 bytes for your Ataria's \$200 (retail). Dedicating over 8,000 bytes of it to display—one sixth of your total memory if you've spent the money to get the maximum amount—isn't very good. That memory is needed for other purposes, like storing your Basic programs. Let's find a way to use less

memory. (Incidentally, in case you're wondering, the memory is physically located in those cartridges that plug into the top of the Atari, with "8K" or "16K" written on them.)

Remember that in our chessbord (memory), we are saving the shape of every letter on screen. What we could do is define the shape just once for each letter, then in our display memory just tell the Atari where to look for the shape of each character.

To clarify this, let's go back to our analogy. Our 'chessboard' right now has eight bytes in each square defining the shape of each character with bits. Instead of eight bytes, let's assign just one. A byte, you'll recall, can hold a number from 0 to 255. Next, for each character or shape we would ever want to display onscreen, we'll assign a number from 0 to 255. Atari does it like this: A is 33, B is 34, and so forth, for "READY": 50,373,33,573. Other characters, such as commas or asterisks, have their own numbers.

Somewhere in memory we put a complete table of character shapes, eight bytes per character, just as we did before. Given a number—for instance, 33—the Atari can determine its shape from this table ("A"). From this shape it can then display the letter.

Now our 40 x 24 chessboard has just numbers on it. In the upper left hand conert, the first five numbers are: \$0.37.33. 36.57. (See Figure 8.) The Atari knows these numbers to be "READY." via its shape-table, and can through them generate the display. Let's calculate the memory we we used now: 1 byte per character, 40 x 24 screen = 990 characters or 940.

Upper left hand corner of Atari Screen

						88	(blanks)	
						88	(blanks)	
A	A	Α	Δ	A				

Each character now occupies one byte.

FROM ENGLISH TO APPLESOF IN MINUTES WITH C.O.R.P.™ THE FIRST PROGRAM GENERATOR

Just imagine the possibilities you have with a software package that writes other software packages That's what C O R P can do for you. It's so adaptable that the different applications you can create are virtually limitless. C.O.R.P. is the first Combined Operating Re-entrant Programming Data Base Management System (We call it C O.R P DBMS for short.) That compiles information supplied by the user in english into a separate Applesoft Program automatically. C.O.R.P. allows the user to create data-entry application programs, sort, update, copy data, create print application programs and check age routine supplied with the system without writing one line of applesoft or having any programming knowledge. The C.O.R.P. System will also allow the experienced programmer to modify the generated source code to meet a specific application

DATA ENTRY GENERATOR

The Data Entry Generator writes a complete

- FEATURES
- Keyed random access files
- · Access any record in .7 seconds
- Supports record modification/deletion and
- Verification of field types.
- (Alpha/Numeric etc.) Status line continuously displays available file
- ace, number used and % tutt.
- Allows backspacing for editing through characters and fields within current record
- Will accomodate up to 9,999 records per tile
- · Multiple data-bases can be concentrated for
- Record retneval/modification and deletion by any
- Automatic maintenance of all pointers; no separate
- utility required to resolve or maintain pointers. Space compression allows for more storage space
- than standard sequential tiles
- Both random and sequential search capabilities
- File space can be reserved in advance or allocated
- Dynamic allocation/compression provides auto-
- matic re-use of deleted space Direct access to all data-records via master
- Simple easy to use menu driven system prompts you for all necessary information.

 • Field underlining for visual verification of field
- · Creates a screen file tor later modification.
- Number of tields limited only to screen size of 19 lines by 38 characters.

SORT SUBSYSTEM

FEATURES:

- · Sort by any field.
- Ascending or descending
- Uses Shell Metzner Algorithm for sorting
- Sort procedure can rebuild master directory linksge
- Supports total and relative ordered tiles
- Alpha or numberic sorts supported. Uses a single disk, requires no work file

City, State & Zip_

UPDATE SUBSYSTEM

The update subsystem is designed to update any or all information within the data file by user defined mathematical functions. The update subsystem allows the user to define the field, range and type of update to be performed.

FEATURES:

- · Search by any field.
- Update by any field · Include or omit any data based on search para
- · Add, subtract, multipy and divide any constant or
- percentage to any field
 Round from zero to tive places of accuracy
- Fifteen significant digits
- Update by keyed random access
- Update by Alpha/Numerical strings.

PRINT PROGRAM GENERATOR

The Print Program Generator writes a complete applesoft program

- Allows for date, page numbers and heaping, with or without expanded print and underlining
- Program can be written to accompdate any form
- Cross-reference up to four tites simultaneously to
- maximize tile capacity. Print-program data may reside on multiple disks. Automatic random to sequential tile conversi
- Transaction file allows for modification of user defined variables
- Can accommodate any mathematical computation · Allows you to print and update or just update the
- transaction tile Employs high-speed sorting and printing algorithms.
- Program can be written to accommodate any printer type
- Allows computer formatting or user absolute for matting. (checks, invoices, statements) Allows user defined inclusions and ommissions

QUANTITY

DIAGNOSTICS

The C.O.R.P. System comes with its own diagnostic package. This extra feature was designed to add to the effectiveness of the system. The diagnostic routines give you the capability of check ng the operating condition of the hardware and

FEATURES

- Available memory Changing the system functions
- · Disk test Printer test
- Master directory editor
- File logical record length expansion

And more

SYSTEM REQUIREMENTS

- Apple* || plus with auto start ROM
- · 48K of mamon @ Two 5%" Disk Drives
- DOS 3 3 Video Monitor

DOCUMENTATION

The final word is Documentation. We at Maromaty & Scotto know that even the most brilliantly conceived program is useless it you can't understand it. That's why easy to understand material is the distinction between what is merely a good package and a truly The C.O.R P. System user's manual contains

over 90 pages of examples and explanations of the system, and how to use if for maximum efficiency Starting with a hands on step by step process. A glossary and program subroutine cross reterence have been provided to simplify the learning process

PRICE

\$189.95

\$ 5.00

Copyright 1981 Maromaly & Scotto Softwara Corp.

DEALERS INQUIRIES INVITED

SUBTOTAL		-	
Handling and Shipping - Add per order		\$	3.00
\$2.50 charge on all C.O.D.'s		_	
N.Y State residents add 8% sales tax		<u>L</u>	
☐ Payment Enclosed ☐ C.O.D.	TOTAL	_	
\$2.50 savings on all pre-paid orders		1	

DESCRIPTION

C.O.R.P. " System (Complete)

C.O.R.P." Manual Only

Atari Graphics, continued...

bytes. This is one eighth of what we were using before, and this is the technique the Atari uses to store characters. The first 40 bytes of display memory are used to store the first row, the second 40 the second row, and so forth. I should also make clear the point that display memory is a section of regular memory, to cated anywhere, and is physically the same as regular memory, its function is all that makes it display memory, just such the same chips, and what you the same chips, and what physical memory is asigned to what function varies at low that function varies at low that function varies at low the same chips.

In summary, Jet's go through the whole process of displaying a "READY." The Atard determines that it's time for a screen refresh. It starts with the uppermost list of the first character on the upper left-hand corner. It looks to the display memory chessboard, and finds a 50 there. It says "50," to itself. It looks up a 50 in its collection of character shapes, and finds the shape" R." It outputs to the TV the top segment of "R." composed of eight on-off dots from the top slice of the "R" shape (first byte). The TV gets this information, composed of a group of color/lum information, when it is displaying the first eight.

scan line. It repeats this process eight times, at which point the display of the first row of 40 characters, which are eight scan line high, is finished. It repeats this

The Atari uses its display memory in two different ways: either "character addressing," where we reserve one

where we reserve one byte per character, or "bit mapping," where we reserve one bit per each screen dot.

process 24 times for the entire screen. This whole process is completed 60 times a second (See Figure 9.)

Next, let's find out how the Atari handles lines.

dots, and displays them. The Atari then gets the 37, which it outputs as an "E" (top slice only), and so forth for the first scan line. Next, it sets the second byte of the "R," sends that slice, then of the "E," "A," "D," and "Y," with the remainder of the

Lines

Surprise! You already know how lines work. Remember our discussion of "bit mapped" memory? That's how lines are done on the Atari. We have one bit for each dot onscreen, and if that bit is on, the

Atari has the corresponding TV dots witched on each pass. Yes, this uses a great deal of memory. Look in the back cover of your Atari Basic manual. Thereit notes the amount of memory ("Random Access Memory," or RAM required for each Graphics mode. Under Graphics Mode, it says '900 bytes. This compares with our calculated figure of 7.680 bytes. The differences we can attribute to various tables and other data the Atari keeps around in this mode.)

Also examine the number of displayable dots in the X and Y directions for Graphics 8: 320 x 192. Now 320 is 40 (characters) x 8 (bits per character shape horizontally), and 192 is 24 (rows) x 8 (scan lines per character). See? You now have a pretty clear picture of what's going on inside the machine. Just eliminate the character squares on our chessboard, and we'll have 340 x 192 dots, each one represented by one bit inside the Atari (the bits happen to be part of bytes), and you have a representation of how the Atari handles Graphics. In this mode, the first 320 bits of display memory (40 bytes) are the first scan line, the second 40 bytes the second scan line, and so on.

How does the Atari display a line? By turning on the dots onscreen that the line "passes over." Run Program 3, and you'll be able to see the individual dots lit up, as well as how the dots shift over a discrete horizontal amount when they're diagonal.

5 KEM FPOGRAM 3 10 GRAPHICS 8-16 20 SETCOLOP 2.0.0 30 SETCOLOP 1.0.14 40 COLOR 1 50 PLOT 1.1 60 DRHATO 319.1 70 DRHATO 1.191 80 GOTC 90

Listing 3.

The Atari usea its display memory in two different ways: either "character address," where we reserve one byte per character, or "bit mapping," where the character, or "bit mapping," where the character, or "bit mapping," where statistics as lie per each screen do. The statistics as lie per each screen address a statistic as live per can be considered as the statistic as the per can be considered as the statistic as the per can be statistic as the statistic as

Look in the back of your manual again. The Atari has nine Graphics modes which you may access through the BASIC GRAPHICS statement. Graphics 0 is regular character mode. One and 2 are like 0, but the characters are displayed in

expanded form, i.e., stretched horizontally and/or vertically. This results in fewer characters per line, and since we're still character addressing, various combinations of the number of usable X,Y points and the number of colors they can be displayed in (remembering what color a given point is takes more memory; the more colors, the more memory is required). In Graphics 3-7, memory represents not a single dot but a whole group of dots. In other words, every screen dot in that group will have the same color and lum, but the whole group is represented by one memory location. The higher the Graphics mode, the smaller the number of screen dots per group, and the finer the resolution and quality displays possible. Finally in Graphics 8, we have one screen dot per memory bit, and only one color. It takes a lot of memory, as the table shows.

The Atari manual states that only one graphics mode can be used at a timesometimes with a Graphics 0 "window" at the bottom of the screen. When you consider how display memory is organized, this is very reasonable. If we have a character display going, and suddenly decide to switch to Graphics 8, the Atari will start to display the numbers we saved for Graphics 0 as Graphics 8 bit-dot patterns.

For example, if we look at the top left hand corner of the screen (where the "R" is on startup), we would find the first loca-

tion has a 50 in it. This is our "R." In Graphics mode 0, this is displayed as an

"R" eight scan lines high. But, in Graphics 8, this data would be represented by a bit pattern of 0,0,1,1,0,0,1,0. A dot would be lit for each 1, and there would be a dark pattern for each 0. We'd have a random dot pattern on the screen where the "R" used to be, and it would be only one scan line high. Remember, when we use the data in display memory differently, for the different Graphics types, we have to be consistent. There's one other problem. If we switch from Graphics 0 to Graphics 8, our display memory needs are going to go from 993 to 7900. That memory must come from the top of the regular display memory. Unless this memory is zeroes, we'll get dots all over the screen as the bit patterns are represented as Graphics 8 dots

You can begin to see all these graphics modes can bring problems. The Atari people adopted the sensible strategy of not having people call in to complain about incomprehensible manuals and random dots all over their screens when their programs didn't work right, and told their customers nothing besides the fairly foolproof Basic graphics statements. The really good graphics capabilities they left to their engineers, and that's what we're going to explore next month in the second part of this article.



Visa, Mastercharge accepted. Call information. All orders sent postage



CIRCLE 204 ON READER SERVICE CARD



The Apple-Crate is built by the same common than the

(800) 421-0980. In CA (213) 822-8933.



See it at computer stores across the country.

Apple Picture Packer







David Lubar

An Apple disk has a lot of space available, until you start saving hirespictures. Suddenly, 100K becomes very small. At best, you can store I 2 pictures, along with a short program to display them. DOS 3.3 provides a bit more space, but still limits picture storage. Rather than look for more storage room, it seemed logical to try cramming the picture data into a smaller package.

While I had heard rumors that the Wizard of Cupertino knew how to fit more pictures on a disk. I'd never come across a program for doing this. I decided to give it a try. The task turned into something between an addiction and an obsession. I was never satisfied; each time I managed to reduce storage, I needed another sector—just one more, then I'd quit. And so it went for three weekends. I produced one revision after another, ending with Picture Packer 3.0. While there is still room for improvement. I believe the existing version is useful and worth sharing with the Apple community.

The program could have been written in Basic, but it would have been way too slow for any real-time application. Enter machine language — a bit tougher to write the and debug, but a for faster, My goal was to make a table that would contain 8K of hiperiotures contain a fair amount of repetition. A look at screen memory (from \$2000 to \$35FFF for page one of hires graphics) will reveal that pictures tend to contain long strings of identical byes.

Rather than store a series such as 0 (0) 00 004 470 00 000, it seemed reasonable to expect a saving of space by storing a table which said. There are four zeroes, a 44, a 77, then three more zeroes. Using this approach, Picture Packer 1.0 was born. It made a table from screen memory. The table was composed of pairs of bytes; the first byte told how many times in a row the second byte first byte gave the frequency of the second byte which was the second. For example, starting with a series of screen bytes such as 0.0 0.00 0.00 0.00 AA AA AF F0 0.00, the table would contain 0.40 0.03 AA 01 FF 0.00, the table would contain 0.40 0.03 AA 01 FF 0.00, the table would

A test version was written to pack the lo-res screen. If it worked, the change for hi-res would be simple. The program packed a lo-res picture of IK into a total of less than 3/4K. Feeling confident, I changed the pointers and tried packing

The pictures to the left were all scrunched with Picture Packer. The space scene required 14 sectors, "Adventure" took a mere 10 sectors, and "Hail to the Chief" required 19 sectors.



sensational software

creative compating software

Haunted House CS-4005



It's 6:00 pm and you have until midnight to find the secret passageway out of a large rambling HAUNTED HOUSE. During your search you'll encounter skeleton keys, charms, friendly ghosts, and evil spirits. Sound effects add to the eerleness. The layout changes in every game.

Super Invasion

This original invasion game testures superb high resolution; graphics, nail billing tension and hitarious shics by the moon creatures. Fifty-rive alters whit across the across, duckening their descent, challenging your come out from behind your blockades and pick them off with your lasers. A self-running, altract mode makes it easy to learn and demonstrate the game Game paodies.



Outdoor Games





Space War

Cassette CS-4009 \$14 95 Requires 16K Apple II or Apple II Plus



Outdoor Games and Haunted House

Disk 4504, \$24.95 Requires 32K Apple II or Apple II Plus This disk contains all five programs from cassettes CS-4005 and CS-4010

Super invasion Space War

Disk CS-4508 \$29 95

Order Today

To order sny of these software packages end payment plus \$2.00 postage and andling per order to Creative Computing forris Plains, NJ 07950. Visa. MasterCard nd American Express orders may be called

Creative Computing Software Morris Plains NJ 07950 Toll-free 800-631-8112

creative computing software

Appea is the requestioned trademark of Adata Computer. Mc

Picture Packer, continued...

the hi-res screen. The first picture I tested was reduced from 32 sectors (8K requires 32 disk sectors-each disk sector contains 1/4K) down to 22 sectors. I was beginning to feel the thrill of victory when Murphy's law took effect. The next picture went from 32 sectors to 48-not exactly an economical conversion, Looking through the table and the hi-res screen. I noticed a lot of single bytes that didn't have the decency to repeat themselves and make life simple for me. The table saved space whenever there were strings of repeated bytes, but each unique byte required two bytes in the table. For example, the series 00 FF AA 38 would be packed (?) into a table as 01 00 01 FF 01 AA 01 38. Obviously, a slight change in strategy was required.

Looking at screen memory again, I noticed that there were patterns in most pictures. Some had long strings of identical bytes, others contained pairs of bytes such as AA 55 AA 55, while others had groups of four such as 38 FF AA 72 38 FF aa 72. I converted the program, making it go through the screen twice. On the first pass, it packed bytes 1,3,5 ...; on the second pass, it took care of 2,4,6 A series such as AA 55 AA 55 AA 55 would be represented by a table that started with 03 AA, followed by the rest of the first pass. The second pass would start with 03 55. This method succeeded in crunching pictures containing a large number of dupli-

cate pairs.

I was faced with the unpleasant prospect of using different programs for different pictures. But there was a way around this non-utile aspect of the utility. Picture Packer 2.0 made three test packings of the screen. First, it constructed a table made by taking the bytes in order. After saving the length of this table, it did the packing in two passes, taking every second byte, then in four passes, taking every fourth byte. It compared the three table lengths and selected the method which produced the shortest table. This shortest version was repeated, and a byte was placed at the beginning of the table. telling how many passes were made. The unpacking program could use this first byte to tell what kind of table it was working with. The identification byte also served as the offset when stepping through the screen.

This version of the program produced a substantial improvement over the first version. Unfortunately, while some pictures were now being scrunched into as few as 16 sectors, others were still taking up more than 32 sectors. Looking through the table, I found the culprits were the single bytes. Each unique byte required two bytes in the table, and a series of unique bytes really killed any attempts at economy. It was time for a major change in strategy.

There had to be a way to reduce the space taken when storing a long series of unique bytes. Somehow, I had to put even more information in the table while using less space. I decided that instead of representing a series such as AA FF 35 7F as 01 AA 01 FF 01 35 01 7F, I could strip out all the 01's by using a signal byte such as FF, where FF NN would mean that the next NN bytes were unique. Had hindsight been working properly at the time, I would have seen the problem with this approach. However, logic tends to get a bit loose late at night, and I gave the method a try. The results were dismal. At times, I was using three bytes to represent a unique byte. It was rethink time again.

Suddenly, certain pictures were turning into garbage when they were unpacked.

There were two possibilities that needed to be distinguished in the table; either a screen byte was repeated or it was unique. This information didn't require a whole byte-it could be contained in a single bit. At the moment, each frequency byte was in a range from 1 to 256 (\$00 to \$FF with \$00 representing 256 decimal). By reducing the range to a maximum of 128, the high bit would be free. I decided to use the following convention: if the high bit was 0, the rest of the number told how many times the next byte was repeated on the screen. If the high bit was 1, then the rest of the number told how many unique bytes followed in the table. Only one more slight change was required. Since the frequency byte had to be less than \$80 (the high bit of a byte has a hex value of 80 and a decimal value of 128), the allowable range had to be from \$00 to \$7F. To simplify testing in the program, and to allow full use of the range, the frequency was changed to represent one less than the actual count.

Where does this leave us? A series of repeated bytes would still be represented as before, though the frequency byte would be one less than its actual value. So AA AA AA would be represented in the table as 03 AA. A series of unique bytes such as 07 FF 35 42 would be stored as 83 07 FF 35 42. This strategy resulted in only minor changes in the original program, followed by another program which produced the final table. Since this stripped-down table would be shorter than the original version, it could be stored in the same place without overwriting any information.

Basically, any entries in the original table representing repeated bytes would be left unchanged; any series of unique bytes would be shortened considerably by the removal of all those 01's. Picture Packer 3.0 functions fairly well. Pictures with a lot of background can be packed into as few as 11 sectors, while most pictures require around 24 sectors. I managed to cram 21 pictures on one disk under DOS 3.2.1, with lengths ranging from 11 to 29 sectors. Admittedly, some pictures don't pack too well, but in most cases the program does a good job of decreasing storage requirements.

The hidden bug (there's always a hidden bug) didn't appear until after a month of trouble-free use. Suddenly, certain pictures were turning into garbage when they were unpacked. Checking through the program, I discovered that it got confused when doing more than one pass on a picture that had unique bytes at both the start and end of screen memory. The repacking of the table just counted the number of unique bytes, it didn't notice that they belonged to different passes. The problem only appeared on certain Apples. The last eight bytes of screen memory are unused. Normally, this area will contain all 00's or all FF's, depending on the brand of RAM being used. In some Apples, this area will contain FF FF 00 00 FF FF 00 00. In such cases, the final table will be messed up. The fix was simple. At the start of the program, these last eight bytes are set to zero.

Using Picture Packer 3.0 The program contains only relative branches, so it can be placed anywhere in free memory. I usually load it into \$1000. With the program in memory and a picture on hi-res page 1 (\$2000), you simply give the command 1000G from the monitor (assuming the program is located at \$1000), or use CALL 4096 from Basic, In about five seconds, the table is ready. The end of the table is stored in the first two bytes of memory (\$00,\$01). To save the table on disk you need to know the length. Just subtract \$40 from the value in location \$01, and use that for the hi byte of the length. (Since the table always starts at \$4000, the hi byte of the length will be \$40 less than the ending address shown in location \$01.) To get the full length, append the lo byte value from location \$00. For instance, if the first two locations in memory have the values \$A2, \$4C, the length of the table is \$0CA2. (The length is actually \$0CA3, but Apple DOS always stores one more byte than requested.) To put the above example on disk, use BSAVE TITLE, A\$4000, L\$CA2. From Basic, the command would be PRINT DS; "BSAVE TITLE, A\$4000, L"; PEEK (0) + 256 * (PEEK(1) - 64).

Once pictures have been packed, the disk displaying them need only contain,

THE OICE INVOICEY

NEW FOR THE APPLE

Do more than invoices

It isn't just an invoice program. The invoice Factory generates an aged receivable report, a product or customer report, even a yearly bar graph analysis, and much more. You can calculate your yearly, semi-annual, and quarterly business in minutes.

...it's easy

And it's easy to operate. After only a few minutes with the Manual, anyone can enter orders and generate invoices. Your statements are ready automatically with 30, 60, or 90 day analyses. With The Invoice Factory your accounts will stay current and you will know exactly where the money isn't.

...it's ready when you are

We needed this system tool Our bills were going out later and later every month. With today's economy, and money tight, no one can afford to forget those receivables. As bitling became more complex with service and handling charges, we found that we had to have a system to relieve our weary office staff. We had computers that didn't ask for raises or vacations, and didn't get the flu, or come in late; we therefore cre-

ated another 'system that works.' We developed it to work in conjunction with The Data Factory, our data base management system, but it can also stand alone.

...it's automa

The data disks that are generated by The Invoice Factory are fully compatible with The Data and Mini Factory. You just enter an account number and The Invoice Factory goes to work. It retrieves all the account information instantly. Terms of payment, method of shipping. special handling procedures, and even your own seasonal comments are noted. About three hundred accounts can be handled on one data disk. One hundred different products can be listed then tabulated automatically. UPS zones and fees are entered to compute charges quickly and correctly. Taxes can be added if desired. You have to see it operate to appreciate the speed and efficiency of the system.

...it's an investment

With this system, like our others, you can be sure that Micro Lab will add new features to make it even more powerful. By purchasing The Invoice Factory now, you will be able to have your input count. And the next version of the product will

include many of the routines that perhaps you, yourself have suggested.

...it's always there

Again, we offer two identical program disks with each package. You are never without a back up should anything go wrong with the original copy. If you have an Extended Warranty just send the blown disk back to us for a renewal at no additional cost. And when new versions of the system are released, your extended warranty covers that as well. The annual Extended Warranty rate is \$20. Without the Extended Warranty there is a \$10 per disk fee for renewals. You will always have the current version of The Invoice Factory. When we add new features to the program your investment will become more valuable.

...it's available now

Micro Lab has a reputation for quality products. The Invoice Factory is a sure winner. Those that have seen it have been rtuy impressed with the simplicity set power of the system. The Invoice Factory is offered at the introductory price of \$100.00. It requires a 48k Apple II computer with Applesort and two disk drives. Orders must be arranged through your local dealer.



3218 Skokie Valley Road • Highland Park, IL 60035 • 312-433-7550

CIRCLE 156 ON READER SERVICE CARD

Picture Packer, continued...

the unpacking program. Again, it can reside almost anywhere in memory, as long as it doesn't conflict with program storage, screen memory, or table storage. The convenience of relocatability more than makes up for slight inefficiencies that sometimes occur in this type of code. Since the unpacker is only about \$90 bytes long, it can be placed at the start of page 3 (768 decimal) without crashing any DOS hooks. To use it, just BLOAD the table and call the unpacking routine. The picture will be placed back into screen memory in several seconds. A sample program that displays a disk full of pictures is listed below.

10 D\$="": REM CONTROL D 20 PRINT D\$:"BLOAD UNCRAM, A\$1000"

30 GR : PONE -16297,0: PONE -16302

40 FOR I=1 TO 21 50 PRINT D#: "BLOAD PICTURE"; I 60 CALL 4096 70 NEXT I

80 END

A short program for displaying packed pictures.

How It Works

The program first sets bytes \$3FF8-\$3FFF to zero, then defines pointers for the start of screen memory and the start of the table. A flag is used to determine whether this is a test packing or the final run. Two other important variables are used. COUNT keeps track of the number of passes made during any individual packing. OFF is the offset used to get the sequence of screen bytes. This method allows the same program to be used for packing with one, two, or four passes. The main loop of the program starts by taking a byte from screen memory. Then the offset is added to the screen pointer and the next screen byte is compared with the previous byte. If they are the same, the Y register is incremented. When a different byte is found, it's time to make an entry in the table. The Y register is decremented, leaving it in a range of \$00-\$7F, then sent to the table, followed by the screen byte. This process is repeated until the end of the screen is reached.

Now the program has to check to see whether another pass is required for this particular packing attempt. COUNT is incremented and compared to OFF. If COUNT equals OFF, the table is done; if not, another pass is required for this packing. Once all passes have been made, the hi byte of the table length is stored. Next, OFF is doubled. This gives offsets of one, two, and four. Finally, after all versions have been tried, the table lengths are compared. The offset from the shortest table is used, and the flag is set so the program will stop after making this table. (A second might be saved here by changing the

program so the four-pass pack, if the shortest, isn't repeated since the four-pass table is already in memory.) This completes the first portion of the packing. An SFF is tacked to the table, signaling the

Now we have a table that contains pairs of bytes. The first byte of each pair is one less than the number of times the second byte appears on the screen. Next, the table has to be stripped down. The REPACK section first takes a frequency byte from the table. If it is not \$00 or \$FF, then the next screen byte is not unique. In this case, the frequency byte and screen byte are just stored in the table. If the frequency is \$00, the next byte is unique. In this case, the program branches to SIN-GLE. Here, unique bytes are stored until a frequency other than \$00 is found. Y is

Rather than look for more storage room. it seemed logical to try cramming the picture data into a smaller package.

used to count the number of unique bytes. When a frequency other than \$00 is found, it's time to put the information in the table. Y is decremented by one, then EORed (Exclusive OR) with \$80, setting the hi bit. After Y is placed in the table, the unique bytes are stored. This whole process is repeated until the table end (marked by \$FF) is found. We now have a packed table representing screen memory.

Unpacker 3.0 reverses the process, turning the table into screen data. After the pointers are set up, a byte is taken from the table. If it is \$80 or greater, then the next series of bytes are unique. In this case, the program branches to SING. Here, the hi bit is stripped and Y is incremented by one so it will represent the actual number of unique bytes following it in the table (remember, Y was decremented by one during the packing phase). The next Y bytes are sent to the screen. Again, the offset is used to increase the screen address, allowing the program to unpack tables made with any number of passes.

In the case of repeated bytes (marked by a frequency byte that is less than \$80) the next byte is sent to the screen Y times (after Y is incremented by one). When the end of screen memory is reached, a check is made to see if another pass is required. If not, the unpacking is finished.

Final Notes

As I said, the program is not perfect. I've encountered several pictures that couldn't be reduced. The packing provided no saving of space. But, in most cases, picture storage can be significantly reduced. Those of you who like to experiment might want to rewrite the program so it steps through screen memory not in ascending order, but in the same order used by the memory mapping. You could also try stepping past the unused bytes in screen memory which occur at \$XX78-\$XX7F and \$XXF8-\$XXFF.

The program puts the picture on the screen rather quickly, with visual effects that vary depending on the number of passes used. Beyond being used to store a series of pictures, the program could be handy if you have a large program or set of programs on a disk and want to add a title picture. It's no longer necessary to set aside 33 sectors for this. Also, Unpacker 3.0 is handy when you are making changes to a picture. By keeping the table in memory, a damaged picture can be quickly restored by unpacking it back to the

The same approach could probably be used on the Atari. The packing would probably be even greater since Atari doesn't use the same strange odd-even hi bit technique that adds complications to Apple pictures. Any memory mapped screen could be packed this way, including the lo-res PET or TRS-80 screen (of course, a TRS-80 version would have to be rewritten in Z80 code).

I'll probably get hooked again some time and try to knock a few more sectors off the pictures. Perhaps this program can be improved. Perhaps another approach is needed. Whatever, I hope Picture Packer 3.0 and Unpacker 3.0 prove useful.

UNEMPLOYMENT OFFICE

"So I said to my boss, 'Look, meathead, I've forgotten more about computers than you'll ever

Introducing . . . Sambiet'80

A Microcomputer Chess Program in a Class of As Oven

Gambiet '80 is rapidly gaining the respect of chess enthusiasts worldwide.

Designed for the TRS80, Level II with 16K of RAM.

Gambiet '80 offers six levels of play, graphic board display, chess clock, "take-back" facility and many other features.

Gambiet '80 is available at a very conservative price, \$39.95.



Please ser	nd	_ copies	of	Gambiet	'80	ଜ	\$39.95	ea
Name								
Address _								
City			St	ate	Zip			
Phone ()							
Check		Masterca	rd _		Visa			
Card #				Expir	Date			

MICROTREND, U.S.A.

1900 Plantside Drive Louisville, KY 40299 1-800-626-6268

CIRCLE 233 ON READER SERVICE CARD

Signature

Challenging new adventure...



It's Clever & Witty

You are invited into the minds of Dale and Christine Johnson. This challenging and intriguing adventure game demands all of your resources to solve its puzzles.

Mad Venture provides whimsical puzzles, mind bending riddles, and a refreshing sense of humor. Cleverly written clues occur in new and unusual ways. This is a game in which a group can participate—all offering ideas and suggestions to outwit the creative genius of the authors.

Prize Offered

CRC

Only the very skillful will get every treasure to can negotiate this difficult task to within 2 moves of perfection. For the first truly unique person to accomplish this feat, Micro Lab will award one copy of any program we produce.

First of a Series

We are certain that you will lose many hours of the third pay of the third pay of the third pay of the out the intricate passages and logical solutions. But never fear—there is a game saving feature which allows you to continue later in the same place where you ended. Mad Venture, the first in a series of intriguing adventure games by the Johnsons, will bring a new level of difficulty to computer adventure.

Available Now

This game will be a classic of its type. It is available for the Apple computer with 48K for \$24.95. See it at your local Apple dealer.



3218 Skokie Valley Road • Highland Park, IL 60035 • 312-433-7550

Apple is a trademark of Apple Computers, Inc.

© 1981, Micro Lab, Inc.

If you're serious about expanding the horizons of your TRS-80*, then our professional quality software programs are for you:

DISK EDITOR/ASSEMBLER: full screen UISA EUITUR/ASSEMBLER; full screen editing; modular source and object; relocation; link editing; symbol fable with XREF, 8 character symbols; Mod 1 32k disk #1050-10 \$149.00 Mod 3 32k disk #1250-10 \$149.00 TAPE EDITOR/ASSEMBLER: available 8/81: supports relocatable object; Symbol table with XREF Mod 3 #1250-20—\$49.95

FULL SCREEN PROGRAM TEXT
EDITORS: full cursor and scrolling
control: block move/copy/delste. global
lind and change
For tape and disk BASIC
Mod 1 #1010-20—524.95
Mod 3 #1210-20—529.95
For EDITASM source lites
Mod 1 #1010-21.—524.95

Mod 1 #1010-31-\$34.95

XBUG: Self-Relocating Debug Tool and Monitor with multi-speed single step leature

Mod 1 #1020-10--\$19.95 Mod 3 #1220-10--\$19.95 Note these products are not available for

level 1 When ordering specify Model. RAM size.

ol disks Send check, money order, or MC/VISA numbers and expiration date to Computer Applications Unlimited P.O. Box 214, Dept 600
Rye, New York 10580

N Y State residents add applicable sales tax Allow 4-6 weeks for delivery Dealer Inquiries Invited

COMPUTER APPLICATION UNLIMITED IN **APPLICATIONS**

Quality · Reliability · Service *TRS-80 is a TM of Tandy Corp

Picture Packer, continued...

ı	:ASM					
		1	*FICTURE	UEB	#1000	
		3 4	SCLO SCUT	EQU EQU	0	:POINTEPS TO SCREEN MEMORY
		5	SCHI TABLO TAEHI	EQU	2 3	POINTERS TO TABLE
		6 7	OFF	EGU	4	*OFFSET FOF STEPPING THROUGH SCREEN
		8	COUNT FLHG	EQU EQU	5 6	COUNTER FOR PASSES INCICATES TEST PASS OR FINAL PASS
	1000: A9 00	10	FLAG1 FIX	E0U LDA	7	*TAKES CARE OF A SMALL *BUT DEADLY BUG BY
	1002: A2 08 1004: 9D F8 3F	11 12 13	FIX	STA	##08 #3FF3,	X : ZERGING THE LAST
	1007: CA 1008: 10 FA	14 15		BFL	FIXI	EIGHT BYTES OF SCREEN MEMORY
	100A: A9 00 100C: 85 06	16 17	SET	LEH STA	##0 FLAG	;INDICATE TEST PASS
	100E: A9 01 1010: 85 04	18 19		LDA	##1 OFF	START WITH SINGLE PASS
	1012: A9 01 1014: 85 02	20	SET1	LEA	W#1 TAELD	SET THBLE POINTERS
	1016: A9 40 1018: 85 03	20 21 22 23 24 25 26 27 29		LDH STH	##40 TABHI	
ı	101A: A9 00 101C: 85 05	24		LDA	#0 COUNT	SET UP COUNTER TO KEEP TRACK OF PASSES
۰	101E: A9 20 1020: 85 01	26	SET2	LEM	##20 SCHI	SET SCREEN POINTERS
ı	1022: A5 05 1024: 85 00	28		LDA	COUNT	:VALUE IN COUNTER GIVES :LO BYTE OF SCREEN START :ZERO X AND Y
	1026: A9 00 1028: AA	30 31		LDA	#\$0	ZERO X AND Y
	1029: 48	32 33	START	TAY	1001.0	X + GET A BYTE FROM THE
ı	1020: 48	34 35	LOOP	PHH LDH	SCLO	SCREEN AND SAVE IT SGET NEXT ADDRESS BY
	1020: A5 00 102F: 18 1030: 65 04	36 37		CLC	OFF	ADCING OFFSET TO SCREEN
ı	1032: 85 00 1034: 90 08	38 39		STH	SCLO	:POINTER
ı	1036: E6 01 1038: A5 01	40		INC LDA	SCHI	CHECK FOR END OF SCREEN
ı	103A: C9 40 103C: F0 20	42 43		CMF	##40 DONE	CHECK FOR END OF SCREEN
ı	103E: 68	44 45	CONT	FLA		PECOVER SCREEN BYTE
ı	103F: C8 1040: 30 04 1042: C1 00	46 47		BMI	PAGE	COUNT THE FREQUENCY OR REPEATS :MAXIMUM IS \$30 X) :LOOK FOR A DUPLICATE
ı	1044: F0 E6	48		BEO	LOOP	SCREEN BYTE
ı	1046: 48 1047: 88	49 50	PAGE	PHA	LOOP	SHUE SCREEN BYTE SHUE SCREEN BYTE
ı	1048: 98	51 52		TYA		X) :PUT FREQUENCY IN TABLE
ı	1049: 81 02 1048: E6 02 1040: D0 02	53 54		INC	THELO CONT1	INCREASE TABLE POINTER
ı	104F: E6 03 1051: 68	55 56	CONT1	INC	TARHI	DECOMED CORES BUTE
ı	1052: 81 02 1054: E6 02 1056: D0 02 1058: E6 03	57 58	00111	STH	TABLO	PECOVER SCREEN BYTE -N: SEND IT TO THE TABLE :INCREASE POINTER AGAIN
ı	1056: 00 02 1058: E6 03	59		BHE	CONTZ	THEFERSE TOTALER HOMEN
ı	105A: AU 00	61 62 63	CONTZ	LDY	##Ø ETHPT	PUT FREQUENCY BACK TO 0
ı	105E: 98 105F: 81 02	63 64	DONE	TYP		SEND FINAL FREQUENCY OF
ı	105F: 81 02 1061: E6 02 1063: D0 02	65		INC	THBLO	The trace
ı	1065: E6 03	66 67 68	CONTS	INC PLH	TABHI	FECOVER FINAL SCREEN BYTE
ı	1068: 81 02 1064: E6 02	69 70 71 72 73 74		INC	THELO	FECOVER FINAL SCREEN BYTE (X) SAND SEND TO TABLE
ı	106C: D0 02 106E: E6 03	71 72		BNE	CONT6 THBHI	
ı	1070: E6 05 1072: A5 05	73 74	CONT6	INC	COUNT	: INCPEASE COUNTER :IF COUNT=OFF, THEN ALL
ı	1074: C5 04 1076: C0 A6	75 76 77 78 79		SNE	SET2	*PASSES ARE DONE FOR THIS TRY
1	1978: A5 86 1974: G0 20 1971: A5 83	78		LEA BNE		
ı	107E: Hr 04	79 80	NE':T	LDH LD	THEHI	**NO. GET DUT **7E
ı	1080: 95 06 1082: 45 04	81		ETH	FLAG.Y	SHETER HLL TRIES HEE DONE

134

DISCOVER THE 6809 IN YOUR COLOR COMPUTER

Now you can explore the Radio Shack Color Computer's impressive potentials—as an inexpensive development system, a color peripheral, a process controller—ad infinitum. The Micro Works introduces these powerful software to

MONITOR TAPE: A cassette tape which allows you to:

• Examine or change memory using a

- formatted hex display

 Save areas of memory to cassette in
- binary (a "CSAVEM")

 Download/upload data or programs to
- a host system
- Move the video display page throughout RAM
- Send or receive RS-232 at up to 9600 baud
- Investigate and activate features of your computer, such as hi-res graphics
- or machine-language music

 Use your color computer as an intelligent peripheral for another computer,

a color display or a 6809 program development tool The monitor has 19 commands in all, and is

relocatable and re-entrant. 80C Monitor Tape Price: \$29.95 MONITOR ROM: The same program as the monitor tape, supplied on ROM. This allows BASIC to use the entire RAM space. And you don't need to re-load the monitor each time you use it. The ROM plugs into the Extended Basic ROM Socket or a modified ROMPACK.

80C Monitor ROM Price: \$39.95

CBUG IS HERE!!

INSIDE THE COLOR COMPUTER: This package is a disassembler which runs on the color computer and enables you to generate your own source listing of the BASIC Interpreter ROM. Also included is a documentation package which gives useful ROM entry points, complete memory map, I/O hardware details and more. Disassembler features include crossreferencing of variables and labeis; output code which can be reassembled; output to an 80-column printer, small printer or screen; and a data table area specification which defaults to the table boundaries in the interpreter ROM. A 16K system is required for the use of this cassette. 80C Disassembler Price: \$49.95

Mastercharge and BankAmericard

"MICRO WORKS

P.O. BOX 1110 DEL MAR. CA 92014 714-942-2400

CIRCLE 245 ON READER SERVICE CARD

NEW ART FORM.

micro lab presents
PAINTER

POWER BY ERIC PODIETZ

Be an Artist

No longer do vou need art skills to create bold abstracts or impressionistic landscapes. Using "Painter Power," are able to achieve new effects that cannot be duplicated on canvas. Eric Poeditz has produced a fascinating new art form which can be mastered by anyone. Using his skills as an artist and programmer, he has been developing this extraordinary graphics program for over a year, showing it to both children and adults in an artmobile and a museum. The technique is now perfected. Take control of the power and speed of the computer and free your artistic imagination and creativity. Micro Lab is offering you the opportunity to create works of art in a new and exciting medium.

Endless Possibilities

First, with the keyboard, paddles or

a joy stick for your paintbrush, you draw a line pattern. Use any or all of six high resolution colors to produce many more multi-colored images. Choose the speed level to determine the repetition time. Then watch as the program takes over to expand it into new dimensions, repeating your design with artistic spon-taneity. Change colors or include a new shape at any point. You will be absorbed for hours manipulating your design into new arrangements of color and form. Add the finishing touches along with your name or a title to the picture. Then frame it and save it on a disk. Thus you have an original piece of computer art. Arrange a special showing of your unique creations.

There are two modes—one for the beginner and another for the more advanced user. The latter mode allows you to control the paint brush to change the CIRCLE 152 ON READER SERVICE CARD

size of your strokes. You may also repeat your patterns in different ways for new textures. Although you work with non-brush at a time, up to eight are you selected. You may choose specific shapes within the program as pattern, i.e., circles and elipses, then use your computer to scale them to the size you wish. The beginner version, with a simchildren, on especially autted for children.

Enter our Art Fair

Micro Lab is sponsoring a computer art fair of your creations. The winning entry will be featured in a leading computer magazine. All entries received by September 30th will be considered for this showing. Proof of purchase of the program is required to enter.

"Painter Power" will create a gallery of computer art on an Apple with 48K and a disk drive. You will also need Applesoft in ROM or a language card. The program sells for only \$29.95. See a demo at your dealer.



3218 Skokie Valley Road Highland Park, IL 60035 • 312-433-7550

Highland Park, IL 60035 • 312-433-7550



APPLE II PLUS: YOU SAVE 16K \$1049 22% 29% 48K \$1099 64K \$1269 27% Call Apple III

All are 1981 model with Apple RAM. 64K unit is 48K unit with Microsoft 16K RAM board.

IMPORTANT NOTE: We are an authorized dealer and repair center and will repair all Apple equipment regardless of where you purchased It.

SAVE

Disk II & 3.3 Controller	\$ 499	23%
Disk II	\$ 439	18%
Micro Sci A70 for Apple II		
286K 5" Drive	\$ 499	18%
3.3/Pascal Controller	\$ 79	20%
Moniters, Sanyo 9° B&W	\$ 189	30%
12" B&W	\$ 249	21%
12° Green	\$ 299	21%
13° Color	\$ 449	20%
RF Moduletor, M&R	\$ 25	38%
Serial Intertace Card	\$ 129	35%
Apple Writer program	\$ 59	21%
Visicale	\$ 119	21%
80 Column Video:	. 110	217
Apple Smarterm	\$ 299	17%
Videx, Videoterm	\$ 249	18%
M&R, SupeRterm	\$ 319	14%
Lenguege/Pascel Sys.	\$ 379	24%
Microsoft:	3 3/8	2974
Z80 Softcard	\$ 250	28%
16K RAM Card	\$ 189	
Silentype printer w/IF	\$ 189	16%
Centronics 737	\$ 759	26%
Interface & cable	\$ 149	23%
Epson MX 80	\$ 475	27%
" Interfece & cable	\$ 95	15%
DC Hayes Micromodem	\$ 299	23%
10 Memorex 5" disks	\$ 25	45%

"Insoft Accountant" \$ 385 66% Turi professional quality intergrated GL, A.R. A.P. Payroll package with holline support. Send for tree sample printouts.

10 Mexell 5" disks

Accounting Software

(800) 547-1289

TECHNICAL & OREGON: (503) 899-7297

Computer

Jacksonville, OR 97530

Picture Packing, continued... 1084: AH 1085: 85 04 MODELE OFFSET OFF THATE 1. 2, AND 4 PASSES BEEN TRIED? BET1 IND. GO BACK :/ES, CHECK STORED TABLE :LENGTHS TO FIND SHORTEST :METHOD OF PACKING 1088: 1088: A0 01 1080: H5 07 ##1 08F: 05 08 46 02 45 08 1095: \$H TESTI TEST1 109E: HO 04 84 04 :SAVE OFFSET OF BEST :METHOD AND PUT INTO TABLE 99 80 SET FLAG TO INDICATE 10A2: H9 01 #1 10H4: IGO BACK FOR FINAL PACE : MHPK END OF TABLE 10HH: 81 02 TABLO . X #SECOND. BEGINS HERE :SET FOINTERS USING 10AC: 49 REFACK THELO AND TABHI FOR OPIGINAL 10HE: 85 02 THBLO 1080: 35 00 10B2: A9 40 :USED FOR NEW TABLE 10B4: 85 03 THEHI 10B6: 85 01 10B8: A2 00 10BH: AL (TABLE N) SET FREQUENCY SINGLE SE SIGNIFIES UNIQUE BYTE FOLLOWS SOMES SEND OF OLD TABLE MARKED BY SFF 10BC: F0 10BE: 30 (BCLO, X) #FOR FREQUENCIES FROM 1 TABLO #TO #FF. FREQUENCY AND 1000: 81 00 1002: E6 02 1004: D0 02 ISCREEN BYTE HRE SENT 18C4: D8 82 18C6: E6 83 18C8: E6 88 18C8: E6 88 18CC: E6 81 18CE: A1 82 18D0: 81 88 18D2: E6 82 18D4: D8 82 18D6: E6 83 FRIGHT TO THE TABLE THELO.X THBLO TABHI 10D8: E6 00 10D6: D0 DE 10DC: E6 01 LOOP3 :ALWAYS TAKEN
:EXIT POINT FROM ROUTINE
:UNIOUE BYTES ARE HANDLED HERE
:SET POINTERS FOR TEMPORARY 100E: DO DH LOOP3 BNE 10E0: 60 DONE 2 10E1: A3 SINGLE 10E2: 85 06 FLAG 10E4: A9 03 #3 ISTORAGE IN PAGE 3 10E62 85 07 FLHG1 10E8: E6 02 10E4: D0 02 L00P4 TABLO 10EC: E6 03 TARHT 10EE: A1 02 10F0: 91 06 (TABLO:X) :GET SCREEN BYTE FROM (FLAG::Y :TABLE AND STORE IN PAGE 3 10F2: TABLO 10F4: D0 02 10F6: E6 03 10F8: C8 10F9: 30 04 THEHI 10FB: H1 02 10FD: F0 E9 LDA 10FF: 88 PAGE DEY 1100: 1101: 09 80 ORA 1103: 81 00 1105: E6 00

*INCREASE COUNT OF UNIQUE BYTES
PAGE2 1VALUE CAN'T BE ABOVE \$80
*THBLO.X) 1GET NEXT FREQUENCY BYTE
LOOP4 IF HANDTHER STINGLE. THEN GO BACK
1AC JUST FOR \$00~\$7F RANGE

##SO :SET HI BIT -SCLO, N.F.: SEND IT TO NEW TABLE SCLO CHITE

FESTORE TO ORIGINAL VALUE (FLAG. 2) FAND USE AS COUNTER SOLO 10 FMHILE SENDING UNIQUE FLAG BYTES TO THE THBLE

> :DONE WITH DATE IN PAGE 3? THE KEEP GOING

111B: FØ 90 --- END HSSEMBLY -TOTAL EPROPS: 0

1119: DØ

1107: DO 02 1108:

1100: H1 110E: 81 00

285 BYTES GENERATED THIS ASSEMBLY

The Sinclair ZX80 is innovative and powerful. Now there's a magazine to help you get the most out of it.

Get in sync

SYNC magazine is different from other personal computing magazines. Not just different because it is about a unique computer, the Sinclair ZX80 (and kit version, the MicroAce). But different because of the creative and innovative philosophy of the editors.

A Fascinating Computer

The ZXB0 doesn't have memory mapped video. Thus the screen goes blank when a key is pressed. To some reviewers this is a disadvantage. To our editors games could be written to take advantage of the screen blanking. For example, how about a game where characters and graphic symbols move around the screen while it is blanked? The object would be to crack the screet code goverring the movements. Voila! A new game like Mastermind or Black Box uniquely for the ZXB0.

We made some interesting discovernes soon after setting up the machine. For instance, the CHR\$ function is not limited to a value between 0 and 255, but cycles repeatedly through the code (CHR\$ (9) and CHR\$ (26) and (CHR\$ (26) and CHR\$ (26)

Or consider the TL\$ function which strips a string of its initial character. At first, we wondered what practical value it had. Then someone suggested it would be perfect for removing the dollar sign from numerical inputs.

Breakthroughs? Hardly But indicative of the hints and kinds you! If find in every roll the hints and kinds you! If hind in every roll sissue of SYNC. We intend to take the yond, finding new tricks and tips, new applications, new ways to do what couldn't be done before SYNG functions on many levels, with tutorials for the be-prise coming back for more well show you how to duplicate commands available in other Basics. And, perhaps, how

to do things that can't be done on other

Many computer applications require that data be sorted. But did you realize there are over ten fundamentally different sorting algorithms? Many people settle for a simple bubble sort perhaps because it's described in so many programming manuals or because they've seen it in another program. However, sort routines such as heapsort or Shell-Metzner are over 100 limes as fast as a bubble sort and may actually use less memory. Sure, it's of memory sint a lot to work with, but it can be stretched much further by using innovative, clever coding. You'll find this type of help in STNC.

Lots of Games and Applications

Applications and software are the meat of SYNC. We recognize that along with useful, pragmatic applications, like financial analysis and graphing, you'll want games that are fun and challenging, in the charter issue of SYNC you'll find several games. Acey Ducey is a card game in which the dealer (the computer) deals two cards face up. You then have an option to bet depending upon whether you feel the next card dealt will have a value between the first two.

In Hurkle, another game in the charter issue, you have to find a happy little Hurkle who is hiding on a 10 X 10 grid. In response to your guesses, the Hurkle sends our a clue telling you in which direction to look next.

One of the most ancient forms of arithmetical puzzle is called a "boomerang." The oldest recorded example is that set down by Nicomachus in his *Arithmetica* around 100 A.D. You'll find a computer version of this puzzle in SYNC

Hard-Hitting, Objective Evaluations

By selecting the ZX80 or MicroAce as your personal computer you've shown that you are an astute buyer looking for good performance, an innovative design and economical price However, selecting software will not be easy. That's where SYNC comes in. SYNC evaluates software peckages and other peripherals and doesn't just publish manufacturer descriptions. We put each package through its paces and give you an indepth, objective report of its strengths and weaknesses.

SYNC is a Creative Computing publication Creative Computing is the number 1 magazine of software and applications with nearly 10,000 circulation. The two most popular computer games books in the world. Basic Computer Games (combined sales over 500,000) are published by Creative Computing Creative Computing Software manufactures over 150 software packages for six different personal computers.

Creative Computing, founded in 1974 by David Ahl, is a well-established firm committed to the future of personal computing. We expect the Sinclair ZX80 to be a highly successful computer and correspondingly, SYNC to be a respected and successful magazine

Order SYNC Today

To order your subscription to SYNC, in the USA send \$10 for one year (6 issues), \$18 for two years (12 issues) or \$24 for three years (18 issues). Send order and payment to the address below or call MasterCard, Visa or American Express orders to our toll-free number.

Subscriptions in the UK are mailed by air and cost £ 10 for one year, £ 18 for two years or £ 25 for three years. Send order and payment to the UK address below.

Canadian and other foreign surface subscriptions cost \$15 per year or \$27 for two years and should be sent to the USA address.

We guarantee your satisfaction or we will refund your entire subscription price.

Needless to say, we can't fill up all the pages without your help. So send in your programs, articles, hints and tips. Remember, illustrations and screen photos make a piece much more interesting. Send in your reviews of peripherals and software too —but be warned: reviews must be in-depth and objective. We wantly out orespect what you read on the pages of SYNC so be honest and forthright in the material you send ous. Of course we pay for contributions—just don't expect to retire on it.

The exploration has begun. Join us.



39 East Hanover Avenue Morris Plains, NJ 07950, USA Toll free 800-631-8112 (In NJ 201-540-0445)

27 Andrew Close, Stoke Golding Nuneaton CV13 6EL, England

EXPENSIVE PROGRAMS

Up to 27 high-quality programs for TRS-80, only \$10.95

NewDOS-80-New Low Price! Successor to NewDOS+, same package for which you pay \$149 elsewhere, at CIE just... \$99.95

SuperPIMS-People's Database SuperPIMS—People's Database
This bashengerst speeded apa damphiled,
with markine inaquage serie, say debouse,
with markine inaquage serie, say debouse,
andrears model in labels or report. Up to 20
floods, limited by 340 character maximum per
morpe flies, som or severage says fleets
Customized for laps, says deliat, 200m, TCB Poor
Logical Cardiological Control of the Control
Logical Cardiological Cardiological Control
Logical Cardiological Cardiological Control
Logical Cardiological Control
Logical Cardiological Cardiological Control
Logical Cardiological Cardiologic

mailer svailable'
program (CIE)
book, details nace (CIE)
\$19.95 (\$21.15 CA)
\$11.95 (\$12.87 CA)

PASPATCH PasPatch, Tape 6P, makes Tandy tiny Pascala powerful disk system! Modniar Software Assoc \$15.95

Level II Tapes

'Tiny' Pascai rans on any 16K Leveill system, in-cludes the programming structuring capabilities of fall Pascal, but not data structuring

Able to compile Z-80 machine code, programs run about 5X faster than Levelll Basic—graphics run eight times faster! Requires nse of T-Bug (or Tape 7) and ETASM

Tape 1, 34 buis , edu , game progs 310 35 Tape 2, 77 programs from Osborne book Bome Com mo n Saste Programs 310 35 Tape 5, 24 buis , edu , game progs. 310 35 Tape 6, 26 buis , edu , game progs. 310 35 Tape 6, 0, inc 47 tape speedup 310, 35 Tape 6, 0, inc 47 tape speedup 310, 35 Tape 10, income tas, cherck get 310, 35 Tape 10, income tas, cherck get 310, 35 Tape 10, income tas, cherck get 310, 35

TAPE 9: 25 programs!

TAPE 2: 25 programs:

proposed Schwarz pase, past out, contains 15 proposed Schwarz pase, past out, contains 15 proposed Schwarz pase, past out, contains and contains an advanced schwarz sumber to save from hexadecimal, derimal, orth, hexary-from any one to any other past of the contains and contains an advanced schwarz past out, and the law of the Richard Regimenting (Dazzarminel Residuous soften Postert Michardone contributed three Basic programs and the past of the contains and the contains

code il adondi. Los divolori primitara, simbato code il adondi. Los divolori primitara, simbato con il adondi. Il controli primitara pri

All orders charge card, check or m.o. Calif. residents add 8 pct tax Desier inq invited Ocarsess. add \$1.50 per tape postage

Box 159 San Luis Rey CA 92068

CIRCLE 124 ON READER SERVICE CARD

1 HS21	T.	HUMPHOKE	R 3, 0				
	W-10.04 WIN	SCLO SCHI TABLO TABHI OFF COUNT	EQU EQU EQU EQU EQU EQU EQU	#900 0 1 2 3 4 5			
0900: HD 00 0 0903: 85 04 0905: A9 01 0907: 85 02 0908: A9 40 0906: 85 03 0900: A9 00	10 11 12 13 14 15 16	SETUP	LDA STA LDH STH LDH STH LDH TAX	#4000 OFF #1 TABLO ##40 TABHI #0	19ET NUMBER OF PASSES IFFON TABLE AND USE FOR OFFSET ISET UP POINTERS TO TABLE		
0910: 85 05 0912: A9 20 0914: 85 01	18	SET2	STA LDA STA	00UNT ##20 30HI	START COUNT AT 0 SET SCREEN POINTERS		
0916: 45 05 0918: 85 00 091A: A1 02 091C: 30 3A	20 21 22 23	START1	STA LDA BMI	COUNT SCLO TABLO SING	#USE COUNT FOR LO BYTE #OF SCREEN START #XX #GET FREQUENCY BYTE #IF HI BIT IS SET. UNIQUE BYTES FOLLOW		
091E: E6 02 0920: D0 02 0922: E6 03 0924: A8	24 25 26 27 28 29	CON1	INC BHE INC TAY	TABLO CON1 TABHI	:MOVE THROUGH TABLE TO GET :SCREEN BYTE :PUT FREQUENCY IN Y		
0925: C8 0926: A1 02 0928: 81 00	30	LOOP1	INV LDA STA PHH	(TABLO (SCLO)	: SAVE IT		
092A: 48 092B: 45 00 092D: 18 092E: 65 04 0930: 85 00 0932: 90 08 0934: E6 01 0936: A5 01	31 32 33 34 35 36 37 38		CLC ACC STH BCC INC LDA	OFF SCLO CON3 SCHI SCHI	ADD OFFSET TO SCREEN POINTER		
0938: C9 40 093A: F0 0C 093A: F0 0C 093C: 68 093D: 88 093E: D0 E8	39 40 41 42 43	COH3	CMP BEQ PLA DEY BNE	#\$40 OUT1	FEND OF SCREEN? FYES FYES FOR SCREEN BYTE BACK FOR SCREEN BYTE BACK FOR SCREEN SENDING FOR SAME BYTE TO SC		
0940: E6 02 0942: D0 D6 0944: E6 03 0946: D0 D2	44 45 46		INC BHE INC	TABHI	GET READY FOR NEXT ENTRY AND GO BACK		
0948: 68 0949: E6 02 0948: D0 02	47 48 49 50	0UT1 0UT2	PLA INC BHE	TABLO CON9	SALWAYS TAMEN RESTORE STACK		
094D: E6 03 094F: E6 05 0951: A5 05 0953: C5 04 0955: D0 BB 0957: 60	51 52 53 54 55	CON9	INC LDH CMP BME RTS	COUNT COUNT OFF SET2	FINCREASE COUNT AND SCHECK WHETHER ANOTHER PASS IS NEEDED TYES, GO BACK		
0958: 49 80 0958: A8 0958: C8 095C: E6 02 095E: D0 02	56 57 58 59 60	SING	EOR TAY THY THO BNE	#\$80 PUT AND TABLO LOOPS	(NO. ALL DONE :REMOVE HI BIT FREDUENCY OF UNIQUE BYTES IN Y RESTORE TO ACTUAL VALUE :GET NEXT SCREEN BYTE FROM TABLE		
0960: E6 03 0962: A1 02 0964: 81 00 0966: E6 02	61 62 63 64 65 66	LOOPS	INC LDA STA INC BNE	TABHI (TABLO (SCLO, TABLO CON6	XX) SEND IT TO THE SCREEN		
096A: E6 03 096C: A5 00 096E: 18 096F: 65 04	66 67 68 69 70 71	CON6	LDA CLC ADC	SCL0 OFF	POINT TO NEXT SCREEN LOCATION		
0971: 85 00 0973: 90 08 0975: E6 01 0977: H5 01 0979: C9 40	72 73 74 75		STA BCC INC LDA CMP	SCLO COM7 SCHI SCHI ##40	#END OF SCREEN?		
0978: F0 D2 097D: 88 097E: D0 E2 0980: F0 98	76 77 78 79	CON7	BEQ BNE BEQ	CON9	TYES THO, DECREMSE FREQUENCY THOO BACK FOR MORE UNIQUE BYTES TOONE MITH THIS SERIES		
END ASSEN	BLY	-					

- END ASSEMBLY -

TOTAL ERRORS: 0

130 BYTES GENERATED THIS ASSEMBLY 138

16K MEMORY—\$22.00

FOR APPLE - TRS-80 - EXIDY - S100

4116 EQUIVALENT 2114-300ns 4116 200NS DYNAMIC RAM 8 for \$22.00 2114 300NS STATIC RAM

8 for \$26.00

MSAI COMPATIBLE PRODUCTS

Sheet Metal

Just like THE ORIGINAL IMSAI: Mainframe ENCLOSURE with blue cover, cardguides and hardware spaced for PS-28D Power Supply, up to 22 slot motherboard.

150NS DYNAMIC RAM 8 for \$28.00

Kit of all metal parts and hardware with documentation \$115.00 Thinker Toys WunderBuss 20 for above w/o conn. \$ 79.50 S-100 Connectors—each . . . \$ 3.50

8015 Blank jump-start panel w/3 switches \$ 32.50

8035 Jump start panel for 2 SA-400 Mounts in the I-8080 enclosure, supplies + 8V

PS-28D Parts Kit:

PIO 4-4

SIO 2-2

VIO-F

@ 28A, +/- 16V @ 3A, kit includes board, transformer, documentation, and all components. Improved from original. 4 parallel inputs and outputs (8212) ...

2 serial I/O ports, good to 9600 baud ... \$175.00 Improved memory mapped video I/O board,

includes keyboard port, 256 character EPROM's, firmware, monitor Assembled & Tested \$275.00 DIO-C/D 2 board disk controller for 8" or 51/4" **CPM® 2.2** For DIO including documentation \$175.00 Improved Imsai style front panel works with Z80, 8080 processor board-requires CPA 8085 3MHz processor SBC w/serial plus parallel MPU-B

RAM III 64K

port, monitor \$250.00 64K byte dynamic RAM board-Utilizes the Intel 3242 refresh controller and a single delay line for totally internal refresh. Uses time proven 4116 RAMS. Memory mapped I/O boards are allowed to coexist by the use of phantom. Board select via A16 thru A20 extended address lines.

Assembled & Tested \$350.00 Bare Board w/docs \$ 40.00 Intelligent keyboard uses 8035 \$ \$149.50 IKR-1 MDX Dual SA400 drive enclosure \$ 75.00 DE 8 Dual 800R/801R horizontal style enclosure w/power supply and fan \$240.00

Case Only VIO-X New port mapped video I/O board w/8085 processor, 8275 CRT controller, keyboard port, firmware. Assembled & Tested \$295.00 IEEE 488 + 3P New IEEE-488 I/O interface with 3 parallel ports.

Assembled & Tested \$450.00

COMPLETE SYSTEMS

1-8035

VDP-40

DS-8

DS-5

SYSTEM

1-8015

Complete

The basic 8080 based S-100 system. Includes CPA front panel, 20 slot 10 MHz motherboard (with all 20 connectors), MPU-A 8080 CPU board, PS-28D power supply (+ 8V @ 28A, +/- 16V @ 3A), and chassis. COMPLETELY ASSEMBLED & TESTED.

With MPU-A \$ 680.00 Without MPU-A \$630.00
The complete 8085 system, includes MPU-B, RAM III, 10 slot terminated motherboard, PS-28D, and jump start front panel. A complete

W/MPU-B 64K system! Assembled & Tested ... Includes I-8015 system and DS-8 Disk system

1-8025 w/CPM 2.2 and disk controller board set Complete Assembled & Tested \$2700.00

The complete 8085 system w/2 each TANDON TM-100 514" disk drives, DIO-D, MPU-B, RAM III. chassis, 10 slot motherboard and power supply, Includes CPM® 2.2.

Assembled & Tested Desk-top 8085 micro-computer system with keyboard, 9" CRT display, 10 slot S-100 board, disk controller, 64K dynamic RAM, 2 each TANDON 51/4" disk drives, 28 amp power supply.

w/power supply, fan, and 2 Shugart 801R

drives Assembled & Tested ... Above w/DIO-C & CPM 2.2 \$1500.00

Dual 5'4" disk enclosure w/power supply, fan, and room for 2 drives \$ 195.00

Ask about documentation, repair service, firmware and software for your system.



1771 Junction Avenue San Jose, California 95112

(408) 295-7171

TERMS (1) PREPAID. Send check or M.O. for merchandise amount only, we pay the shipping within U.S. only (2) UPS COLO or Bankcard orders by phone or mail: shipping charges added. California Residents add 56 % Sales Tax.



Higher Graphics - Easier Shapes

Dale Archibald




Figure 2



I am a fledgling programmer, trying to learn as I thumb through books, and through periodicals such as *Creative Computing*.

My main purpose in getting an Apple in the first place was to simplify writing newspaper and magazine articles. Second, of course, to playing games. Graphics? No way, I wasn't interested.

Then I bought an MPI 88G printer. It was equipped with a program to print graphics, but I still wasn't willing to go out and buy anything for graphics; I simply didn't know or care enough.

Then Robert C. Clardy shipped me some game programs from Synerjistic Software (5221 120th Ave. S.E., Bellevue, WA 98006) for review. He must have included Higher Graphics II by accident. Since it would operate on either a 48K Apple II or Apple II Plus with a single disk drive, I decided to test it.



Figure 1.

I tried drawing a character and some objects in hi-res graphics as in Figure 1. Then I drew a few more. Next I worked on a room for the characters and objects, shown in Figure 2. To make a long story short, thanks to Higher Graphics II. I've become fascinated with the extra dimension that can be added by these tiny little dots.

Description

There are three basic sections to Higher Graphics II. First is a section on composing individual shapes, then one on

Dale Archibald, 1817 Third Av. N., Minneapolis MN 55405.

New From SYNERGISTIC SOFTWARE

HIGHER GRAPHICS II

A High Resolution Graphics Utility Package for the Apple II

Higher Graphics II is an unexcelled collection of high resolution graphic utility programs and documentation which enables even the casual programmer to add stunningly detailed and colorful graphical effects to his program quickly and easily. The versatile capabilities of Apple II's high resolution graphics can now be utilized by anyone without having to matter the

GAMES - Chess, tank, spacewar, gameboards, animation effects, etc. BUSINESS - Graph, bar charts, etc.

EDUCATION - Math symbols, scientific notation, maps, etc.

DESIGN - Electrical components, architectural symbols, etc.

COMPUTER ART - Figures, scenes, abstract graphic designs, etc. ANY PROGRAM - High-resolution logos, etc.

Higher Graphics II above the user to produce shapes and shape tables, edit shape tables, and quickly and easily create least this plant resultations screen. Shapes, text, lines, points, and areas of color can be placed anywhere on the screen and color, angle, and scale. So where pephese stutty does no much. The package includes extensive shape tables and detailed instructive text on high resolution graphics.

A UTILITY WHICH MEETS A WORLD OF NEEDS Requires 48K, Disk, Integer or Applesoft, \$35.00.







Business

HIGGINESS Available at your local dealer or send check or inquiry to:
SYMFRIGISTIC SOFTWARE, 5221 - 120th S.E., Bellewe, WA 98006, (206) 641-1917
CIRCLE 254 ON READER SERVICE CARD (WA rezident and 5.3% salet us.) Games

ECHO SERIES SPEECH SYNTHESIZERS COMPUTERS ARE SPEAKING OUT!

Now you can add intelligible speech to your computer without using vast amounts of memory! The ECHO][™ speech synthesizer for the Apple* is the first of a series of synthesizers based on the same technology that made the Speak & Spell ** a success.

The initial operating system allows the creation of your own vocabulary with phonemes (word sounds) while using very little RAM memory (approx. 800 bytes + 20 bytes/word). Enhanced operating systems and vocabulary ROMs will be offered as they become available.

The ECHO][™ comes complete with speaker, instruction manual, and a disk containing a speech editor, sample programs, and a sample vocabulary. Suggested list price is \$225.

See your dealer or contact:



STREET ELECTRONICS CORPORATION

3152 E. La Palma Ave., Suite C Anaheim, CA 92806 (714) 632-9950

*Trademark of Apple Computer ** Trademark of Texas Instruments CIRCLE 268 ON READER SERVICE CARD



Higher Graphics, continued...

shuffling the shapes around, and finally a screen creator to make backgrounds for the shapes. Nearly every command is given by touching one key.

When you're ready to draw a shape with the Shape Maker, you're put into the Command Mode. This allows you to load an existing shape table as a reference if you wish. As you work, you may choose to View the shapes in the current table. Delete a shape. Save the current table to disk; or give other minor commands. All are given from the Command Mode.

are given from the Command Moode.

A second mode in the Shape Maker is
Add Shape. This allows you to draw the
shape do-thy-dot in a variety of colors,
angles, and scales. (These, by the way, are
only shown during the creation of the
shape. It's necessary to specify them in the
program when using the shape. I The command Plot turns the dot on or off. Coordinates of the dot are shown, as are the
number of bytes used, memory location,
and shape number.

If you should make a mistake, hitting E erases the last two or three ponts. Control E wipes the shape completely off the screen and out of memory. Using Z allows you to bring any shape out of memory to use as a reference.

Once you have several shapes saved, in addition to the 60 that are included with Higher Graphics II, you may want to compile new tables. The Shape Shuffler allows you to do this. Let's assume you have a boy and an English sheepdog in one table, a mongrel in another. You want to put the bow and the mutt together.

Shape Shuffler first asks how many shapes will be in the new table. Let's assume there will be two. Load the mutt into the Shuffler Table 2. the boy and the purebred into Table 1. Display shape 1. the boy, from Table 1. Hit T to Transfer the boy to Table 2. then Save Table 2 under the file name you want: BOY AND HIS MUTT, for example. Both Tables 1 and 2 are left in memory for further adiustments.

If you're a purist, you might want to limer the sheepdog in place of the mutt into a table. This is handy when you have a large number of shapes to deal with. Depending upon your programming needs, you can collect shape after shape from various shape tables to form a completely new one. You can Display any shape in either table at any time, or change angle, scale, or color. You can even display all shapes in either tables. So at a time.

Now you have the BOY AND HIS MUTT. Where are they going to gambol? That's where the Screen Creator portion of the program comes into play. The Screens, referred to as hires Screen ! (Main) and Screen 2 (Secondary) in Higher Graphics II. are actually pages I and 2 of the hires graphics.




Figure 4





Figure 5.



Cinnea 6

This lets you form shapes and manipulate shape tables to make hi-res displays such as charts, game boards, rooms, fields, etc. It is even possible to print these

out, as discussed later.
Figure 3 illustrates how the Screen Creator works. The numbers and letters are shapes from the ASCII set that comes as a table with Higher Graphics II. The witch, lightning bolts, and ball of fire(?) are my designs, as is the chart on which they are

stationed.

In the command mode, you can Type letters in the angle, scale, and color you select. You specify where to begin on the screen using the game paddles. You can erase by backspacing.

You can also: use Lines or Points: load various shape tables; show the Secondary hires screen as a reference or to sample the various shapes in the shape table: load a swed screen in either the Main or Secondary screen to use as a reference or dad some more touches to it; save a screen to work on later; erase the working screen; or move the screen up, down, left, or right, full-screen or with four lines of text at the bottom.

If you select Draw Shape while in the Command Mode, you can pick shapes from various tubles. You can then manipulate them into place, whether up, down, right, or left; use the game paddles to move them; put them at a certain X.Y coordinate; show them in color; change scale or angle; Erase a working shape; Type letters; and more.

Using the Program

In Figure 4. I used the paddles to draw the picture of the room. Note the bars in the window are different sizes, and there is no door or "color" on the walls.

I used two squares to put the door in Figure 5 in place. The door frame is based on one large square. I selected it from the sanper table, and fixed it into place on the sanper table, and fixed it into place on the screen with the aid of the game paddles. I returned to the table, took the same shape, and maneuvered it into place as the top half. Next. I took a small square from the shape table and used the paddles to put it in the upper top left of my new door. I went back, took the shape again and put it in the upper right of the door. I did this twice more. Thus, I "assembled" the door from shapes in the shape table.

from snapes in the snape table:
Then I decided to see il I could "paint"
the room. Higher Graphics Il informed
me that pressing V. G. B. O. W. or K
would turn the working shape (i.e., the
shape being manipulated) violet, green,
blue, orange, white, or black. The shape
acts as a paint brush, leaving an area of
color behind it.

The area that begins in left center of Figure 6 and goes straight right was orange; the thick line that goes up, in the

middle of the room, was black; the right far corner of the room at the bottom, next to the floor, was black, but I "erased" that with white.

You'll notice I also touched up the two left bars in the window and the bar on the far right. The crookedness of the lines, by the way, is due to the printer: I used it on sprocket feed, rather than pinch feed.

So you can erase errors on the screens just by touching them up with dots of the correct color. Once you've saved them onto disk, the basic screens can be used again and again, filled with any shapes you desire.

All commands that would erase a drawing, table, or screen give you an opportunity to abort. Even FILE NOT FOUND errors, or I/O ERRORs, can be retrieved intact. Hit RESET? No problem. Programs can be reentered with everything intact just by typing GOTO 10000. It's practically a foolproof program, but of course that never stops me.

I've had two drawings in the Shape Maker just disappear in the middle of working on them. One had over 300 bytes devoted to it; perhaps the other did, also.

The crosshairs that show where the point will appear in the Add Shape mode are too large, and too far apart, you can erase or use them, as desired.

Drawing straight lines with the Screen Creator using the game paddles is difficult: the paddles are just too sensitive, and one dot awry on a thin straight line looks terrible. It would probably be possible to correct these in the Draw Shape mode, however.

Documentatios.

have mixed feelings about the instruction manual. In some ways it is very good. It describes almost everything you'd need to know about the program, but I feel it assumes too much knowledge on the part of the user. Six of the 24 pages are given over to discussing hi-res, but only in Inte-

To print a hard copy of any shape in any shape table, simply run the Screen Creator and put the chosen table in memory. Pluce your choices on the screen in Draw Shape mode, from as many tables as you wish, and Save. Later, you can reload the picture and print it out, assuming your printer has graphics capabilities. If your graphics printer program is tike mine, you'll get a handy hard copy. Maps, graphs, charts, whatever, which can be updated in a trice.

Summary

With my limited experience, I'd have to say Higher Graphics II is great. Adding graphics to something you've written yourself gives it much more excitement and life. I highly recommend trying it. Higher Graphics II is a good way to begin. I couldn't get the program listed in the manual to work for me. All it does is make a little tank, SHAPE=37, move from left to right across the screen. I came up with the simple animation in Listing I.

S LOREN: 16364

FOLE

STALE: 1194APE = 37: BOT* 0:

POLE

234.0: FORE 233,12:Ds * CHRS

44: BEM - CONTR

OL D

FRART DS: BLOAD NIESS
FRART DS: BLOAD SHAPES, A3072

40 NOE

40 NOE

00 FOR I = 1 TO 101 NEXT I

70 A = PEEK (- 16336): XDEAH SH
APE AT XO.YO:A = PEEK (- 1
6336):XO = (XO + 1):A = PEEK
(- 16336): XDEAH SHAPE AT X
0.YO: IF XO < 279 THEN 60

Listing L

The LOMEM sets the variable table above any possible graphics design.
Line 10 sets up the requirements for the tank, except color. The color will be white

tank, except color. The color will be write (complementary of black) when using XDRAW or a black background.

Line 20 isn't necessary in Applesoft.

Line 30 loads the binary shapes beginning at 3072.

Line 50 XDRAWs the tank at the given X,Y coordinates.
Line 60 slows it down enough to see.

Line 70 makes the noise and XDRAWs the tank out, changes position, XDRAWs it in, XDRAWs it out, and goes back to line 60 until it reaches the end.

Clardy suggests adding paddle commands, and making a game out of it. Not a bad idea.



"Why do you always introduce us as Mainframe and Micro?"

NEVADA COBOL!

At \$149.95 you can't buy a better COBOL or one residing in less memory.

Now with the new Nevada COBOL, you can use the programs developed by professional business programmes over the past twenty years to run the big IBM machines And you can develop and tallor programs on your micro and run them on your micro and run them on your micro and run them on any manifame computer What's more you can do it for about one-lifth the cost of comparable COBOL compiler systems.

Almost all the popular microcomputers work with the CP/M operating system we use including Apple, TRS-80. North Star, Superbrain, Compensor and so on

Check the features; you'll go Nevada COBOL.

A powerful subset of ANSI-74, Nevada COBOL requires a scant 16K of RAM. It's available on 8" CP/M standard single density or 5-1/4" diskettes. Price includes diskette and manual. Price for manual only. 524.95.

Four COBOL applications packages

available too.

Four COBOL applications packages are currently available. Each is prized at 524.95 for the diskett. The 73 page manual covering all four applications costs an additional \$24.95. The manual carries complete. COBOL source code listnos and superior documentation.

istings and superior documentation
Package #1 is the Budget Plan Report
Generator Here's an extraordinary time saver
and planning aid for both start-up and well

established businesses Package #2 is the Personal Financial Planner to give you some eye opening insights into your

own personal spending habits
Package #3 is k

Package #4 is Pre-COBOL for use as a pre-processor of COBOL source programs. A great

Order today or write for complete details.

Phone (445) 751-1522 or address Ellis C 94121 Computing, 600 481 dec Sun Francisco, CA 94121 Nevada Cotbol is also availabile at Lifeboat Associates, Discourti Software Westico, Bruness Micro Products, Computer Information Exchange and other quality computer stores Mastera Associated, Discourt Software Computer Information Exchange and other quality computer stores Masteractivity, Visa, C O D v. or checks accepted California orders pieze in Clude Sales tax

AND RESIDENCE OF STREET



... EVERYTHING FOR YOUR TRS-80" ...

* All Orders processed within 24-Hours

By David Lien

LEARNING LEVEL II By David L
 The Original Author Of The Level Manual
 A Step By Step approach to Learning Level II

* 30-Day Money Back Guarantee on all Software (less a \$3 penalty for handling) * 10-Day Money Back Guarantee on Disk Drives and Printers PLUS 120-Days Free Service

FROM RACET COMPUTES

REMODEL-PROLOAD - Renumb
lines, combines programs. The o

A Siep by Siep approech to Learning Level II	program that will renumber the middle of a	chainings and many other reatures \$149.95
especially geared to new TRS-80" Owners \$15.89 • TR8-0" DISK AND OTHER MYSTERIES Over 100 pages of indespensible information for disk owners. Learn to recover information from bad disks, how to make Blass programs unistable and 12 more chapters of news published tips and information. Witten by H C. Pennington (For all Disk Owners) REW BBSG BURNESS SYSTEM FOR MODEL IT	program. Specity 161, 23f. or 48f. Words with Cassette or Ona. 3. 48 5 - 3. 48 - 3. 48 5 - 3. 4	FROM THE BOTTOM SHELF - CHCK/SEGDOM II (For Cassette or Disk) 39-39 8 YSTEM DOCTOM (A complete dispense of your Parkent of Cassette or Disk) 39-39 FOR Cassette or Disk (A complete or Disk) 39-39 CHC Cassette or Disk (Trick) 40-40 LIBRARY 100 - 100 established business, game and equactional programs plus FREE Tripy Plot of the Cassette or Disk (Tripy Plot Of Cassette) 40-40 LIBRARY 100 - 100 established business, game and equactional programs plus FREE Tripy Plot of Cassette O
OR MODEL 11 - IN STOCK - General Ledger - Accounts Receivable	(Specify 32K or 48K) * INFINITE BASIC - Adds 70 commands to your TRS-80" including Instant Sort, Matrix	BASIC TOOL KIT - Lists all variables, GOTO's and GOSUB's in your program \$19.80
Accounts Payable Payroil Inventory Confrol with Invoicing Each module can be operated individually or as a coordinated SYSTEM. Turn-Key error catching operation for beginners.	Commands, Sfring Commands, Left and Right Justification, Sfring Centering, Simultaneous Equations, Upper and Lower Case Reverse and more (For Cassette or Disk) \$49.55 • INFINITE BUSINESS (Requires Infinite Basic) Eliminate Round-off error, 127-Digit Calculation	SOUNDWARE - Adds sound to your TRS-80 th Just plus if in \$29.95 Sample programs included TING TONG - Can be used with Soundware for a Sound version of pong \$9.95
Complete manual and documentation accompany each program Minimum System requirements 2-Disk Drives for Model 1 - Disk Drives Fres 30-Day felephone consultation Fres 30-Day felephone consultation	Accuracy, Insert New Elements in Sorted Arrays, Automatic Page Headings, Foolings and Pagnation, Multiple Procision Arithmetic and more (For Cassette or Disk) \$22,85 COPSYS - Copy Machine Language Programs (For Cassette Only) 9 DBM (Disk Sort Merge) \$75,00	VIC - The Carta Visual Instructional Computer Program \$19.95 The Level II 18K Cassette is designed to teach beginners the Basics of Machine Language and Assembly Language Programming See every Machine Language Instruction Display on your video VIC includes Step By Step 55 pege manual
Call for complete specifications Model I Version \$125.00 Per Module \$495.00 Per System Model II Version \$225.00 Per Module \$995.00 Per System	FROM SMALL SYSTEM SOFTWARE RSM-2 Mechine Language Monitor \$26.95 RSM-2D Disk Version of RSM-2 \$29.95 DCV-1 Converts Machine Language Programs	VISTA V80 DISK DRIVE - 110K of Storage \$395.00 Add \$29 95 for Cable (Free with purchase of 2-Disk Drives) 10 day money back guarantee
DATA MANAGEMENT SYSTEMS - DMS replace index cards or any data requiring long lists of information - TBS In-Memory Information System (For Cassette Systems) - \$39.95	from tape to disk • AIR RAID - The ultimate TRS-80" game converts your TRS-80" into a real time shooting gallery • BARRICADE - A fast pong sivie game • \$14.95	FROM HOWE SOFTWARE MON-3 - Machine Language Programming for beginners MON-3 is a complete System Monitor with Users Manual MON-4 - Disk Version of MON-3 \$49,95
* TBS Disk Date Manager (Requires 1 or more disk drives). Set up fast random access, files in minutes. Stores up to \$20K of information on 4 Dives. Up to 10 felds and 955 characters per record Supports upper and lower case RS-222 or TRS-222. Features complete editing. \$46,50 Personal Software CCA Date Management System. Completely user crented, menu grive.	c CPM - (For Disk Only) \$150,00 178:202 (NTERFACE - Interface with Software driver RS-202 printers to your TRS-80° \$48,95 178:202 (SORMATTER - Additional (optional) Software for TRS-202 owners Additional (optional) Software for TRS-202 owners Additional (optional) \$14,95 (With purchase of TRS-202) \$18.95 PEMMOD - Use the Effective Pencil with RS slower in the solvent of the	FROM MICROSOFT - LEVEL III BASIC NOW Cassette owners can add Disk Commands to their TRS-80" without owning a Disk Drive - MICROSOFT DISK ADVENTURE - TRSOOS BASIC COMPILER - \$195.00 Run Basic Programs up to 15 times falser
130 page Step By Step Manual Capable of Inventory control, sorting data, reporting data in	FROM GALACTIC SOFTWARE	NEC BUSINESS QUALITY PRINTERS (For MOD-1 or MOD-II) \$2,995.00
nearly any form (for reports and mailing labels) Sorts date by up to 10 fields for zip code, balance due, geographic location or whatever. Prints	MAIL PAC - For Model I Disk Systems only \$99.95 Ouick-sorting full user control over mailing list	THE ELECTRIC PENCIL Cassette \$99.95 Drsk \$150.00

geographic location or whatever Prints

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977

HOURS: 9-5

Monday thru Saturday

48-Page Catalog \$2 FREE With Any Order Order By Phone Or Mail Add \$1 Per Order For Shipping Within UPS Areas Add \$3 For C.O.D.

Add \$3 For All Foreign And Non-UPS Shipments Add \$3 For UPS Blue Label

HOUR ORDER LINE

Only
Ouick-sorting full user control over
from Galactic Software
STOCK MARKET PAC

(914) 425-1535

NEW TOLL-FREE ORDER LINE (OUTSIDE OF N.Y. STATE) (800) 431-2818

20.002

FROM APPARAT NEW DOS + 35, 40 and 77 Track Versions available. NEW DOS/80 (With variable record leng

\$99.95

\$99.95 \$150.00 \$325.00 Disk MOD-II Version . HORSE SELECTOR II The TRS-80" version updated for the T and originally reviewed in Systems and

• • • EVERYTHING • • •

FOR MOD-II OWNERS **NEW MOD-II NEWSLETTER** MOD-II Catalog Free w/subscription \$12/year MAIL PAC MICROSOFT BASIC COMPILER \$395.00 MICROSOFT BASIC \$325.00 **GSF SORT ROUTINE** \$50.00 CP/M \$170.00 PEACHTREE BUSINESS SOFTWARE Call WORD STAR

CREATIVE COMPUTING

\$495.00

FROM COMPUMAX BUSINESS SYSTEMS

IMPUTRONICS: FVERYTHING

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977 * APPLE IS A TRADEMARK OF THE APPLE CORP

* All orders processed within 24-Hours

* 30-Day money back guard on all Software (less a \$3 penalty for handling)



THE COUNT - You wake up in a lerge brass bed in a cestle somewhere in Tran-sylveni. Who are you, what ere you doing here, and WHY did the postman delives a bottle of blood? You'll love this Adventure, in fact, you might say it 2 Love at Firs

up macrosed forever?

A wat TERN FUR NOUGE -Cen you lind your way completely through the strangest NA wat TERN FUR NOUGE -Cen you lind your way completely through the strangest Person of the Strangest NA wat NA w

* Note: Apple requires 24K and has no lower case Recommended for the novice edventurer, with many built-in HELPS! FROM PERSONAL SOFTWARE INC.

The Service Leader system of mischine CLEDUCK Indictions of duel entry bookkeeping and marking systems and expenses and ECOLEDICH includes in solvening Schaff or ACOLINTS He This file contains being solvening Schaff or ACOLINTS He This file contains being solvening to the solvening Schaff or ACOLINTS He This file contains the contains and the solvening s MICROPAY

An Accounts Payable system MICROPAT ANA
An Accounts Payable system MICROPAT ANA
An Accounts Payable system MICROPAT Analysis to following program & functions
PAY 1 - inmissions both 1 reversions and Master free, than begins the Account Payable
PAY 2 - disease to Account System Analysis and Account Payable
PAY 3 - disease the Account Payable so followed their records.
PAY 3 - seports authorized to consist Payables on floor consequence, under 20 days, and
ANA 4 - seports and supplications and Accounts Payables for any securities of the Account Payables for any securities of the Account Payables for any securities and Computer to the Account Payables for any securities of the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities and Computer to the Account Payables for any securities

The COMPUMAX business applications programs are written with the no-computer user in mind. They are easy to use, yet powerful in their capabilities. Furth COMPUMAX supplies the BASIC source code: Thus the programs are easy to mode.

MICROLEDGER

MICROREC

An Accounts Receivable system, MICROREC includes the following progrems and

An Accounts Receivable system, MICROREC includes the following program and IEEE 2 - insistent Accounts Receivable lites, edits AR Proceed and prints involces IEEE 2 - excepts receipt of customer payments and changes or deletions of ARR Trans-cision of Material Processing Receivables for credipports, under 20 days, 31-00 days, 61-90days, and over 80 days. 13-00 days, 61-90days, and over 80 days. 10-00 days, 61-90days, edited for 10 days. 10-00 days, 61-90days, 61

MICROPERS

This is Payrach Resource for control of the Payrach Resource for the parties Payrach Resource for the parties Payrach Resource for the Payrach Res

All COMPUMAX programs evailable in machine readable formet (diskette form) for the following machines

TRS-80* Model I

APPLE II

APPLE II

CBASIC under CP/M

CBASIC under CP/M

FROM ADVENTURE INTERNATIONAL (By Scott Adems)

NOW ADDITIONE. INTERNATIONAL: (By Scott Adams)

1. ADVENTURED. To us snow through an enchanted world trying to recove
the 10 tot treatment You'll encounter with almost magnet beings, and many
your sety out of the made of pilet Yalpay Adventuring.

1. PIRATE'S ADVENTURE. "To his ho and a bottle of nutr." You'll meet up with the
you'll begin of the made of pilet Yalpay Adventuring.

1. PIRATE'S ADVENTURE. "To his ho and a bottle of nutr." You'll meet up with the
you'll chook in the 10 treatment is lated. Can you recover they of hot Shert's lots
fressured? Happy Salling, madely

1. Earlies Willy you had be to complete, or power source of for the words in the
adventish of the 10 the 10 the 10 they on measons in terro? or he words in the
adventish of the 10 the 10 the 10 the 10 the 10 the
4. YOODOO CARTE. Count Circle was not a fliended uncer put not mit by his
enemes. There he lies, with you his o'd' hood will you be side to rescue him or is
a former domain? Evert in It who his o'd' hood.

VISICALC of the property of th CCA DATA MANAGEMENT SYSTEM

DMS Federes
File Creation and Maintenance
- Fields may be alphanumenc, numeric, integer, floating point, or fixed decimal with
- Fields may be alphanumenc, numeric, integer, floating point, or fixed decimal with
- commas

• Feels may be abhanamente, numerac, integer, floating point, or hard desimal set formulas may be COMPITED FIELDS DNS set compiler set field within a record, using consistent or other facts in the sens record Functions reclude add subfrect, using consistent set of their facts in the sens record Functions reclude add subfrect, and of their facts of their set of the

GUARANTEED PROFIT

91% WINS PLACES 32% AVERAGE PROFIT AT ALL TRACKS-1978 SHOWS

THE NORSE SELECTOR II (PLATS) (by or Net Dawn). 59.00

We simplified version of the original front's Selector. The first force Selector System to ectable products the selector of the original force Selector System to ectable products and the selector of the selector of

FREE Dutching Tables allows betting on 2 or more horses with a guaranteed profit



NEW TOLL-FREE ORDER LINE (OUTSIDE OF N.Y. STATE) (800) 431-2818

CIRCLE 137 ON READER SERVICE CARD



BEE AMAZED

Dan Rollins

There is a certain fascination in the way a computer can create and solve a maze. This article explains the algorithms I used in Beemaze, a program which generates and finds the shortest path through a maze of horse-great

of hexagonal cells.

The program is written in TRS-80 Level
2 Basic, and parts of it use the TRS-80 graphics. However, all the routines used

in creating the printout are compatible with similar Basics.

For TRS-80 users, the program provides a special treat. The maze is created graphically on the screen. When the maze is completed, you'll watch as the bee searches for the shortest route. Then man is pitted against insect in a race through the maze. If you choose the print output

option, a much larger maze may be created. A 16K machine will handle a maze with 2700 elements. My 48K disk system turned out a maze with 6500 elements—a printout over ten feet long!

There are two options for the printer output. You may make copies of the maze with or without the solution. Distribute the unsolved versions among your friends, and when they claim that the monster is unsolvable, give them a brief peek at the answer.

Generating the Maze

The maze is represented in computer memory as a two-dimensional integer array. Each array element (or cell) is defined by a numerical value of 0 to 63 in the following manner. Every SIDE of a cell has been assigned a number (see Figure 1a). The overall value of a cell is determined by the sum of the values for all sides of the cell which have a door. For example, a cell with no doors is a zero cell. A cell with doors valued 1 and 16 will be given a value of 17. If a cell has three doors, e.g. 1, 4, and 16, it is valued at 21. These numbers correspond to bit posi-



Figure 1a. Values representing the doors of each cell. Cells with two or more doors will be the sum of the respective doors.



Dan Rollins, 370 N. Cerritos, Apt. 15-A. Azusa, CA 91702.

Lifelines.

The serious publication for the serious software user.

WHAT LIFE IN S READERS
READ ABOUT IN
READ MAY



- A Brief Review of PASM, BUG uBUG, PLINK and EDIT*
- Comments on SSSFORTHAN*
- SOUNDEX Made Simple
- BASIC Comparisons: The Conclusion of the SBASIC* series
- Zoso Strikes Agnin—And His Target Strikes Back
- From the CP/M* Users Group: Volume 49, Including Some Useful RATFOR Programs

Lifelines is the publication dedicated to keeping you up-to-date on happenings in the explosive microcomputer world.

Lifelines specializes in news about software for CP/M* and similar operating systems.

Lifelines does if with a guarantee of high level, in-depth analysis of software uses and capabilities.

Lifelines does it with valuable information necessary to make intelligent software buying decisions.

Lifelines does if with the latest information on The CP/M Users Group.

Lifelines does it with thought provoking discussions on many of the more controversial issues facing computer users.

How can you live without Lifelines?

Subscribe Now!

\$18.00 for twelve issues: U.S., Canada, and Mexico. \$40.00 for twelve issues: all other countries. \$2.50 for each back issue: U.S., Canada, and Mexico. \$3.60 for each back issue: all other countries.

All orders must be pre-paid by check to: LIFELINES, 1851 Third Avenue, New York, N.Y. 10028 — Checks must be in U.S. \$, drawn on a U.S. bank. Or use your VISA or MASTERCARD. Call (212) 722-1700

LIFELINES

T 60

PASM, BUG/uBUG, PLINK, and EDIT are trademarks of Phoenix Software

*SSSFORTRAN is a trademark of SuperSoft Associate:

SSSASIC is a trademark of Topaz Programming.

SBASIC is a trademark of Topaz Programming.

CD-M-rs a trademark of Diotal Research, Inc. The CP/M Users Group is no

tions in a byte of memory. (More on that in a minute.) The variables X and Y are pointers to a vertical column and horizontal row respectively. Initialized randomly, these pointers are manipulated within the array, moving from cell to cell.

Note a peculiar property of this heusgonal array representation. In a normal array of "square" cells, pointers are manipulated north or south by simply adjusting the Y variable. East and west motion is performed by bumping the X pointer. But each cell of this array neighbors six other cells and motion is possible in as many directions (N.S.NE, W.S.E.SW). Estamine Figure 2. Motion

Figure 2. How the cells are numbered in the two-dimensional integer array.

north is accomplished by subtracting 2 from Y. Likewise. 2 is added to Y for motion south. However, to adjust the pointers in a diagonal motion (NE.NW, SE.SW), special attention must be paid to the current Y coordinate. For example, when Y is an even number (evenly divisible by 2), then moving SE requires that Y be incremented and X be left alone. If Y is an odd number, the same motion requires that by the A of Y be incremented.

Figure 1b. Possible directions for the bee to turn in the maze solution algorithm.

The variable Z is used to account for this variation. Several lines in the program evaluate Z as -((Y AND 1)=1). TRS-80 Basic will return Z=0 when Y is even and Z=1 when Y is odd. Your Basic may require something like:

IFY/2=INT(Y/2)THENZ=0ELSEZ=1

The direction of motion is determined in lines 120-200. Six neighboring cells are

checked for a zero (doorless) condition. A short list, held in T(Q), is compiled from the possible directions of travel (see Figure 1b). One of these directions is chosen randomly, and the ON-GOTO command sends control to the line for the correct action. Here, the current cell is updated with a value indicating a door in that direction and the X,Y variables are adjusted to point to the new cell. That cell is then given the value for its new door and, if the game option was chosen, the sereen is updated.

A single walk-through will determine the best route.

When the program finds itself trapped, e.g. when none of the neighboring cells is still zero, the pointers are moved down and across the array until a doorless cell is still zero, the pointers are moved down located which is adjacent to a cell with at least one door. Thus all branches are linked—there are no "islands" of unconnected cells in the completed maze. An individual cell may be reached from any other. Indeed, though I chose to place them at opposite corners, the entrace and exit may be randomly created after the entire maze is completed. Another advantage is that the solution, the direct path from entrance to exit, will be unique.

Solving the Maze

When the IEEE (Institute of Electrical and Electronic Engineers) holds its Micromouse Maze contest, tiny mechanical robots compete in finding their way through a maze. They are given three tries to obtain the best possible time. The maze they run may have many solutions, only one of which is the fastest. One method of finding this path is called the "leftmost/ rightmost" algorithm. On the first traversal, whenever an opening to the left is sensed, the "mouse" rotates and follows that path. On the second run, doors to the right are taken. Coordinates of each position are saved in on-board memory. After the two runs, the paths are compared for common intersections. Superfluous loops are eliminated and the shortest path is computed from the stored data. Some other factors are considered such as rotating speed-a longer, straighter path may be quicker than a path shorter in distance but having many turns. Finally, the optimized third run is made.

The "bee" in this program uses a similar system. The algorithm is simplifed by the fact that a single walk-through will deter-

mine the best route. It must be extended, however, to allow for the six possible exits from each cell. In this "clockwise" algorithm, the correct cell exit will be the first door clockwise of the door used as the entrance.

Consider the course of action as the bee traverses the maze. It enters a cell, records the coordinates, and begins rotating in clockwise direction. The first opening it sees determines the direction of travel and it moves in that direction into the adjacent cell. The bee moves from cell to cell until it reaches a cul-desac (dead end). In that case, rotation brings it back to the door thouh which it entered. The next cell it enters is the one it just vacated. Now the bee is facing in a direction different from it previous visit. Rotation brings it to another exit, possibly the one by which it originally entered the cell, but never back into the cul-de-sac. The bee searches through its memory and notes that it has been there before. It then deletes the cul-de-sac from its best-path list and continues until the exit is reached.

Think of the X.Y pointers in the program as the bee. Its current direction is kept in the variable D. As the bee enters a cell, the last door it should check is the cone directly behind it. If it entered by oging south then that door is now to its north. The program reinitializes the direction by subtracting 3 from D, then adjusting for underflow tadding 6 if the result is less than zero. The actual rotation is performed by repeatedly decrementing D (again adjusting for underflow At every turn, the cell is tested for a door in the current direction.

Refering back to Figures 1a and 1b, notice the relationship between the values of a direction and a door in that direction. Each door corresponds to the power of 2 defined by the direction. This system is set up to use the powerful bit-manupulation of the AND command. When two numbers are ANDed they are compared on a bit by a value composed of only the ON bits common to both monto to both.

Figure 3.

ANDing two numbers which have no ON bits in common will return a zero as the result. The program lines asking ...IF var! AND var2 THEN...arc checking for common bits. The IF fails and excution falls through when the logical AND results in a non-zero value.

BATCH HUDATE/ONLETE

Piler and I am the piler of the piler and th

Call® Using: File®/Name | 1 Usform | 1 Usform | 1 TRANSACT | 1 TRANSAC

- I If QUANTITY of (TRANSACT) EQ 0 then . . .
- 2
- 3
- ON-HAND of INUNTORY ON HAND OF INVNTORY QUANTITY OF TRANSACT



The Ultimate Application Development System

Nothing can compete with the brain when it comes to information storage capacity and speed of data entry and recall — but we're weeking at

Our SELECTOR-IVTM data base management system will let your microcomputer operate with the lexibility available (up to now) only on larger systems. You can create, maintain and report on files limited in size only by your "CP/MTM compatible operating system or

disk storage capacity.

The basis of the power of SELECTOR-IVTM is our unique method of cross-indexing the information in your lies. You can immediately recall records him to be supported by the properties of t

CP/M is a requirered trademark of Digital Research
CIRCLE 167 ON READER SERVICE CARD

We've come a long way since we released the first information management system in microcomputers. We've listened to your suggestions and incorporated the best of them. We've built acreen exiting functions into the system with make operating the system as convenient as possible. We've had SELECTOR-IV-5TM documentation produced by our experts emphasizing its use for the novice, the applications developer, as well as, the retailer. Our applications specialists can provide you with a 'urnery' SELECTOR-IV-TW-system

customized for virtually any requirement With SELECTOR-IVTM and a good word processor program, chances are you won't need any other software. Look for SELECTOR-IVTM at your local computer retailer, or call:

MICRO•AP, INC. 7033 Village Pky. Suite 206 Dublin, CA 94566

Dublin, CA 94566 (415)828-6697 MICRO•AP



Amazed, continued...

When the maze was created, certain bits of each cell were turned ON, defining the doors. Now, by testing the state of a given bit, the maze runner can sense the presence of a door. The program computes 2½ D. then ANDS this value with the value of the cell. A non-zero result indicates that there is indeed a door so the bee, taking that direction, enters the new cell.

The real value of this sytem is not only the case with which the maze data is handled, but in the compactness of that data. A single integer defines both the number of doors and their locations. Also, a cell may take on additional aspects just by turning on new bits. After the best route has been determined, the cells along that path are increased by 64. The printer hand path are increased by 64. The printer to the path of the path are increased by 64. The printer to the path are increased by 64. The printer increased by 64. The pri

The maze runner algorithm always yields a list of the coordinates which make up the shortest route from the start of the maze to the end. But as described, it's too slow. For example, a cul-de-sac would require six complete turns to locate the exit. There are a couple of shortcuts 1 used to speed the bee along.

First, that cul-de-sac may be deduced by the fact that the value of the cell is exactly equal to that of the door by which it entered. No sense in rotating here, so the bee simply reverses direction and

Secondly, a test is made for a two-doored cell. The door is subtracted from the cell. If the difference is exactly a power of 2 then there is only one other exit and it is determined as in line 670.

Only when there are more than two doors (the least likely occurrence) is the clockwise algorithm invoked.

The bee's advantage is offset by the fact that it must perform a little dance in each cell.

All three possibilities return a new direction in the variable D. This value is used in the ON...GOTO sequence to adjust the X.Y array pointers to the next cell. Execution resumes by saving the new position and repeating the action of finding the maze exit.

The multiple-door cells also triggers the routine which updates the best-route list. It is here that the selective "forgetting" of deadend paths is performed. A FOR... NEXT loop checks backwards through

the best-route list comparing each saved coordinate against the current one. If a match is found then the best-path list counter, PTR, is set to the loop counter and the loop is exited. Coordinates of the next cells visited will be written over the superfluous steps, in effect erasing them from memory.

The Printout

The printer output routine is designed for printer portability. Lines 88-900 define the character strings which correspond to the walls and downs of the maze. I used FSS and BSS in lines 880-800 because with the printer has graphics and the printer has graphics character. If your printer has graphics character is graphic to experiment with different combinations, as they need be typed at only one place.

Lines 940-950 print the top output line. Lines 960-1060 examine the body of the array, printing four lines for two vertical coordinates. The last three lines (the bottom cell) are printed in lines 1070-1130.

The examples I've included were printed on an IDS 440 Paper Tiger set at 132 characters per line and 8 lines per inch. These settings allow a horizontal dimension of 16 with a height of 40 to be fit on a single page.


The best-route is represented by cells containing "**." These characters will never be printed until the routine at lines 770-810 has been called. Once this is done, all further printouts will have the solution.

The Race

Game players of all ages will enjoy the challenge of racing the bee through the maze. Once the maze is generated, the screen is saved in a string array. Note that four bytes of the 1024 in the TRS-80 screen memory are ignored as a string can only be 255 bytes long. When the screen is redrawn (line 2480) one space is inserted between each string to account for this.

After a short countdown, the screen is restored and the race begins. The bes starts in the top right corner and you are at the bottom left corner. Line 1330 reads the byte of memory at address 14400. This returns a value for the arrow and control keys. Lines 1340-1380 decode this into an adjustment to your present position. This routine is superior to an INKEY Stuction. The superior to an INKEY Stuction. The superior to an INKEY Stuction and the action doesn't result in crossing a wall the dot continues moving. Pressing horizontal and vertical keys simultaneously results in diagonal motion.

While the bee makes moves directly from cell to cell, you must work your way one step at a time. The bee's advantage is offset by the fact that it must perform a little dance in each cell. You get five moves for each one made by the bee. This





MICRO/Apple 1

This first volume in our new series contains 30 articles selected from MicRO, 1977-1980, updated by the authors or our staff. The MICRO staff has added introductory material and re-entered, listed, and tested the programs and put them on diskette.

Every user will want this highly practical work next to his Apple, with its chapters on BASIC Alds, Graphics, Educa-tion, Games, I/O Enhancements, Runtime Utilities, and References.


Get MICRO/Apple 1 at your local computer store.

224-page book and diskette \$24.95° No Need to Type in Hundreds of Lines of Code!

P.O. Box 6502

Chelmsford, MA 01824

* On mail orders, add \$2.00 for surface or \$5.00 for air shipment



Example 2. Completed game maze. The bee will find the only direct path from entrance to exit

ratio makes the race very close. You probably won't win unless you make every move count-including diagonal motion where possible. Since the mazes are created randomly, some will be more difficult than others. If you find that you always lose (or win!) try changing Line 1420 to increase or decrease the number of dance steps per cell. Also the size of the maze may be decreased by changing H and V in line 2100.

Regardless of whether you win or lose. you have the option of running the same

maze again. Beemaze has been optimized for speed. "Dummy" FOR ... NEXT loops are used to avoid "backward GOTOs." An example is in the K-loop of lines 530-570. This variable is never meant to reach MAX and the value of the loop counter is never used. The advantage is that when NEXT is reached, the correct line number is simply POPped off the stack. A GOTO directive requires that the ENTIRE program be searched for a match with (Line #). The end result is that Basic has much less work to do to find its new position and the program executes faster.

All REMarks are expendable and should be removed. I have indented the loops and added liberal spaces to make the listing more readable. They also slow the program down and take extra bytes. You may omit these when you key the program.

If you don't have a TRS-80 or don't intend to play the game, the lines containing the variable S1 are unnecessary as are lines 1150-1450 and 1280-2590.

It took less than seven minutes to generate, solve and print the mazes in example 1 and 2. My ten-foot monster required a total of 2 hours and 23 minutes to complete. The average time for creating and solving the game maze on the screen (9 by 13) is about three minutes.

Mazes are more than fun and games. The algorithms presented here might be extended to control and guard robot or an automated floor-sweeper. If nothing else, just learning these techniques of array manipulation and bit-testing can be very worth your while.

```
10 IPROGRAM ID :
                                BEEMAZE
DAN ROLLENS
                                                                                                            tF 01 THEN RESET(X1+Y1+4) :RESET(X1-1+Y1+3)
                                                                                                               THIS PRODEAM CREATES AND SOLVES A MAZE OF MEXACONAL CELLS. IT INCLUSES OPTIONS FOR LIMEPRINTER OF SCREEN OUTPUT.

IMPERINT THE MAZE WITH OR WITHOUT THE SOLUTION.
       HE SCRESS OUTPUT ENCLUDES A RACE THROUGH THE MAZE.
                                                                                                            SEXT | SECTURAL
                                                                                                               #0 5 (Y = #0 (X ) Y ) #32 (X=ZX (Y=Y-1 (H(X+Y)=H(X+Y)+4
30 6 EAR 1200 IDEFINT B-Z
                                                                                                            IF C: THER RESET(X1+5.Y) (RESET(X1+6.Y1+1)
       *** MAZE GENERATION ROUTINE ***
       TH H(H,V)+B((H+1)=(V+1)) TH MAZE ARRAY & BEST-ROUTE LEST
TH+11=(V+1) (X+0 (Y+RNB(V) (HAX+32765
                                                                                                       ##9 SUZZ THE MAZE FOR SOLUTION ##8

500 MSCTRINGS(0)1731 ISHSTBRINGS(2)158)

FC 49 IXEC IZE1 IPTREO ISHO192087 IARBOD(2) IORM(XXY)

FC IF C AKD 7 THEN ELE ELSC IF O AMD 1 THEN EHO ELSE BHS
        FOR FED TO MAX
           0=0 $Z=-((Y AND 1)=1) $ZX=X+Z
                                                                                                                TEY I IF M(XY-Y-2)=0 THEN 0=0+1 TT(0)=0

IF Y O IF $\(\text{E}\) O IF M(\text{E}\) O THEN 0=0+1 TT(0)=1

IF Y O IF $\(\text{E}\) O IF M(\text{E}\) O THEN 0=0+1 TT(0)=1

IF Y O IF $\(\text{E}\) O IF M(\text{E}\) O THEN 0=0+1 TT(0)=2

IF Y O IF M(\text{E}\) O THEN 0=0+1 TT(0)=3

(8)
                                                                                                                                                                         *BLINKER
           IF YOU IF ZX H+1 IF M(ZX,Y+1)=0 THEN Q=Q+1 :T(Q)=4 '#SE
                                                                                                                TE YEN IF O THEN N-HAX (COTO 750

OF B+1 COTO 5 0.590.600.610.620.630

Y Y-2 10010 640

Y Y+2 1 1 Y-1 (COTO 640

X Y+2 1 1 Y+1 (COTO 640
                                                                                                                                                                         #GO OF FINISHED
          IF Y C IF ZX H+1 IF H(ZX+Y-1)=0 THEN Q=Q+1 :T(Q)=5 ' #NE
            F G C THEN K-MAY 1GCTO 270
                                                                                                                                                                           '# SW
             Y=Y+1 SEF Y-V THEN Y=0 SX=X+1 SEF X-H THEN X=0
                                                                                                                Y Y+2 : CCTC 640

Y Y+Z | Y=Y+1 : CCTQ 640

Y X+7 'Y=Y-1
                                                                                                                                                                           's SE
                                                                                                                PREPRET :BOPTR HT 1204X
        IF SI THEN X1=X*1P+745+3 :Y1=Y*3+2
                                                                                                                100-3 : IF D 5 THEN D=D-6
F M(X,Y)=210 THEN NEXT K
          > * ADJUST POINTERS, UPDATE ARRAY AND SCREEN ##
                                                                                                                                                                      SIE CHE-DE-SAC
                                                                                                                ( M(X- )-215 :AA=LOG(Q)/A
     IF AA-INT AA THEN B-AA INEXT K
                                                                                                                                                                      SIF ONLY 2 DOORS
                                                                                                                FOR J=0 TO 5
0=0-1 :IF D<0 THEN D=5
                                                                                                                                                                      MULTIPLE DOOPS
                                                                                                                                                                      *TURN CLOCKWISE
                                                                                                                    IF MUXAY) AND (218) THEN J=6
                                                                                                                                                                      a UNTIL EXIT
       #( +Y)=#(X,Y)+2 : =ZY-1 :Y=Y-1 :#(X,Y)=#(X,Y)+16

IF SI THEN RESET( :1-Y1) :RESET( X1-1-Y1+1)
                                                                                                                FI-P J=PTR-1 TO 0 STEP -1
                                                                                                                                                                      #ALSQ UPDATE
                                                                                                                   IF B(J)=B(PTR) THEN PTR=J :J=-1
```

NE

EAST COAST

ΩMEGA Sales Co. 12 Meeting St. Cumberland, RI 02864 1-800-556-7586

1-401-722-1027



WEST COAST

ΩMEGA Sales Co. 3353 Old Conejo Rd. #102 Newbury Park, CA 91320

1-800-235-3581

1-805-499-3678

SPECIAL OF THE MONTH!









NEC MONITOR \$219

INTERTEC SUPERBRAIN \$2849 OR TOGETHER FOR ONL \$5195



OKIDATA MICROLINE-83	\$949
OKIDATA MICROLINE-80	\$469
APPLE II PLUS 48K	\$1150
APPLE DISK w/ 3.3 DOS Controller	\$545
APPLE DISK w/o Controller	\$435
BASE II PRINTER	\$649
HAZELTINE 1420	\$799
NORTHSTAR HORIZON II 32K QD	\$2975
ATARI 400 8K	\$399
ATARI 400 16K	\$499
RADIO SHACK 16K Level II Model 3	\$875
RADIO SHACK 64K Model 2	\$3449
ANADEX DP-9500	\$1249
TELEVIDEO 912C	\$669
TELEVIDEO 920C	\$729
TELEVIDEO 950	\$1049
ATARI 825 PRINTER	\$729
ATARI 850 INTERFACE	\$169
ATARI 810 DISK	\$449
(Call for price list of ATARI Software)	

- NO SURCHARGE FOR CREDIT CARDS
- · WE ACCEPT C.O.D.'S
- ALL EQUIPMENT FACTORY FRESH W/MANUFACTURER'S WARRANTY
- STOCK SHIPMENTS USUALLY SAME DAY OR NEXT DAY
- NO HIDDEN CHARGES WE LIVE BY OUR PUBLISHED PRICES.

EAST COAST / WEST COAST GA SALES COMPA

```
Amazed, continued...
                                                                                                                                                                                                    LIST
                         REYT J
    TO NEXT & RETURN
                        *** ROUTINE HARKS BEST ROUTE FOR PRINTOUT ***
                 FOP J=PTR TO 0 STEP -1
Y=INT(B(J)/20) :X=B(J)-Y420
                                                                                                                                                                                  's MARKER ON CELL
                         E(X+Y)=M(X+Y)+64
                                                                                                                                                                             '# EXIT LOOP
                           IF Y=0 IF Y=V THEN J=-1
                   NEXT J :RETURN
                        *** SEND COMPLETED HAZE TO THE PRINTER ***
    393 SERIO COMPETETO PAZE TO THE PRINTER AND TO THE PRINTER AND THE PRINTER AND
                                                                                                                                                                      . . . BSS IS BACKSLASH
        200 P$(1+2)=A$ !P$(3+2)=A$ !P$(1+4)=A$ !P$(3+4)=A$
        910 RESTARE :FOR J=1 TO 8 :REAL T(J) :NEXT
        940 FOR K=0 TO H-1 SIPRINT **** "# SNEXT
        750 LPRINT P$(2,2);P$(0,7)
        960 FOR J=0 TO V STEP 2
                             6 ] FOT U VISEP ...
FOR LAIT TO 4 VISEP ...
FOR LAIT THEK R-1 ELSE IF L-3 THEM R-1 ELSE R-0
FOR NEW TO 4 THEM DO 15F2
FOR RAY AND TILLY THEM B-3
FOR RAY AND TILLY THEM B-3
FOR RAY FOR AND TILLY THEM B-3
FOR RAY FOR AND T
                                                MENT K 17F J-0 AND L=2 LPRINT " ELSE LPRINT PEACL )
           1050 NEXT L
        *** LOAD HONEYCOMS ON SCREEN ***
         1170 E3 CPRS(101 1056=CHR6(29)+CHR6(26) 146=CHR6(143)
                                  :414=CUS$ 140) :A24=CHR4(188)
           THE PRINCIPATION CONTRACTOR OF THE PRINT WASHAGES THE TOTAL TO SEPRINT WAS THE PRINT WASHAGES THE TOTAL THE PRINT WAS THE PRINT 
                                                   PRINTCHPS: 145)" "CHR$(162)A1$A1$; INEXT
                                             F J AND 1 THEN PRINT CHRS(8)CHRS(8)WSF ELSE PRINT WEWSF
                             SENT SPRINTUSUSUS;
FOR MAD TO 9 SPRINT USUSA2SA2SUSUS; SNEXT SPRINTUSES;
FOR K-49 TO 127 STEP 6
                                             PRINTE KASASE IPRINTE K+648V-3-A24A24F
                         184 3)=CHR$(142)+CHP$(190) 184(4)=B$
                              KEPEEKIAR) :X1=0 :Y1=0
                              195 (ST(X+Y) :RESET(X+1+Y+1) :RESET(X+Y+1) :RESET(X+1+Y)
                                          TF K AND 8 THEN Y1=-1 '$ UP ARROW
IF K AND 16 THEN Y1=1 '$ DH ARROW
IF K AND 32 THEN X1=-2 '$ LEFT ARR
IF K AND 64 THEN X1=2 '$ RIGHT AR
                                                                                                                                                                           & LEFT ARRON
                                                                                                                                                                        '& RIGHT ARROW
                                          X=XZ :Y=YZ

SET(X+Y) :SET(X+1+Y+1) :SET(X+Y+1) :SET(X+1+Y)

1-1-1 :IF J/O THEN J-4 :IC=C-1

!IF PX=0 AND PY=U THEN W-1 :RETURN

ELSE PY=INT(B(C)/ZO) :PX=B(C)-PY#20
```

: P=PY\$54+PX\$5+66 -((PY AND 1)=1)\$3

PRINT INSTRUCTIONS AND SET UP MAZE DIMENSIONS ## 2000 CLS
2010 PRINTEY 72-"BEE AMAZET — PROGRAMMED BY DAM ROLLING"
2010 PRINT PRINTITHIS PROGRAM CREATES A MAZE WHICH IS'
2017 PRINTICHMED OF MEXADONAL CELLS SITUAN TO A HOMEYCOMB."
2014 PRINTIYOU MAY SEAS THE MAZE DIRECTLY TO YOUR PRINTER'

IF X'120 IF YC4 THEN RETURN

1450 GOTO 1330

OR 200 FE CHAPTER OF THE STEEL OF THE SECOND THE SECOND OF 2:50 COSUB 100 2:50 PRINT-00 VING THE MAZE 1GOSUB 500 2:10 PRINT-01 MAY PRINT THE MAZE AS MANY TIMES AS DESIRED 2180 PPINTENT AFTER ONE PRINTED WITH THE SOLUTION, ALL "
2190 SRIFTINE FOLLOWING PRINTED WILL BE SOLVED." :PRINT 200 IMPUTTING THE UNITED THE SOLUTION ON THIS PRINT COLD IMPUTTING THE GOODS TO ELSE IF 024-2** THEN GOODS TO ELSE IF 024-2** THEN 2210 THE COOK IS AND THEN BURGE FOR STATE OF 2210 .> INSTRUCTIONS FOR THE RACE ** SHARE SPEED SPEED. BELOW OND MAICH AT A MAINTER HARE SPEED STATE SPEED STATE SPEED STATE SPEED SPEED. BELOW MAICH AS A MAINTEN SPEED THE PRINT TOU SILL FEETA IN THE LOWER-LEFT CURRENT MURRY TO THE PRINTINGRE OF THE APROL KEYS." THE PRINTINGRE OF THE APROL KEYS." THE PRINTINGRE OF THE APROL KEYS." THE PRINT INPUT HIT FATER, TO BEGINT 1018
THE CONTS 1140 COURSE 100
THE PRINT INPUT HIT FATER, TO BEGINT 1018
THE CONTS 1140 COURSE 100
THE PRINT PRIN PRINTE VASA4129.STRING\$(5.176)CHR\$(184) 31 - TOLIGHING INE SAVES THE SCREEN IN SA() ARRAY ## 15. VAPPT (SE) 190NE K+255 190NE K+1+0 TERR 1 O TO I PORE N. +2 + 60+J (SA(J)=SA INEXT ANY DOCUMENT CHEAR 23) FARINT FARINT AND TO SOO SHEAT THEAT THE THE THEAT THEA TO IT US -1 THEN PRINT YOU RESIGNED! " 160TO 2550 THE ST. CLOSE THE PERSON THE RESIDENCE ST. LEGISLATION TO BE SERVED THE ST. PERSON THE ST. PERSO

2050 PRINT*(SOLUTION OPTIONAL)* (PRINT*



"It's the repair technician."

'A HOVE THE BEE

'SPLAYER WINS



Lynn Busby, president of the Computer Station, as seen by the Dithertizer II.

Dithering. Developed at Bell Labs and MIT, dithering was originally an approach to picture transmission. Compared to other methods, dithering is fast and accurate.

The Dithertizer II was designed for the Apple computer by David K. Hudson, a researcher at MIT. Design goals were high accuracy, fast scanning, maximum reliability and an economical price.

High Quality Images

The resolution is of the Dithertizer is the maximum the Apple can handle in the high-resolution mode. i.e., 280×192 (53,760) pixels.

To produce an image, a video camera is focused on the subject. Peripherals Plus furnishes a Sanyo VC1610X camera, a laboratory/industrial unit with an 11.6 lens. This camera has a focus range of 18° (for extreme close ups) to infinity (for distant subjects).

The camera scans an entire frame in 1/60th of a second. Two frames are scanned, focurse, in 1/30th of a second. By adjusting the blackness control (with Paddle 0) to any one of 255 levels you can determine the threshold of gray between the two frames.

A 1/30th second, two-frame scan has two levels of gray and produces a high-contrast but quite recognizable image

Pictures or Contours

Using the "Contour" software routines and contrast control (Paddle 1), it is possible to subtract one image from another. If the blackness thresholds of the two images are close, say 125 and 127, the resulting image will show just the outlines or highlights of

an object.

Another possibility is to reduce the contrast to zero which results in a nearly blank screen except for movement in the area scanned.

This type of movement detector is much taster (1/30th second) and more precise than other much more expenses systems. It is currently being used to detect and record movement of laboratory animals. It is also used in security installations.

The Dithering software routines use the contrast control to divide an image into gray tones. As mentioned above, two levels (usually white and black result in a high contrast image. Four gray levels provide additional definition while sixteen levels produce a highly detailed image in just over 1/4th of a second. Extremely high detail is possible using the highest 64-gray level setting. Afth is level an image is produced in 64/60ths of a second or just over one second. The quality of this image is close to that of a halflone photograph found in a newspaper or magazine.

Using Dithered Images

What can one do with a dithered image? Upon completion it can be stored automatically in either page 1 or 2 of the high-resolution graphics area of the Apple Hence, it can be printed out on practically any printer. To print it on an Apple Silentype printer or equivalent requires no additional software.

To take advantage of the automatic print routines in the Ditheritzer itself does require additional software tailored to a specific printer. Software packages are available at \$44,95 each for the following printers: IDS 440, 445, 460, and 560; IP225; Anadex DP9500 and DP9501; Spinwriter 5510 and 5520.

Individual images or series of images may also be incorporated in other programs in the same way that other hi-res graphics are used. Using VersaWriter software, for example, text may be added to images. An image may be shown on the screen while a disk is

You and your Apple can have a new view of the world.

Dithertizer!

loading or while the computer is completing a time-consuming calculation in another program.

With the proper software, the Dithertizer can be used to perform image enhancement, to identify features, detect motion, track a moving target or create a detailed picture for display. The possibilities are limited only by your imagination.

Quality Construction

The dithertizer is manufactured to exacting specifications by Computer Station. It consists of the Dithertizer II board which plugs into Slot 7 in the Apple II. a cable which connects between the Dithertizer and motherboard and a 10 foot cable to the camera. The system requires a 48K Apple disk system.

The software package consists of three routines on disk: "Dither" to build a gray scale picture, 'Contour to produce an edge scan using image subtraction, and "Dscan' to store a binary image in either page 1 or 2

of the high-resolution graphics area. Peripherals Plus also includes a Sanyo VC161OX video camera with external horizontal and vertical sync input.

The components of the packge—hardware, software and camera—are warranteed by the manufacturers against defects in material and workmanship for 90 days. In addition, Peripherals Plus guarantees that if you are not completely satisfied you may return the system for a prompt and courteous refund.

Order Today

The entire Dithertizer system consisting of the Dithertizer board. Sanyo camera, cables and software costs only 8600 plus 86 shipping and handling in the continental United States. Customers in other loctions the board and software alone is \$410. To order your system, send payment or Visa. MasteCard or American Express card number and expiration date to the address below. Credit or the control of the control

Don't put it off Remember, your system is backed by both manufacturer warranties and a complete moneyback guarantee of satisfaction from Peripherals Plus.

Give your Apple a new view of the world with a Dithertizer. Order today.

Peripherals Plus

39 East Hanover Avenue Morris Plains, NJ 07950 Toll-free **800-631-8112** (In NJ 201-540-0445)



Kerry Lourash

Here's a machine language routine that enables the OSI CIP and C2P to use the graphic mode of the Paper Tiger printer. A "reverse print" option and capability for user-definable characters are included.

When I saw Bob Stuckmeyer's article (Creative Computing January 1981) on implementing the Paper Tiger graphic mode for the Sorceer. I immediately thought of my friend. George, who has an OSI Super II and a Tiger. Although he had the graphic option, it was unused because there was no graphic propulation available for OSI. Unfortunately, Stuckmeyer's program was not much help, since it was written for the Z-80.1 would like to thank him for the concept of making four passes to print three screen lines, how-


The OS1 Tiger (Listing 1) is set up as a subroutine, so it can be called by a USR command. Output is routed to the ACIA for serial output. If you use parallel interfacing, change the OUTPUT label to your own output routine.

Kerry Lourash, 1220 North Dennis, Decatur, IL 62522.

M1

580 374C E940 590 374E 9540 SCN=\$40 JADDRESS OF CHAR. CONVERTED SCNZ=\$42 JADDR. OF CHAR ABOVE CURRENT CHAR LHDEX=\$44 JOFFSET ADDED TO TABLE CHARR=\$46 JHORK AREA TO COMPANY. FWORK AREA TO CONVERT ELEMENTS PASS COUNTER(1-4) PASS=448 I THE = SAS FLINE(PRINTER)COUNTER BYTE=\$4A FELEMENT COUNTER(1-8)
COL=\$4B FOOLUMN COUNTER
INV=\$4C FINVERSE PRINT FLAG
OUTPUT=\$BF15 FACIA OUTPUT SUB(C2P) LDA \$\$80 STA SCN LDA \$\$DO STA SCN+1 #SET SCREEN COUNTERS LDA #\$40 LDA 95DO STA SCN2+1 LDA 93 JSR OUTPUT JSR OUTPUT FENTER GRAPHIC HODE FSET CHAR WIDTH LDA #\$1E JSR OUTPUT JSR VTAB FVERTICAL TAB LDA #\$28 SET LINE CHTR. STA LINE LDA #1 STA PASS ISET PASS CHIR. STA PASS LDA ##40 STA COL LBA #0 STA BYTE JSR CNVT ISET COLUMN CHTR. FZERO ELEMENT CNTR. CONVERT 1 ELEMENT & PRINT FINCREMENT ELEMENT CHTR. INC BYTE LDA BYTE CMP 08 BMI S3 INC SCN BME S4 ; NO, FIND & PRINT NEXT ELEMENT ; YES, INCREMENT SCREEN CHTRS INC SCH+1 INC SCM+1
INC SCM2
BNE S5
INC SCM2+1
DEC COL
DNE S2
JSR VTAB *DECREMENT COLUMN CHTR *IF LINE NOT DONE *TO S2 *PRINT HEAD TO START OF LINE #NEXT LINE #IF LINES DONE, EXIT #INCREMENT PASS COUNTER DEC LINE INC PASS LBY PASS CPY #4

Listing 1.



A picture created for one of George's kids (by George).

SOFTWARE FOR OSI

ADVENTURES

A JOURNAL FOR OSI USERS!!

The Aardvark Journal is a bimonthly tutorial for OSI users. It features programs customized for OSI and has run articles like these:

- 1) Using String Variables.
- 2) High Speed Basic On An OSI.
- 3) Hooking a Cheap Printer To An OSI
- 4) An OSI Disk Primer,
- 5) A Word Processor For Disk Or Tape Machines.
- 6) Moving The Disk Directory Off Track 12

NEW SUPPORT ROMS FOR BASIC

IN ROM MACHINES

IN ROM MACHINES

CIS to the CIP only, this ROM adds full screen debt functions finert, defete, change cleanances an about final. Severe debt functions finert, defete, change cleanances are about final. Severe destricted window only and full screen, software chose of the Cip of the Cip

DISK UTILITIES

This cupy program makes multiple copies, copies track zero and copies at the tracks that your memor can huld at one time.

12 tracks at a pass it's almost as fast disk copying \$15.95

SUPER COPY Single Disk Copies

MAXIPROSS (WORD PROCESSOR) polled keyboard only has global and line edit, right and left margin justification, imbedded margin commands, choice of single, double or

First year issues already available! \$9.00 per year (6 issues)



MEMORY BOARDS!! - for the C1P - and they Aardvarks new memory board supports 8K

PROM BURNER FOR THE C1P - Burns single supply 2716's. Bare board - \$24,95. MOTHER BOARD - Expand your expansion connector from one to five connectors or use it to adapt our C1P boards to your C4/8P. - \$14.95.

ARCADE AND VIDEO GAMES

GALAXIA one of the fastest and finest arcade games ever written for the OSI, this one features rows of evasive, hardhitting, dogfighting aliens tired off Alien Invaders. - P giveaway. SPECIFY SYSTEM! Cassette \$9.95 - Disk \$12.95

TIME TREK (8K) - real time Startrek action See your torpedoes move across the screen! Real graphics no more scrolling displays \$9.95
INTERCEPTOR C1P ONLY! An all ma code program as first and smooth as the arcades.

C1P Cassette \$19.95
MINOS — A game with amazing 3D graphics.
You see a maze from the top, the screen blanks,

SINGLE STEPPER / MONITOR

Adventures are interactive fantasies where you give the computer plain English commands (i.e. take the sword,

look at the control panel.) as you explore alien cities.

being there yourself. We have six adventures available. ESCAPE FROM MARS - Explore an ancient

playing time is 30 to 40 hours in several sessions. There is literally nothing else like them - except

Martian city while you prepare for your escape. NUCLEAR SUBMARINE - Fast moving

> excitement at the bottom of the sea. PYRAMID - Our most advanced and most challenging adventure. Takes place in our

castle. But it's getting dark outside. DEATH SHIP - It's a cruise ship - but it ain't

the Love Boat and survival is far from certain. TREK ADVENTURE - Takes place on a

own special ancient pyramid. VAMPIRE CASTLE - A day in old Drac's

familiar starship. Almost as

good as being there.

space ships, ancient pyramids and sunken subs. Average

This is probably the finest debugging tool for machine code ever offered for OSI systems. Its' machine code program while it continuously displays the A, X, Y and status registers and the program and stack pointers. You can change any under 1k and can be refocated anywhere in free put on it. - Tape \$19.95 - Disk \$24.95

FOR DISK SYSTEMS - 165D polled key board and standard video only)

SUPERDISK. Contains a basic text editor with contains a renumberer, variable table maker, search and new BEXEC* programs. The BEXEC*

provides a directory, create, delete, and change utilities on one track and is worth having by itself. \$24.95 on 5" disk. \$26.95 on 8" AARDVARK IS NOW AN OSI DEALER!

Now you can buy from people who can support

- THIS MONTH'S SPECIALS

C1P Model II 8K 610 board for C1P Epson MX-80 printer with RS232 installed and we'll include a free Text Editor Tape

> True 32X 32 Video Mod Plans for C1P (4 Chips \$3.00 Crystal Required) \$7.95



This is only a partial listing of what we have to offer. We now offer over 100 programs, data sheets, ROMS, and boards for OSI systems. Our \$1.00 catalog lists it all and contains free program listings and programming hints to buot.





Aardvark Technical Services • 1690 Bolton • Walled Lake, MI 48088 (313) 669-3110 157

	ued									
00 3750 8002		BCS M2		1090 3			OUT1			D BIT 647 OF ELEMENT
10 3752 D641		DEC SCH+1+X		1100 3				CMP		ELEMENT=3.OUTPUT TWICE
20 3754 CA	H2	DEX		1110 3					OUT2	
30 3755 CA		DEX		1120 3					OUTPUT	
40 3756 F0F1		BEO M1		1130 3			OUT2			NT ELEMENT & RETURN
50 3758 DOB7		BNE SI		I140 3			FIND	LDY		ELEMENT IN TABLE
60 375A A903	EXIT		FEXIT GRAPHIC HODE	1150 3						1 SCREEN CHAR.
70 375C 2015BF		JSR OUTPUT		I160 3			F1		1NBEX+1	
80 375F A902		LDA #2	ICALL DOUGLAR	1170 3					1NDEX	
90 3761 4C15BF			JEXIT ROUTINE	1180				LDY		IPLY BY B
	CHUT		FEND OF RGW?	1190 3			F2		INDEX	
10 3766 293F 20 3768 38		AND 053F SEC		1200					1MDEX+1	
20 3768 38 30 3769 F902				1210 3				DEY		
40 376B C540		SBC 02 CMP SCN		1220				BNE		
50 376B 1001		BPL CO		1230 3				CLC		INDEX TO TABLE
60 376F 60			FYES, TO MAIN ROUTINE	1240 3					INDEX	
	CO		FIND ELEMENT IN TABLE	1250 3					#TABL#256/2	26
80 3773 8546	P4	STA CHAR	PUT ELEMENT IN WORKSPACE	1270 3					1 NDE X	
790 3775 A204	100	LDX 04	TO ELEMENT IN MORKSTHEE	1280 3					INDEX+1	
00 3777 E448		CPX PASS	IPASS 47	1290 3					#TABL/256 INDEX+1	
10 3779 BOOS		SNE P3	FNO, TRY PASS 3	1300 3				CLC		F1 F4 F4 F 4 F 4 F 4 F 4 F 4 F 4 F 4 F 4
20 377B 4A		LSR A	THOS INT THOSE	1310 3					1NDFY	ELEMENT No. TO TABLE
30 377C 4A		LSR A		1320 3					BYTE	
40 377D 4CA937		JMP OUT		1330 3					INDEX	
50 3780 CA	P.3	DEX		1340 3				BCC		
60 3781 E448		CPX PASS	PASS 37	1350 3					1MDEX+1	
70 3783 B011		BHE P2	IND:TRY PASS 2	1360 3			F3	LBY		
380 3785 20E937		JSR ABOVE		1370 3			13		(INDEX) Y F	CET CLEMENT
90 3788 A004		LBY 04		1380 3				RTS	(IRDEX)) 1	GET ELEMENT
POO 378A 6646	C1	ROR CHAR		1390 3			ABOVE	LDY	90 15	IND ELEMENT OF CHAR.
10 37BC 6647		ROR CHAR+1		1400 3						LINE ABOVE CHAR.
20 378E 88		DEY				20BF 37		JSR	F1	CINC HOVE CHAIL
30 378F DOF9		BHE C1		1420 3					CHAR+1	
40 3791 A547		LDA CHAR+1		1430 3	37F2	60		RTS		
50 3793 4CA937		JMP DUT		1440 3	57F3	A903	UTAS	LDA	#3 #PI	RINT HEAD TO START OF LE
60 3796 CA	P2	DEX		1450 3	37F5	20158F		JSR	DUTPUT	
70 3797 E448		CPX PASS	iPASS 2º	1460 3	7F8	A90B		LDA	05B	
80 3799 DOOE		SNE DUT	FNO, TO PASS 1 & OUTPUT	1470 3				JSR	OUTPUT	
90 379B 20E937		JSR ABOVE		1480 3		60		RTS		
00 379E A002 10 37A0 0647	C2	ASL CHAR+1		1490 3					CHAR. #0	
10 3/80 0647 20 3782 2646	62	ASL CHAR+1 ROL CHAR		1500 3			TABL .	BYTE	0 + \$E7 + \$42 + \$1	FF+8FF+842+8E7+0
30 37A4 8B		DEY		1500 3						
40 37A5 DOF9		BNE C2		1500 3						
50 37A7 A546		LDA CHAR		1500 3						
60 37A9 A64C	OUT		CHECK INVERSE FLAG	1500 3						
70 37AF BOO2	001	BHE OUT1	CHECK TAVENDE & LAG	1500 3 1500 3						

	Table 1.	
1037FE+3FFE	E F 9 1 2 3 4 5 6 7 8 9 A 8 C 8	
E F 0 1 2 3 4 5 6 7 8 9 A 8 C b		E F 0 1 2 3 4 5 6 7 8 9 A 8 C 8
37FE 00 E7 42 FF FF 42 E7 00 00 E7 42 7E 7E 42 E7 00	3AAE 00 1F 20 40 20 1F 00 00 00 7F 20 18 20 7F 00 00 385	E FO FO FO FO OF OF OF OF OO OO OO OO OO
380E 81 42 3C 00 00 3C 42 81 81 42 24 24 24 24 42 81	3ABE 00 63 14 08 14 63 00 00 00 03 04 78 04 03 00 00 384	E 3C 3C 3C 3C 00 00 00 00 FF 7F 3F 1F 0F 07 03 01
301E 50 60 48 70 70 48 60 50 00 40 E0 E0 E0 E0 F8 F9	3ACE 00 61 51 49 45 43 00 00 00 7F 7F 41 41 41 60 00 3871	
382E FF F8 F0 E0 E0 E0 F0 70 70 F0 E0 E0 E0 F0 F8 FF	3ADE 00 02 04 08 10 20 00 00 00 41 41 41 7F 7F 00 00 388	FF FE FC FB FO EO CO BO EO EB FO FO EO FO FB FC
383E F9 F8 E0 E0 E0 E0 E0 40 00 00 04 04 24 24 70 44 44	3AEE 00 10 08 04 08 10 00 00 00 40 40 40 40 40 00 3899	E FC FF FC E0 F0 F0 68 20 20 48 F0 F0 F0 FC FF FC
384E 70 78 78 4C 6C 08 09 08 08 08 08 AC AC 78 78 70	3AFE 00 00 00 00 00 00 00 00 00 38 44 44 28 7C 00 00 38A6	E FC F8 F0 E0 F0 F0 E8 E0 05 0A 05 0A 05 0A 05 0A
385E 64 64 7C 24 24 04 04 00 00 1C 3E 3F FF 3E 1C 08	380E 00 7F 28 44 44 38 00 00 00 38 44 44 44 44 40 00 30 388	E 50 A0 50 A0 50 A0 50 A0 53 AA 55 AA 00 00 00 00
38AE OO FO 38 FC BC FB FO OO FB 2C FE AF FF FE AC FE	381E 00 38 44 44 28 7F 00 00 00 38 54 54 54 18 00 00 38C	E 00 00 00 00 55 AA 55 AA 55 AA 55 AA 55 AA 55 AA
387E 00 04 82 FF FF 82 04 00 10 20 70 88 10 0F 07 0F	382E 00 00 08 /E 09 00 00 00 10 A2 A2 94 /E 00 00 388	
388E 3C 18 18 18 18 5A 3C 18 08 04 0E 18 88 FO EO FO	383E 00 7F 04 04 04 78 00 00 00 00 48 7A 40 00 00 00 33E1 384E 00 00 80 80 7A 00 00 00 07 F 10 18 24 42 00 00 38F1	
389E 00 20 41 FF FF 41 20 00 F0 E0 F0 88 18 0E 04 08		
38AE 18 3C 5A 18 18 18 18 3C 0F 07 0F 18 88 70 20 10 38BE 00 04 0A 0A 7E 0A 7E 00 00 30 10 10 10 10 18 00	385t 00 00 41 7F 40 00 00 00 7C 04 78 00 00 3E0 386E 00 7C 04 04 04 78 00 00 00 38 44 44 44 38 00 00 3E1	
30CE 00 10 7E 52 7E 10 00 00 00 7E 42 7E 00 00 00	307E 00 FE 14 22 22 1C 00 00 00 1C 22 22 14 FE 00 00 1E21	
381€ 00 22 72 FA 02 02 3€ 00 88 44 22 11 11 22 44 88		
38EE 00 06 0A F2 F2 0A 06 00 11 22 44 88 88 44 22 11	388E 00 7C 00 04 04 00 00 00 00 48 54 54 54 24 00 00 38 4 389E 00 04 04 7E 04 04 00 00 00 3C 40 40 40 7C 05 00 3E 41	
38FE 00 00 00 00 00 00 00 00 00 00 5F 00 00 00	38AE 00 0C 30 40 30 0C 00 00 00 3C 40 40 40 7C 3C 00 3ES	00 00 00 F0 10 10 10 10 10 F0 00 00 00 00
390E 00 00 07 00 07 00 00 00 00 14 7F 14 7F 14 00 00	3896 00 44 28 10 28 44 00 00 00 00 BC 80 80 7C 00 00 MA	08 00 08 0F 00 00 00 00 01 01 01 01 01 01 01 FF
391E 00 24 2A 7F 2A 12 00 00 00 23 13 08 64 62 00 00	30CE 00 44 64 54 4C 44 00 00 00 00 08 36 41 41 00 00 3E7	80 80 80 80 80 80 80 FF FF 80 80 80 80 80 80 80
3926 00 36 49 56 20 50 00 00 00 00 07 00 00 00 00	300E 00 41 41 34 00 00 00 00 00 00 77 00 00 00 00 3EB	FF 01 01 01 01 01 01 01 3E 2F 2E 3L 38 38 33 3C
393E 90 1C 22 41 00 00 00 00 00 00 00 41 22 15 00 00	30EE 00 00 00 2A 08 08 00 00 00 10 00 08 08 04 00 00 3E9	
394E 00 22 14 /F 14 22 00 00 00 08 08 3E 08 08 00 00	38FE 80 80 80 80 80 80 80 80 80 40 40 40 40 40 40 40 40	
395E 00 00 40 30 00 00 00 00 00 08 08 08 08 08 00 00	3E0E 20 20 20 20 20 20 20 20 10 10 10 10 10 10 10 10 10 3EB	
394E 00 00 00 40 00 00 00 00 00 20 10 08 04 (2 00 00 397E 00 3E 51 49 45 3E 00 00 00 00 42 7F 40 00 00 00		
398E 00 62 51 49 49 46 00 00 00 21 41 49 40 33 00 00	X2E 02 02 02 02 02 02 02 02 02 02 01 01 01 01 01 01 01 01 01 XED XXE FF 00 00 00 00 00 00 00 00 FF 00 00 00	
389E 00 18 14 12 7F 10 00 00 00 27 45 45 45 39 00 00	X4E 00 00 FF 00 00 00 00 00 00 00 FF 00 00	
39AE 90 3C 4A 49 49 31 00 00 00 01 71 09 05 03 00 00	3ESE 00 00 00 00 FF 00 00 00 00 00 00 00 FF 00 00	3C 42 81 81 81 81 42 3C 3C 3C 42 42 81 81 81 31
39BE 00 36 49 49 49 36 00 00 00 46 49 49 29 1E 00 00	3CAE 00 00 00 00 00 00 FF 00 00 00 00 00 00	81 81 81 81 42 42 3C 3C OE 1F 3F FE FE 3F 1F OF
39CE 00 00 00 14 00 00 00 00 00 00 40 34 00 00 00 00	3C/E C0 C0 C0 C0 C0 C0 C0 C0 03 03 03 03 03 03 03 03 03	30 38 83 C7 C7 83 38 30 18 3C 9E FF FF 9E 3C 18
39DE 00 08 14 22 41 00 00 00 00 14 14 14 14 14 16 00 00	3CBE FF FF 00 00 00 00 00 00 00 00 00 00 00	18 3C 7E FF FF 7E 3C 18 E7 C3 81 00 00 81 C3 E7
39EE 00 00 41 22 14 08 00 00 00 02 01 59 05 02 00 00	3C9E 18 18 18 18 18 18 18 18 18 00 00 00 FF FF 00 00 00 3F4E	
39FE 00 3E 41 50 59 4E 00 00 00 7C 12 11 12 "C 00 00	JCAE EO EO EO EO EO EO EO EO EO O7 07 07 07 07 07 07 07 3554	30 38 9C FF FF 9C 38 30 3C 18 DB FF 'E 3C 18 18
3AOE 00 7F 49 49 49 36 00 00 00 3E 41 41 41 22 00 00	3CBE FF FF FF 00 00 00 00 00 00 00 00 00 00	9C 1C 39 FF FF 39 1C OC 18 18 3C 7F FF 86 18 10
3A1E 00 7F 41 41 41 3E 00 00 00 7F 49 49 49 41 00 00	SCCE FO FO FO FO FO FO FO OF OF OF OF OF OF	99 20 90 78 90 20 00 00 00 20 90 78 to 30 on 26
3A2E 00 7F 09 09 09 01 00 00 00 3E 41 41 51 71 00 00 3A3E 00 7F 00 00 08 7F 00 00 00 41 7F 41 00 00 00	3CDE FF FF FF FF 00 00 00 00 00 00 00 00 FF FF	00 00 00 C6 FF F0 F0 F8 00 02 04 C6 F0 F1 FR FR
3A4E 00 20 40 40 40 3F 00 00 00 7F 08 14 22 41 00 00	MEE FE FE FE FE FE FE FE FF FF FF FF FF F	10 10 10 00 FO FO FR FR FR FO FO FF Ch no n
345€ 00 7F 40 40 40 40 00 00 00 7F 02 00 02 7F 00 00	NOTE FEREFERE FEREFERE FERF FF F	
3A6E 00 7F 04 08 10 7F 00 00 00 3E 41 41 41 3F 00 00	301E 7F 7F 7F 7F 7F 7F 7F 00 00 00 00 F0 F0 F0 F0	
3A7E 00 7F 09 09 09 06 00 00 00 3E 41 51 21 5F 00 00	382E 00 00 00 00 0F OF OF OF F6 F0 F0 F0 00 00 00 00	
3A8E 00 7F 09 19 29 46 00 00 00 26 49 49 49 32 00 00		. 00 00 08 24 3E 5E 5E 22 02 .4 38 C 18 3 .0 .0
		AA AA AA TH NE NE NE TS OS 14 20 C 18 3 TO 10



Microsystems the CP/M and S-100 User's Journal

CP/M is the software bus! S-100 is the hardware bus for sophisticated microcomputer users!

If you are a CP/M user, on any system – Ş-100, Apple, TRS-80, Heath, Ohio Scientific. Onyx, Durango, Intel MDS, Mostek MDX, etc-after all CP/M is the Disk Operating System that has been implemented on more computer systems than any other DOS-then Microsystems magazine is the "only" magazine published specifically for you!

Or, if you use an S-100/IEEE-696 based computer-and the most sophisticated microcomputer systems available use the S-100/IEEE-696 hardware bus-then Microsystems magazine is the "only" magazine published specifically for you!

We started publishing Microsystems almost two years ago to fill the void in the microcomputer field. There were magazines catering exclusively to the TRS-80, Apple, Pet, Heath, etc. system users. There were also broad based publications that cover the entire field but no one system in depth. But no magazine existed for CP/M users-nor did one exist for S-100 users.

The why and what of a software bus

First of all what is a "bus?" And why do we call CP/M "the software bus?"

A "bus" is a technique used to Interface many different modules. Examples are the S-100/IEEE-698 Bus" and the "IEEE-488 Bus." These are hardware buses that permit a user to plug a bus-compatible device into the bus without having to make any other hardware modifications and expect the device to operate with little or no monifica-

CP/M is a Disk Operating System (DOS). It was first introduced in 1974 and is now the oldest and most mature DOS for microcomputer systems. CP/M has now been emented on over 250 different computer systems. It has been implemented on hard disk systems as well as floppy disk systems. It is supported by two user groups (CP/M-UG and SIG/M-UG) that have released over sixty volumes containing over 1,800 public domain programs that can be loaded and run on systems using the CP/M DOS. Add to this another 1,500 commercially available CP/M software packages and you have the largest applications software base in existence

CP/M is the only DOS for micros that has stood the test of time (seven years) with the highest level of compatibility from version to version. And over the years this compatibility has been maintained as new features have been added

This is why we say "CP/M is the software bus" and why Microsystems magazine is vital to providing CP/M users with technical information on using CP/M, interfacing to CP/M, new CP/M compatible products and for CP/M users to exchange ideas.

Why support the \$-100 bus?

S-100 is currently the most widely used microcomputer hardware bus. It offers advantages not available with any other microcomputer system. Here are a few of the advantages:

S-100 is processor independent. There are already thirty different S-100 CPU cards that can be plugged into an S-100 bus computer. Nine 8-bit microprocessors are available: 6502, 6800, 8602, 6609, 2650, F8, 6060, 6065 and Z80. Eight 18-bit microrocessors are available: 8088, 8088, 9900. Z8000, 68000, Pascal Microengine, Alpha Micro (similar to LSI-11) and even the AMD2901 bit slice processor. Take your pick from the incredible offerings

S-100 has the greatest microcomputer power. What other microcomputer system has direct addressing of up to 16 megabytes of memory, up to 65,538 I/O ports, up to 10 vectored interrupts, up to 16 masters on the bus (with priority) and up to 10 Mhz data transfer rate? You will have to go a long way to use up that computing powe

S-100 is standardized. The S-100 bus has been standardized by the IEEE (Institute of Electrical and Electronic Engineers) assuring the highest degree of compatibility among plug-in boards from different manufacturers. And, Microsystems has published the complete IEEE S-100/898 standard (all

S-100 has the greatest hardware support.
There are now over sixty different manufacturers of about 400 different plug-in S-100 boards. Far greater than any other microcomputer system.

With all these advantages is it any wonder that S-100 systems are so popular with microcomputer users who want to do more than just play games?

For the serious computer user.

Each issue of Microsystems brings you the latest in the CP/M and S-100 world. Articles on applications, tutorials, software development, product reviews, and lots more. to keep you on top of the ever changing microcomputer scene

And if you are an S-100 system user using other operating systems (e.g. North Star) Microsystems also supports you.

Get your copy today

Order your susbscription to Microsystems Send \$10 for one year (6 issues), \$16 for two years (12 issues) or \$24 for three years (16 issues). If you prefer, call our toll-free number, 800-631-8112 (in NJ 201-540-0445) to put your subscription on your MasterCard, Visa or American Express card. Canadian/ Mexican and other foreign surface subscriptions are \$15 and \$25, respectively, per year and must be prepaid. We guarantee that you will be completely satisfied or we will refund your subscription.

Join thousands of Microsystems subscribers like Jim Johnstone of Los Altos CA, who said "Microsystems has lived up to your promises and my expectations. Congratula-

39 East Hanover Avenue Morris Plains, NJ 07950, USA Toll-free 800-631-8112 (In NJ. 201-540-0445)

CHOOSE...

Choose an Apple Desk



Ideal for an Apple computer system, our bi-leval dask has a micro shaff to hold two Apple disk drives. Top leval holds monitor TV, or manuals. 42"w x 29%"d x 35"h.

Choose a Micro Desk



Our Designer Series desk with micro shalf is suitable for the North Star, Dynabyte, Vector Graphics, and Altos computars. A variety of sizes and colors available.

Choose a Mini Rack



Mini racks and mini micro racks have adjustable Ratma rails, standard venting, and cable cut outs. Choose a stand alona ey or desk model. A custom rack is wailable for the Cromamco.

Choose a Printer Stand



The Universal printer stand fits: Diablo 1600's & 2300's T.I. 810 & 820 Okidata Slimlina Anadex 9500's

Delivary in days. 200 styles and colors in stock. DEALER INQUIRIES INVITED.

LECTRONIC SYSTEMS FURNITURE COMPANY

17129 S. Kingsview Avanua Carson, California 90746 Talephona: (213)538-9601

CIRCLE 218 ON READER SERVICE CARD

Tiger, continued...

Listing 2. OSI Tiger data conversion

ı	ADDI	RESS CODE	MNEMONICS
ł	1000	A900	LDA #0
ш	2	8530	STA \$30
ш	4	A008	LDY #8
ш	6	A207	LDX #7
ш	8	5EXXXX	LSR ORIGIN.X: data start add. (reset after every use)
ш		2EYYYY	ROL TABLE: table start add. (reset after use)
ш		CA	DEX
н	F	10F7	BPL \$1008
ш	1011	EEOC10	INC TABLE
Ł	4	D003	BNF \$1019
8	6	EEOD10	INC TABLE+1
В	9	88	DEY
п	A	DOEA	BNE \$1006
н	C	18	CLC
н	D	AD0910	LDA ORIGIN
н	1020	6908	ADC #8
н		8D0910	STA ORIGIN
н	5	9003	BCC \$102A
н	7	EEOA10	INC ORIGIN+1
н	A	C630	DEC \$30
п	C	DOD6	BNE \$1004
п	102E	4COOFE	JMP \$FE(0): exit to monitor

Basically, the OSI Tiger gets a character from the video memory, multiplies its value by eight, and uses this value to find the correct byte in a look-up table. This table (see Table 1) consists of groups of eight bytes. Each group defines one OSI character. Since there are 256 characters. the table occupies 2K bytes of memory. After the byte is found, it is converted to the correct form and output to the printer.

Passes two and three use the character directly above the current character to produce printer data. To make things simple. I use two screen position counters. SCN and SCN2. The zero-page addresses used are located in the input buffer area (\$13-\$5A). Basic won't be using these addresses while the routine is running. Location \$4C(dec 76) controls the "inverse print" mode. If \$4C contains a zero, the Tiger prints a reverse image.

Line 220 sets the print size (#\$1E) at 12 characters per inch. Even at this small print size, the Tiger prints only 62 of the 64 characters in the C2P video line. At ten c.p.i.(#\$1D), the Tiger will print 52 characters per line. To use this print size, you must also change line 730 to SBC #\$C. At 8.3 c.p.i.. the Tiger will print 43 characters per line. Change line 730 to SBC #\$15. If you wish to use the 32 characters per line option of the C2P, change line 220 to LDA #\$1C and line 730 to SBC #\$20.

To convert the routine to C1P operation

Change line 100 to OUTPUT = \$FCB1

Change line 120 to LDA #\$40

Change line 140 to LDA #\$20 Change line 220 to LDA #\$1C

Change line 290 to LDA #\$20

Change line 580 to SBC #\$20 Delete lines 700 to 760 or:

Change line 710 to AND #\$1F Change line 730 to SBC #0

To make the number of passes come out even, only the bottom 30 lines of the video display are printed. If you want to print the whole screen, a reasonable approximation can be had by setting SCN to \$D000 and SCN2 to \$EFE0 or \$EFC0. Also, change line 250 to LDA #\$2A or LDA #\$2B.

The printer must be carefully adjusted to minimize distortion of the picture. See the user's manual for directions. I've also read that using heavy weight paper lessens distortion.

There's one big problem in implementing the OSI Tiger: generating the data table. The data in the character generator ROM can't be addressed as memory, so a data table in RAM must be created. To do this. George breadboarded a circuit to read the character generator chip as a section of memory at \$E000. I provided a character generator chip from my C1P. Using the OSI Extended Monitor, we transferred the data from the ROM to a section of RAM. Now we had one more problem. The data bytes were intended for use with the CRT, which scans one horizontal row of each character at a time, as opposed to the printer, which prints one vertical column at a time. I designed a routine to convert the ROM data to printer formatted data (see Listing

With the character data in RAM, you can change any character, although you won't be able to see the character onscreen. If you have access to an EPROM burner, you can change the data in the ROM and then convert it to printer data with Listing 2. For a dump of the complete table or the ROM data (please specify). send a cassette and return postage to me at the address listed at the beginning of this article.



Creative Computing-- Albert Einstein in black on a red denim-look shirt with red neckband and cuffs.



Creative's own outrageous Blonic Toad in dark blue on a light blue shirt for kids and adults.



Plotter display of Pl to 625 Places in dark brown on a tan shirt.



I'd rather be playing spacewar-- black with white spaceships and lettering.

Give your tie a rest!

All T-shirts are available in adult sizes S.M.L.XL. Bionic Toad, Program Bug and Spacewar also available in children's sizes S(6-8), M(10-12) and L(14-16). Made in USA. \$6.00 each plus 75c shipping.

Specify design and size and send payment to Creative Computing, 39 E. Hanover Ave. Morris Plains, NJ 07950. Orders for two or more shirts may be charged to Visa, Master-Card or American Express. Save time and call toll-free 800-631-8112 (in NJ 201-540-0445).



Crash Cursor and Sync from the comic strip in SYNC magazine emblazoned in white on this black shirt



Computer Burn-- black design by cartoonist Monte Wolverton on gray denim-look shirt with black neckband and cuffs.



The Program Bug that terrorized Cybernia in Katle and the Computer is back on this beige t-shirt with purple design. You can share the little monster with your favorite kid.



Roll down the block with this little black Robot Rabbit (on a bright orange t-shirt) on your back and you can intimidate every carrot, radish or cuke in your way.

RACET SORTS — RACET UTILITIES — RACET computes — RACET SORTS — RACET UTILITIES — RACET computes — RACET SORTS — RACET UTILITIES — RACET UTILITIES — RACET COMPUTES — RACET SORTS — RACET UTILITIES — RACET SORTS — RACET SORTS — RACET UTILITIES — RACET SORTS — RACET UTILITIES — RACET SORTS — R

HARD DISK MULTIPLEXOR WITH 10 MEG HARD DISK FOR THE TRS-80° Mpd II

NOW YOU CAN HAVE THAT LARGE COMMON DATA BASE!! Allows up to 4 Mod il's to connect to a single controller — up to 4 hard disk drives per controller. Users may access the same file simultaneously (first-come

Uses Cameo controller and standard 10-megabyte cartridge (hard) disk drives along with RACET Hard/Soft Disk System (HSD) software.
 Access times 3 to 8 times faster than floppy. Mixed floppy/hard disk operation

supported.

Compatible with your existing TRSDDS programs! All BASIC statements are identical.

 A single file may be as large as one disk. Alternate mode allows 24-million byte record range. Oirectory expandable to handle thousands of files. Includes special utilities — backup and copies, HPURGE for multiple deletions, HDCS directory catalog system, and Hard Disk Superzap, FDRMAT utility includes options for specifying sectors/gran, platters/drive. logical disk

HARD DISK ORIVE & CONTROLLER \$5995 RA
Call for multiuser pricing. Dealers call for OEM pricing **RACET HSD Software**

INFINITE BASIC (Mod I & III Tape or Disk) Mod f \$50.00, Mod fff \$60.00 Extends Level II BASIC with complete MATRIX functions and 5D more string functions. Includes RACET machine language sorts! Sort 1000 elements in 9 seconds!! Select only functions you want to optimize memory usage.

INFINITE BUSINESS (Requires Infinite BASIC) Complete printer pagination controls — auto headers, footers, page numbers. Packed decimal arithmetic — 127 digit accuracy +, -, *, / Binary search of sorted and unsorted arrays. Hash codes.

BASIC CROSS REFERENCE UTILITY (Mod II 64K) SEEK and FIND functions for Variables, Line Numbers, Strings, Keywords. 'All' options available for line numbers and variables, Load from BASIC — Call with

'CTRL'R. Output to screen or printer! DSM Mod I \$75.00, Mod II \$150.00, Mod III \$30.00 Mo

make this the fastest Disk Sort/ Merge available on your TRS.
(Mod I Min 32K 2-drive system. Mod II 64K 1-drive. Mod III 32K 1-drive)

* * NEW * * OISCAT (32K 1-drive Min)

This comprehensive Diskette Cataloguing/Indexing utility allows the user to keep track of thousands of programs in a categorized library. Machine language program works with all TRSDDS and NEWDOS versions. Files include program names and ensions, program length, diskette numbers, front and back, and diskette free sp

KFS-80 (1-drive 32K Min - Mod II 64K) Mod I, III \$100.00; Mod If \$175.00 The keyed file system provides keyed and sequential access to multiple files. Provides the programmer with a powerful disk handling facility for development of data base applications. Binary tree index system provides rapid access to file records.

MAILLIST (1-drive 32K Min - Mod II 64K) Mod I, III \$75.00; Mod II \$150.00 This ISAM-based maillist minimizes disk access times. Four keys — no separate sorting. Supports 9-digit zip code and 3-digit state code. Up to 30 attributes. Mask and que ry selection. Record access times under 4 seconds!

* * NEW * * LPSPOOL (32K 1-drive Min) LPSPODL Add multi-tasking to permit concurrent printing while running your application program. The spooler and despooler obtain print jobs from queues maintained by the system as print files are generated. LPSPOOL supports both parallel and serial printers.

UTILITY PACKAGE (Mod II 64K) UTILITY PACKAGE (Mod II 6KY)

119.00 III. The file recovery capabilities alone will pay for the package in even one application? Fully documented in 124 page manual you from the package in even one application? Fully documented in 124 page manual WHI. XGAT, XCOPT and SUPERZAP are used for reconstruct or recover date from the part of the package of t

DEVELOPMENT PACKAGE (Mod II 64K)
\$125.00
Includes RACET machine language SUPERZAP, Apparat Olsassembler, and Model
II interface to the Microsoft "Editor Assembler Plus" software package including uploading services and patches for Disk I/D CHECK, WEA, M/C, C.O.O., PURCHASE ORDER RACET COMPUTES

TELEPHONE ORDERS ACCEPTED (714) 637-5016 1330 N. Glassef, Suite 'M Orange, CA 92665 RACET SORTS - RACET UTILITIES - RACET computes - RACET SORTS - RACET UTILITIES - RACET computes - RACET SORTS - RACET UTILITIES - RACET computes - RACET SORTS - RACET UTILITIES - RACET computes - RACET SORTS - RACET UTILITIES - RACET COMPUTED - RACET SORTS - RACET UTILITIES - RACET SORTS - RACET UTILITIES - RACET SORTS - RACET UTILITIES - RACET SORTS - RACET SORTS

CIRCLE 188 ON READER SERVICE CARD Colorful Graphics Programs for Apple II, Atari, TI 99/4

LAND WAR: A unique computer war game. lar to board war games, but the playing field is drawn on the screen in hi-resolution color. The players must maneuver infantry and armored units over terrain that includes rivers, forests and cities. To win, a player must occupy his opponent's city, and destroy his opponent's armies. Two players can oppose each other, or one player fight a computer general.

All this for only \$20.00

Apple II with 24K RAM; Atari with 24K RAM. Not available for TI 99/4.

COLOR 3	OFI WARE,	FU	DUX	24214,	indpis,	TM	402
Names					Comput		
Street					Atı	ple	
City					TI	99,	/4
					D		

Send for illustrated catalog with these and other programs which all make full use of the graphics capabilities of these computers.

(\$20) (\$15) Land War Startrek Dry Well

Baseball Add one dollar for first class postage.

enclosed.

3-D STARTREK: Play the popular computer game in three dimensions instead of two. Hi-resolution display shows stars and Klingons scaled according to distance from the Enterprise. Discover new planets, destroy Klingons, and save the Federation.

Apple II, 32K RAM; Atari, 16K RAM; and TI 99/4.

DRY WELL: Entertaining strategy game of oil exploration. Discover the pattern of the oil deposits and maximize the profits of your oildrilling company. Pattern of deposits is different every game.

Apple II,24K RAM, ROM Applesoft; Atari, 16K RAM;

MAJOR LEAGUE BASEBALL:

Strategy game based on 1980 Major League teams. You manage your favorite team and make all the decisions. Includes 26 teams with 25 players per team. Also includes utilities to make and modify your own teams.

\$25.00 (on disk) for Apple II only, Requires 46K RAM, ROM Applesoft, and one disk.

CIRCLE 133 ON READER SERVICE CARD

Another Hallmark in Programming

Wes W. Henley Jr.

First there was LOVE, then came LUST. Now, in a third (and final) version of greeting-card graphics, we get a bit of LUCK.

Wes W. Henley Jr., 2144 Concord Dr., Billings, MT 59102.

CONGR	ATULATIONSER IENDANDBESTWI	SNESON	YOURNINETEE	H81GRADUATI
C	HSFRIENDANDBESTWI	S	ETEE	N
CON	IONSFRIENDANDSESTWI	SHE	INETEE	N81 T1
CONG	T10HSFRIENDANDBESTWI	SNES	HINETEE	HB1G AT1
CONG	T10HSFRIENDANDBESTW	ISNES	NINETEE	NBIG ATI
ONG	T10NSFRIENDANDBESTWI	SNES	NINETEE	WRIG ATI
CONG	TIONSFRIEHDANDBESTWI		HINETEE	WRIG ATI
ONG	TIONSER LEHDANDBESTWI		NINETEE	
ONG	TIONSERIENDANDRESTM		NINETEE	
ONG	TIONSFRIEHDANDSESTW		NINETEE	
ONG	TIONSFRIENDANDBESTW		NINETEE	
ONG	TIONSFRIENDANDRESTW		NINETEE	
ONG	T10NSFR1ENDANDRESTW		INETEE	
OHG	TIONSFRIENDANDBEST	SNES	INFTER	
ONG	TIONSER1ENDANDRES	SNESO		UATI
HO	IONSER TENDANDS	SNESO		UATI
		SHESON		DUATI
		SHESON	YOURNIN	81GRADUAT1
ONG		CSH	ETEE	н
0		SHE	INETEE	N TI
		NE	NINETE	DUATI
	TULATIONSFRIENDANDBEST	HE	NIN	GRADUATI
	TULATIONSFRIENDANDBESTW	NE	N	81GRADUAT1
	THE ATTOMSFRIENDANDRESTW			N81GRADUATI
	TULATIONSFRIENDANDBESTW:			NRI GRADUAT I
	TULATIONSFRIENDANDBESTW			N81GRADUATI
	TULATIONSFRIENDANDBESTW	ISNE	N	1GRADUAT 1
	TULATIONSFRIENDANDBESTW:	ISHE	NIN	GRADUATI
	TULATIONSFRIENDANDBESTW:		NINET	ADUAT)
	TULATIONSFRIENDANDBESTW:		NINETEE	
	TULATIONSFRIENDANDBESTW	NE	NINETEE	
		NE	NINETEE	
00		SNE	NINETEE	
ON		ISH	INETEE	Н
CONG	u u		TE	

210 READ A:A1 = A1 + A: IF P = 1 THEN 300 240 FOR I = 1 TO A: PRINT " "; HEXT I:P = 1: GOTO 400 300 FOR I = A1 - A TO A1 - 1: HTAB 18: PRINT TS(I); HEXT I:P = 0 400 IF A1 > 60 THEH 200 410 GOTO 210 400 DATA 60-1-12-18-12-5-10-2-3-8-22-8-9-6-4 610 DATA 4:6:24:6:11:4:5:4:6:24:6:11:4:5 4+6+24+6+11+4+5+4+6+24+6+11+4+5 630 DATA 4,6,24,6,11,4,5,4,6,24,6,11,4,5 640 DATA 4.6.24.6.11.4.5.4.6.24.6.11.4.5 650 DATA 4-6-19-1-4-6-11-4-5-4-6-19-1-4-7-9-5-5 660 DATA 4-6-18-2-4-7-9-5-5-4-6-17-3-5-19-6 670 DATA 3-8-14-5-5-19-6-1-29-6-17-7-1-29-13-5-12 070 DATA 680 DATA 690 DATA 700 DATA 4:25;3:11:5;11:1:2:28;3:8:7:8:4 1:30:2:7:6:7:7:1:5:22:3:2:7:3:7:10 1:5:23:2:2:7:1:7:12:1:5:24:1:2:12:15 1,5,27,12,15,1,5,27,14,13 DATA 1,5,27,7,1,8,11,1,5,27,7,3,7,10 1.5.27.7.5.7.8.1.5.24.1.2.7.7.7.6 730 DATA 740 DATA 750 DATA 2,28,3,7,10,7,3,3,26,3,9,7,10,2 750 DATA 4:24:2:14:2:13:1:60 770 DATA 5000 999 FOR I = 1 TO 5: PRINT : NEXT I: PR# 0: EMD



INMAC INTRODUCES THE SOLUTION TO YOUR MICRO SUPPLY AND ACCESSORY NEEDS.

One-Stop Shopping This new catalog offers over 1,000 products specifically for Micro Computers. Compatible with Apple, Atan, Northstar, TKS-80s and many others.
Onewellert Ordering, By mail or phone, ordering supplies and accessions from this catalog will be quick and easy.

Fast Delivery, We'll ship your order within 24 hours from our distribution centers in New Jersey, California, Illinois and Teas.

Overnight delivery available.

Top Quality Products. Virtually all our products are guaranteed for at least one year. Risk-free trial of any products.

Send for your FREE Inmac Catalog or call (408) 727-1970. Available June 1, 1981.

Dept. Micro, 2465 Augustine Drive,

CIRCLE 160 ON READER SERVICE CARD

row...dateline:tomorrow...date

MORE MAKERS RET ON "INI-WINCHESTERS

David H. Ahl

Two more makers have entered the mini-Winchesster drive fray. Rotating Memory Systems (RMS), a new Sunnyvale firm announced three 5-1/4" drives with one, two and four platters. Each drive stores 3.18 Mbytes unformatted. For the most part the drives seem similar to Shugart's entries and, indeed, can use a Shugart interface and controller.

International Memories, Inc. of Cupertino announced a drive with 6.91 Mbyte capacity presumably using two platters.

Prices are in the \$450 range (DEM) for two platter drives which means after adding a housing, interface electronics, and markup, consumers will wind up paying \$3000 plus for about 6 Mbytes of storage. That's one third to one half the price of comparable storage on floppy disks.

IS THE PUBBLE BUPSTING?

While plug-in bubble memory looked like it held more promise than Winchester drives, some of the bubbles are bursting. Rockwell, one of the earliest entrants in the bubble-memory market, announced it has dropped its program. Pockwell had introduced a 256K bubble with Motorola as second source, but this, along with the 1 M-bit project, has been dropped.

Keeping bubbles afloat, Motorola is continuing with its own 1 M-bit development and a product announcement is promised for later this year. II.

also, is continuing to move ahead on bubble memory development.

HOW AROUT A GIGARYTE OF MEMORY?

Winchester disks or bubble memories not your cup of tea? How about an optical laser video disk? On these same pages back in March 1976 (!) we said video disks would be the mass storage device of the future. Well, Xerox will announce a read/write video disk "soon." The working area is accessed in 10 byte sectors (good grief!) and the entire disk has 10 gigabytes (10^{10} bits more or less) available. Price is said to be under \$2500. On a price per bit basis, that's about 1/100th the cost of the cheapest storage available today. Availability in 1982 -- maybe.

DYNABOOK/SMALLTALK STILL UNDER WPAPS?

More immediately, Xerox will announce a highend personal/professional system in June for around \$20K. Sounds like a beefed up HP-85 or IBM 5120although we're hoping for something more like the Dynabook/Smalltalk system from Xerox PARC (see Oct. and Nov. 1980 issues). We'll see at NCC.

POWERFUL 32-BIT MICPOCOMPUTER

At the February Int'l Solid State Circuits Conf., Intel introduced a "micromainframe, " the iAPX 432. This designed-from-scratch, very-large-scale integration (VLSI) system packs the power of a mid-range IRM 370 on just three

The 432 is designed to support very-high-level programming languages such as Ada, a "superset" of Pascal: hardware operating system; and large memory

Evaluation kits of the 432 sell for \$3900 but this price should drop to the hundreds range as production volumes are reached.

Don't buy Apple Software



until you read this book.

First check The Book — the one complete critical analysis of most Apple Software available. Games, Educational, Business, Utility programs and more. Each comprehensively rated on 11 separate points. Each reviewed by an expert in its field. Just \$19.95.

Now you can compare and get more tor your software dollar. Does the program you need exist? How good is it? Which software vendors ofter the best support? Find out all this and much more.

MasterCard & Visa accepted. Fill out and mail today or call for shipment.

the pritte ment. The Book Compan

18720 HAWTHORNE BLVD., LAWNDALE, CA 90250. (213) 371-4012.

CIRCLE 121 ON READER SERVICE CARD

ADDRESS __

AUTHORS WANTED

Do you have what it takes to develop software for ON-LINE SYSTEMS? We require knowledge of 6502 Assembler, and the dedication to develop products other companies only dream about! If you can meet the challenge, here's what we can do for you:

- · Highest royalties in the industry!
- · Monthly royalty payments based on sales during the month, no waiting for payment!
- · We have a full-time person on the staff dedicated to copy protecting your products!
- . We have a large collection of software development tools and graphics routines to aid you in your development!
- · We have many ideas to get you started . .
- · We can supply any hardware you think you might need!
- 1 (Ken) will personally be available at any time for technical discussions, helping to debug, brainstorming, etc.
- · We do all packaging, artwork & distribution for you!
- The chance for financial independence! No need to ever work anyone else's hours again!

For more information, contact Ken Williams



36575 Mudge Ranch Rd. • Coarsegold, CA 93614 • 209-683-6858

CIRCLE 252 ON READER SERVICE CARD

CAESAR'S--WATCH-

Paul Raymer

The discovery recently at the Gelati digs—where an ancient pizzaria was uncovered by horologists at the University of Nevada in cooperation with the State Historical Society and Wine Tasting Association of Manjare, Italy—is the source of the reference material on this wonderful program.

Evidence gathered by examining bits of chard and thyme and verifying that material with the carbon-zinc dating equipment by Ray-O-Vac proves within a shadow of a doubt that the materials were those of either Julius or Augustus Caesar or some other famous Roman.

While some artistic license was taken to translate the ancient documents—many of them written in a foreign language which made them hard to understand—the recreation of what the author honestly believes is either the pocket watch of ful-ius Caesar, or the floor plan of a barbatic hovel in Rome, has been attempted. Encouraged by his research, the author proceeded on the basis that it was indeed a pocket watch, and comparisons between the resultant diagrams and Roman water clocks show a faint reseminance.

Unfortunately, because of limited

financial resources and the refusal of the Rand Corporation to provide a grant, the author was unable to get final copyright releases from the Caesar family and hopes the heirs fin Law Yegas, Lake Taboe and Atlantic City will understand and provide their tacti approval by not taking any legal action. Because all of the original documents of the company of the comp

In accordance with tradition, the program has been translated to run on an Apple Computer to take full advantage of the low resolution graphics of that computer. Although it is surprisingly accurate for a water clock, provisions have been made for moderate time adjustments. This was, of course, not included in the original plans by Mr. Caesar since it wasn't really critical whether a battle started at 6:00 or 6:10. Of even less import was whether the lones were admitted to interest needs to 8:15—certainly of interest neither to the Christians nor the lone.

The clock, of course, is based on a 12hour cycle and resets itself automatically. This, according to historical data, is because of the marvelous system of viaducts originated by the Romans so long ago, in the olden days.

Because the plans upon which this clock are built were prior to Pope Gregory's fooling around with the calendar, the alert computerist will note a gap of 11 days. However, with inflation and the state of the economy, it may not be that bad after all.

How the Program Works

Lines 100-250 are the introduction to the program—a reversed image title. This is a lazy way of having the info ordinarily used as REM statements become your title.

Lines 260-300 clear the screen and read data which will later be used to translate arabic numbers to Roman numerals. Values are established for variables LL, T and TT to be defined later.

Lines 300-420, in effect, explain how the time adjustment variables may be changed, if necessary. Please note that only the first two letters of the variables are actually used. Full use of Roman names is because of the author's involvement in Latin as a student many (many, many) years ago.





Advance Data Concepts-2280 Diamond Blvd., Concord, 94520; (415) 671-Group.

D.E.S. Data Equipment Supply-8315 Firestone, Downey 90241. (213) 923-9361. 7 days. Commodore PET specialists. Hardware Software, Books, Mags, Supplies, In House Maintenance.

CONNECTICUT

Computerworks-1439 Post Rd., East Westport 06880; (203) 255-9096. 12-6 Tues-Fri, 12-9 Thu, 10-5 Sat.

FLORIDA

AMF Electronics - 11158 N. 30th St. Tampa 33612; (813) 971-4072, 10-6 Mon-Sat. Apple Computer Sales & Service; TRS-80, Apple Software & Peripherals; S-100 boards, computer parts & books.

GEORGIA

Atlanta Computer Mart-5091 Buford Hwy, Atlanta 30340; (404) 455-0647. 10-6 Mon-Sat

ILLINOIS

ComputerLand/Downers Grove-136 Ogden Ave, Downers Plaza 60515; (312) 964-7762. 10-6 Mon-Sat, 10-8 Tue, Thu.

Data Domain of Schaumburg - 1612 E. Algonquin Rd., Schaumburg 60195; (312) 897-8700. 12-9 Tues-Fri, 11-5 Sat. Apple, Alpha Micro, Hewlett-Packard Calculators. Largest book and magazine selection.

Farnsworth Computer Center-1891 N. Farnsworth Ave., Aurora, IL 60505; (312)851-3888. 10-8 Mon-Fri, 10-5 Sat. Apple, Hewlett-Packard series 80 systems, HP Calculators, IDS Printers.

To include your store in Creative Computing's Retail Roster, call the Advertising Department at (201) 540-9168

Computer Mart, Inc. 9016. 9-5 Mon-Fri. Vector-Graphic, M-F 10:30-8 pm, Sat 10-6. We sell · Cromemco, Gimix, Bell & Howell, A NorthStar and others. Starting our fifth year in business.

> Video Etc.-465 Lake Cook Plaza, Deerfield 60015; (312) 498-9669; Open Everyday. Strong software support for Apple, Atari.

MASSACHUSETTS

Neeco-679 Highland Ave, Needham 02194; (617) 449-1760. 9-5:30 Mon-Fri. Commodore, Apple, Superbrain, TI 99/4

Science Fantasy Bookstore-18 Eliot St., Harvard Sq., Cambridge 02138; (617)547-5917. 11-5 Mon-Sat, 11-8 Thur. Apple & TRS-80 games; Epyx, Microsoft, Creative Computing.

MICHIGAN

Upstate Computer Shop-629 French Rd., Campus Plaza, New Hartford 13413; (315) 733-9139; Mon-Fri 10-6. Sat 11-5. Apple-Commodore-Data General.

Computer Center-Garden City; (313) 425-2470 & West Bloomfield; (313)855-4220; Books, Magazines, Hardware and Software for Apple, Northstar, TRS-80 & PET.

NEVADA

Home Computers-1775 E. Tropicana #6, Las Vegas 89109 (702) 798-1022, 10-7 Mon-Sat. Apple, Commodore, Atari, AIM 65, (Books) Sales & Service

NEW JERSEY

Computernook-Rt. 46, Pine Brook Plaza, Pine Brook 07058; (201) 575-9468. 10-6:30 MTWS, 10-8 Thurs., Fri. Apple/Commodore Authorized dealer.

Silent Partner - 2050 Center Ave., Fort Lee 07024; (201) 947-9400; Mon-Sat 10-6. Apple/Atari/Commodore/Vector/Malibu



Apple/Bell & Howell/Commodore Authorized Dealer, Sales and Service. Software City-111 Grand Ave., River Edge 07661; (201) 342-8788. Bus/Rec/ Utility Home programs for TRS-80,

NEW YORK

Programs Unlimited-20 Jericho Turnpike, Jericho, NY 11753; (516)333-2266. 10-8 Mon-Sat. The largest microcomputer software selection available

Atari, Apple and PET. 10-25% off list.

The Computer Center-31 East 31st St., New York 10016; (212)889-8130. 10-7 Mon-Fri, 11-6 Sat, 10-8 Thur.

Upstate Computer Shop-629 French Rd., Campus Plaza, New Hartford 13413; (315)733-9139. 10-6 Mon-Fri, 11-5 Sat. Apple-Commodore-Data General.

OHIO

Abacus II - 1417 Bernath Pkwy , Toledo 43615; (419) 865-1009.

Micro Mini Computer World-74 Robinwood Ave., Columbus 43213; (614) 235-5813/6058. 11-7 Tues-Sat. Authorized Apple/Commodore dealer. Sales, Service, Business Software

North Coast Computers-626 Dover Center, Bay Village 44140: (216)835-4345. 10-6 Mon-Sat, 10-8 Tue, Thur. Apple/Atari/Vector Graphic/Data General.

WISCONSIN

Petted - 4265 W. Loom's Rd. (1-894-Hwy 36, Milwaukee 53221; (414)282-4181. 12-8 Mon-Fri, 10-4 Sat. Authorized Commodore PET, CBM, VIC dealer. Books, Magazines, Chips, etc.

Lines 430-460 accept your input to start clock on time, and begin graphics mode.

Lines 470-590 start graphics to build water spigot and containers to receive

water drops.

Lines 600-630 start clock to match input of hours. This input will be corrected at the "minute" routine and then again when the "hour" change takes place. This enables you to correlate the program with

cycle. This enables the program to run continuously, with a fair degree of accur-

5000-5050 are the data statements which are used to translate the Arabic (decimal, we call them) to Roman numerals . . . the easy way.

100 TEXT : HCM2 : CLEAR

110 TEXT : HCM2 : CLEAR

110 PRINT :

120 CLOR- 7

121 PRINT :

121 PRINT :

121 PRINT :

122 CLOR- 0; PRINT :

123 CLOR- 1; FOR H - 1 TC JULIUS: NEXT H

124 PRINT :

125 PRINT :

126 CLOR- 1; FOR H - 1 TC JULIUS: NEXT H

127 PRINT :

128 PRINT :

129 PRINT :

120 PRINT :

120 PRINT :

121 PRINT :

121 PRINT :

122 PRINT :

123 PRINT :

124 PRINT :

125 PRINT :

126 PRINT :

127 PRINT :

128 PRINT :

129 PRINT :

120 PRINT :

120 PRINT :

120 PRINT :

121 PRINT :

122 PRINT :

123 PRINT :

124 PRINT :

125 PRINT :

126 PRINT :

127 PRINT :

128 PRINT :

129 PRINT :

129 PRINT :

120 P 100 TEXT : HEME : CLEAR

250 FOR H = 1 TO 3000: NEXT H: NORMAL 2190 CULUNE 7.200 FOR V = 11 TO 5 STEP - 1 2200 FOR V = 11 TO 5 STEP - 1 2200 FOR V = 11 TO 5 STEP - 1 2200 CULOR= 7: PLOT V-38 2200 FOR X = 1 TO 40: READ R\$(X): NEXT X 2220 FOR H = 1 TO JULIUS! NEXT H 290 LL 5 IT = -1:TT = -1 2230 COLOR= 0: PLOT V-38

290 LL = 5:T = - 1:TT = - 1

300 REM
310 REM TIHE ADJUST
320 REM JULIUS-SECOND EMPTY
330 REM AUGUSTUS-FILLING
340 REM CITAVIUS-HOUR ADJUST
340 JULIUS = 91AUGUSTUS = 1010CTAVIUS = 100
3470 REM
350 REM GRIDUETUS = 1010CTAVIUS = 100
350 REM ROHAN HATER CLOCK
350 REM ROHAN HATER CLOCK
350 REM PAUL RAYMER
410 REM VIIII/IX/MEMIXXX
420 REM VIIII/IX/MEMIXXX
420 REM UNIII/IX/MEMIXXX 300 REM enables you to correlate the program with real time.

1900 Next PAUL RATHER.

1910 REP UTITY/PROFILXXX

1910 REP UTITY/PROFILXXX

1911 REP UTITY/PROFILXXX

1912 REP UTITY/PROFILXXX

1912 REP UTITY/PROFILXXX

1913 REP UTITY/PROFILXXX

1914 REP UTITY/PROFILXXX

1915 REP UTITY/PROFILXXX

1915 REP UTITY/PROFILXXX

1916 REP UTITY/PROFILXXX

1916 REP UTITY/PROFILXXX

1917 REP UTITY/PROFILXXX

1917 REP UTITY/PROFILXXX

1918 REP UTITY/PROFILXXX

1919 PEP UTITY/PROFILXXX

1919 REP UTITY/PROFILXXX

1919 PEP UTITY/PROFILXX

1030 P = P + 1 1040 PLCT 14 + P+R 1050 IF P = 15 THEN R = R - 1:P = 0 1050 IF P = 1 1060 COLOR= 7 1070 D = 22 1080 RETURN

1990 REM 2000 REM MINUTE MAKEK 2010 COLOR= 15 2020 FOR X = 8 TO 13: PLOT X,39: NEXT X

2030 COLOR= 0 2040 R = R + 1

```
2250 NEXT X
2260 T = T + 1
       THE NEW THEN LE = 5:L = L + 1

IF LL = 8 THEN LE = 5:L = L + 1

IF L = 21 THEN LE = 5:L = 0

IF M > T THEN 2240
2270
2310 R = R - 1
       COLOR= 1: PLOT 14,37
       COLOR= 15: FLOT 8,38
       HLIN 0,8 AT 33
2350
       COLOF:= 0
       FOR X = 9 TO 13: FLOT X+39: NEXT X
2370 M = M + 1: IF M = 60 THEN H - H + i:H = 0: GOSUB 360 3355 LL = 5:L = 0
2360 IF H = 13 THEN GOSUB 4600: GOSUB 3600 3360 RETURN
       HOME : PRINT TAB( 2) "MINUTES"; TAB( 20) "SECONDS";
       TAB( 35)*HOURS*
       PRINT
       PRINT TAB( 13)*TEMPUS EST *; R$(H); CHR$ (32); R$(H) 4030
2420
       COLOR- 3
3000
       REM
3010
       REM
             HOUR MAKER
       COLOR= 0
3040
       FOR X = 17 TO 38
HLIN 5,7 AT X
3050
       FOR W = 1 TO AUGUSTUS: NEXT W
3070
       NEXT X
       COLOR 15
       VLIN 14,39 AT 36: VLIN 14,39 AT 39
HLIN 36,39 AT 14
PLOT 34,28
3090
       HLIN 34,35 AT 29
       REM
       REM. ADD AN HOUR
       COLOR = 0
       VLIN 18,27 AT 8
```

```
3220 IF TT = 13 THEN 3360
3230 COLOR= TT + 1
3240 PLOT 37,39 - (2 * TT)
3250
     PLOT 38,39 - (2 * TT/
3260
     COLOR- 15
3270
     HLIN 36,39 AT 39
3280
     COLOR= 0: HLIN 6,34 AT 27
    IF H . TT THEN 3140
     REM
     REM ADJUST HOUR
     FOR H - 1 TO OCTAVIUS: NEXT H
4010
     REM CLEAR TO ONE AFTER 12
     REX
     COLOR- 0
4040
     FOR X = 15 TO 38
     HLIN 37,33 AT X
4050
     FOR W = 1 TO AUGUSTUS: NEXT W
4070
     NEXT X
4080 TT = 0
4090 H = 1
4100 R = 37
4110 LL = 51L
4120
    RETURN
5000
     REM ARABIC TO ROMAN
5020
     REM
     DATA XXI,XXII,XXIII,XXIV,XXV,XXVI,XXVII,XXVIII,
     5050 DATA XLI, XLII, XLIII, XLIV, XLV, XLVI, XLVII, XLVIII,
5060 FINIS
```



tiny-c is a structured programming language designed to allow you to focus attention on the problems you want to solve - rather than the language you're using to solve it. With tlny-c you can expand your horizons far beyond the limits of BASIC. tlny-c ONE (interpreter), \$100-includes Owner's Manual plus wide choice of media, source code. It's still the best structured programming trainer. Tiny-c TWO (compiler), \$250 includes Owner's Manual, CP/M® disk, source code. This version puts UNIX® pleasure into your CP/M.

tiny c associates, P.O. Box 269, Holmdel, NJ 07733 (201) 671-2296



COLOR- 15

HLIN 8,33 AT 27 FOR H = 1 TO 50: NEXT H

> You'll quickly discover tlny-c is naturally right for your language

New Jersey residents include 5% sales tax. Visa or Master Charge accepted. Include charge plate number with order @ CP/M is a trademark of Digital Research, Inc. @ Bleys is a trademark of Bell Labs, Inc. @ Bleys is a trademark of timy classicates.

needs

CIRCLE 259 ON READER SERVICE CARD

EREE FREE FREE **FRFF FREE** FREE

SIMUTEK'S SENSATIONAL COMPUTER CATALOG

100's of programs for all the popular computers Free Program Listings and Articles

Fantastic Low Prices On:

Printers, Disc Drives, Computers, Diskettes, Video Monitors, Expansion Interfaces, Speed-up Mods, Color Graphic Boards, Speech Synthesizers and much more.

Don't wait! Call or write for your free giant catalog today.

Write:

SMANTEK PUTER PRODUCTS TM

4877 E. Speedway Blvd. Tucson, AZ 85712 (602) 323-9391

City

Or Call Toll Free 800-528-1149

CIRCLE 258 ON READER SERVICE CARD



...new products...new

COMPUTERS

Z-80 BUSINESS COMPUTER

IBC/Integrated Business Computers has introduced the Ensign computer.

Features of the Z-80 based Ensign include 64K to 768K byte memory, 14, 42, 70, and 150MB winchester disk drives, 17MB tape cartridge and 9 track reel-to-reel tape drive, slave twin Z-80s to handle all serial I/O with 2K byte buffer/serial I/O port (32K byte total), and a



third slave Z-80 to handle all disk/tape I/O and an advanced DMA controller that allows data transfer to any memory whether selected by main CPU or not.

Software supported by the IBC Ensign includes MP/M, CP/M, Oasis, and MVT-FAMOS. Prices range from \$7,000 to 533,000.

IBC/Integrated Business Computers. 22010 S. Wilmington Ave., Carson, CA

CIRCLE 307 ON READER SERVICE CARD

SMALL BUSINESS COMPUTER

The iBEX Small Business Computer will handle word processing, general accounting and data processing for manufacturers, distributors, doctors, dentists, accountants, and retail or service organi-

An entry level iBEX Model 2100 computer contains 64K of RAM, one 5 1/4"



floppy disk with 80KB of disk storage, typewriter/numeric keyboard and a 9" display screen with 24 lines of 80 characters per line readout in upper/lower case. High speed printers or a slower letter-quality printer can be interfaced with any iBEX models can be expanded by increasing the size of the memory and disk storage.

The iBEX Model 2100 retails for \$4.878 and the top of the line Model 7101 retails for \$8.550.

Norango Computer Systems. Inc.. 801 York Mills Rd., Don Mills, Ontario M3B 1X7, Canada (416) 449-2761. CIRCLE 308 ON READER SERVICE CARD.

WORD PROCESSING SYSTEM



A fully integrated word processing and mail list system starting under \$9,000 has been announced by ADL Enterprises.

Dubbed ADLex Executive Word Processing the turnkey system is based on the Altos ACS-8000 microcomputer. offering the customer the choice of floppy or hard disk storage up to 59 million characters.

A minimum ADLex configuration consists of the Altos CPU, a Televideo or comparable CRT, a Xerox 1700 Series Printer, and the ADLex Word processing program package.

ADL Enterprises, Richard Mine Rd., Wharton, NJ 07855, (201) 328-1300

TERMINALS & I/O

TRS-80 LINE PRINTER V



Radio Shack is now offering the TRS-80 Line Printer V, said to be especially suited to heavy business use.

The printer has a bidirectional, logic-secking dot-matrix head that prints high-quality 749 upper and lower case characters (with descenders) 132 columns wide. It features software selectable 5, 75, 10 or 15 character per inch, 26 European characters and 30 graphics patterns. Print speed is given as 160 characters per second, 60 lines per minute, 51800.

The Line Printer V is available exclusively from participating Radio Shack stores and dealers, and Radio Shack Computer Centers.



META TECHNOLOGIES

26111 Brush Avenue, Euclid Ohio 44132 CALL TOLL FREE 1-800-321-3552 TO ORDER IN OHIO, call (216) 289-7500 (COLLECT)





for 51/4" disks \$29.95 . . . for 8" disks

MTC brings you the ULTIMATE diskette storage system, at an affordable price. Stor-ing 50 to 60 diskettes, this durable, smokeing 50 to 60 diskettes, this durable, smoke-colored acrylic unit provides easy access through the use of index dividers and ad-justable tabs. Unique lid design provides dust-free protection and doubles as a carry-

MICROPARAPHERNALIA

DISKETTES (box of ten)

514" PLAIN JANETM \$21.95 514" PLAIN JANETM Bold \$25.95

514" DATALIFETM MD 525-01 .. \$26.95 8" DATALIFETM FD34-8000 \$43.95

BOOKS

MICROSOFT™ BASIC DECODED \$29.95 1001 THINGS TO DO WITH YOUR

AND OTHER MYSTERIES .. \$19.95

PERSONAL COMPUTER . . . \$ 7.95

'RINGS' & **THINGS**

Help prevent data loss and media damage due to improper diskette centering and rotation with the FLOPPY SAVERIY reinforcing hub ring kit. 7-mil mylar rings install in seconds. Kit is complete with centering tool, pressure ring. 25 adhesive backed hub rings and instructions.

HUB RING KIT for 51/4" disks\$	10.95
HUB RING KIT for 8" disks \$	12.95
REFILLS (50 Hub Rings) \$	5.95

Protect your expensive disk drives and your valuable diskettes with our diskette drive head cleaning kit. The kit, consisting of a pair of special "diskettes", cleaning solution and instructions, can be used for 52 cleanings. Removes contamination from recording surfaces in seconds without harming drives.

CLEANING KIT for 51/4" drives \$24.95

PLASTIC LIBRARY CASES

(not shown)
An economical form of storage for 10 to 15 diskettes, and is suitable for your bookshel!!
Case opens Into a vertical holder for easy ac-

cess.							
51/4-inch diskette case							
8-inch diskette case	н	и	н	и			

Let Your TRS-80™ Test Itself With THE FLOPPY DOCTOR & MEMORY DIAGNOSTIC

by THE MICRO CLINIC

A complete checkup for your Model I. THE FLOPPY DOCTOR completely checks every sector of 35 or 40-brack disk drives. Tests motor speed, head positioning, controller functions, THE MEMORY DIAGNOSTIC checks for proper writer read, refresh, esecutability and exclusivity of all address locations. Includes both diagnostics and complete instruction menual SYSTEM DIAGNOSTICS. ... \$19.95 **NEWDOS by APPARAT** NEWDOS/80 by Apparat \$149.95 NEWDOS+ to NEWDOS/80 UPGRADE CALL **NEWDOS+ with ALL UTILITIES** 35-track \$69.95 40-track \$79.95

An improved version of the SYSTEM DIAGNOSTICS above. Designed for single or double density, 35, 40, 77, or 80-track disk drives. Includes new and modified tests. Features THE FLOPPY DOCTOR, Version 3.0. SYSTEM DIAGNOSTICS-V3., \$24.95

Single Sided, Soft-Sectored 51/4-inch, (for TRS-80TM) Mini-floppy

DISKETTES \$21 95 box of 10

These are factory fresh, absolutely first quality (no seconds!) mini-floppies. They are complete with envelopes, labels and write-protect tabs in a shrink-wrapped box.

PLAIN JANE™ DISKETTES

The Beautiful Floppy

with the Magnetic Personality™ Thousands of people have switched to this low-cost alternative. These quality diskettes are packaged in a plain white box . . . no fancy printing, fancy names or fancy labets, not even our own (labels cost money). Trust us.

PLAIN JANETM Diskettes \$ 21.95 10 boxes of 10 (each box)\$21.50

PLAIN JANE™ Gold

Introducing MTC's premium generic diskette. Single-Sided. Soft-Sectored, DOUBLE-DENSITY, 5%-inch diskettes with reinforcing HUB-RINOS. Individually 100% ERROR-FREE certified. Invest in GOLD!

PLAIN JANETM Gold\$25.95 VERBATIM'S PREMIUM DISKETTES AT AFFORDABLE PRICES

DATALIFE

Seven data-shielding improvements mean greater durability and longer data ille. These individually, 100% error-free certified diskettes feature thicker oxide coating, longer-lasting lubricant, improved liner, superior polishing and more! Meets or exceeds 18th, Shugart, ANSI, EGMA article 18th Shugart, ANSI, EGMA article 18th Shugart and Shu

Buy the best . . . buy DATALIFETM **VERBATIM DATALIFETM DISKETTES** 51/4-inch (box of 10) MD525-01

10 boxes of 10 (each box)\$25.95 8-inch FLOPPIES

Double-Density, FD34-8000 . \$43.95

CALL FOR INFORMATION ON OTHER PRODUCTS

TRS-80TM DISK

MOST ORDERS SHIPPED WITHIN ONE BUSINESS DAY Products damaged in transit will be exchanged.

PRICES IN EFFECT June 1, 1981 THRU June 30, 1981 Prices, Specifications, and Offerings subject to change without notice.

WE ACCEPT MASTER CHARGE

CHECKS MONEY ORDERS

*Add \$3.00 for shipping #\$3.00 EXTRA for C.O.D

Ohio residents add 61/4 % sales tax.

IMPACT PRINTER WITH SINGLE PRINT HAMMER



A new impact printer which uses a single print hammer is now available from the Axiom Corp.

The GP-80M prints both graphics and alphanumerics, and employs a rotating platen with protruding splines positioned behind the paper. The character or graphics image is created by multiple hammer strikes in rapid succession as the print head advances across the paper in front of the rotating platen.

Standard features of the GP-80M include ASCII upper and lower case character sets. up to 80 columns with 12 characters per inch. adjustable tractor feed, three copy reproduction, 12-watt power consumption, and Centronics parallel interface. Optional interfaces include RS-232C. serial TTL, 20mA current loop, IEEE 488, plus interfaces for most popular small computers, including Apple, TRS-80, PET, HP85 and Sharp.

In addition, the standard GP-80M has full graphics capability with a resolution of better than 60 dots per inch on both horizontal and vertical axes. Dot graphics, normal characters and double width characters can be intermixed on a single line under software control. \$399. Axiom Corporation, 1014 Griswold

Ave., San Fernando, CA 91340. (213) 365-9521. CIRCLE 311 ON READER SERVICE CARD

COLOR MATRIX PRINTER

A new color matrix printer from Britain, the Integrex CX 80, is said to be a highly cost-effective solution for color printout. The machine can print text, graphs. histograms and color VDU dumps in seven different colors, with no restriction on mixing characters. dotaddressed areas and color changes on the same line.

Colors are selected by one of seven color control codes. Strips from the tri-



color ribbon are selected to produce the required colors, which simplifies the host program requirements.

The printer is compatible with most processors. The standard interface is Centronics: RS232/V24 and IEEE 488 are optional.

Integrex Inc., 233 North Juniper St., Philadelphia, PA 19107, (215) 627-0966. CIRCLE 312 ON READER SERVICE CARD

DESKTOP TELEPRINTERS

A new line of desktop teleprintersdesigned to move message communications out of the TWX/Telex room and onto an executive desk-is available from Trendcom. Using existing telephone lines, a teleprinter can communi-



NEW LOCATION 1198 E. Willow Street Signal Hill, CA 90806 Toll Free (800) 421-7701 Outside Calil. (213) 595-6431 Inelda Celli

ORDERING INFO

ccept Cesh, Check, Mon-rs, Vies & Master Charg-(U.S. Funde Only) Tax: 6% Celli. Res.

S.D. SYSTEMS

2MHz DYNAMIC 32K \$260.00 RAM BOARD 48K \$280.00 64K \$300.00

EXPANDORAM II 4MHZ DYNAMIC RAM BOARD 32K \$270.00 48K \$290.00

AMPEX

DIALOGUE 80 CRT VIDEO TERMINAL Reg. Price \$995.00

OUR LOW ASAP DISCOUNT PRICE \$945.00

SYSTEM

PET

SOFTWARE for the

MICROBYTE 32K STATIC RAM BOARD \$50000 illy S100 bus

Intel low-power 2141L-4 4Kx1 Static RAM Hz or 4 MHz operation

n 4k bank addressable to any 4k slot within a 64k boundary
hardware o software selectable
coperate with or without front panel
y power consumption 500mA
ily warranted for 120 days from date of shipment

HITACHI (MONITORS)

MODEL# SIZE VM910 9" B&W \$210.00 9" B&W \$265.00 VM129 12" B&W \$340.00 17" BAW \$360.00 VM17 13" Color \$300 00

4116's Apple, TRS-80 Heath, etc.

8 for \$20.00 16.49 100 Up \$2.15

100 PIN IMSAI GOLD / S-100 SOLDERTAIL CONNECTORS

\$2.40 each OR 10/\$2.25 each

2708's 1K x 8 EPROM 450 ns

\$4.75 ea. OR 8/\$36.00

2716's 2K x 8 EPROM 5 VOLT/450 ns

\$6.95 ea. MAJOR MFG.

2114L-2 (200 ns) Low-Power STATIC RAM 1-16 \$3.05 17-49 \$2.05 \$2.85 100 Up \$2.70

2 50 Z80A \$ 8.95 Z80A DART Z80A SIO

TELEVIDEO

MODEL # PRICE \$ 749.00 TVI 912C \$ 769.00 VISICALC VISICALO TVI 920B \$ 825.00 DESK TOP PLAN CCA DATA MGMT CCA DATA MGMT TVI 920C \$ 825.00

IN STOCK 90 DAY WARRANTY

DISKETTES (MEDIA)

VERBATIM MD525-01 \$26.50 514" SOFT SECTOR MEMOREX 3401 \$24.00 514" SOFT SECTOR MAXELL FD-20 \$55.00 DS-DD SOFT SECTOR

NEW 16K RAM Module for Atari 800 COMPUTER SYST.

\$89.95 mfg. by asap

59.00 17.95 QUME DT-8 DISK DRIVE SHUGART SA 801R 8" SGL/SIDED

\$120,00

\$159.00

85.00

SGL/DBL DENSITY DISK DRIVE CALL FOR PRICE & DELIVERY

IBM-competible/1 2 Mbytes per Disk •Fast—3 ms. Track to Track •154 Tracks/Daisy Chain 4

ISO Standard Write Protect CALL FOR PRICE & DELIVERY

CIRCLE 109 ON READER SERVICE CARD

cate with TWX and Telex world-wide, as well as direct-dial terminals and computer systems.

The teleprinters are offered in two models, with 40 and 80 characters per line respectively. Messages can be transmitted as they are typed, or they can be prepared off-line and transmitted with one push of a button.



Single unit prices are \$595 and \$695 for the receive-only Trendcom 400 and 800 Teleprinters. Plugging in a Trendcom 600 Intelligent Keyboard (\$295) converts either teleprinter into an automatic send/

receive (ASR) communications terminal. Trendcom, 480 Oakmead Pkwy., Sunnyvale, CA 94086, (408) 737-0747

CIRCLE 313 ON READER SERVICE CARD

CORRESPONDENCE-QUALITY PRINTER



A full-width 132-column printer which can produce correspondence-quality overlapping dot-matrix characters at high speed has been introduced by Integral Data Systems, Inc.

The Model 560 is intended for data and text processing applications and prints bidirectionally at speeds up to 150 characters per second,

In addition to standard features. including proportional character spacing. automatic text justification, variable character sizes and advanced forms control functions, the Model 560 offers a raster graphics printing option, \$1695. Integral Data Systems, Milford, NH 03055, (603) 673-9100

CIRCLE 314 ON READER SERVICE CARD

Think a lot



courseware stinks?

Well, maybe some does, but there's also a lot of good material. Find out which is which in

School Microware Reviews

User evaluations of software for APPLE/ATARI/PET/TRS-80 Over 100 products each edition · Index to evaluations In other

publications · First edition July, 1981 · Price \$30, \$25 before July 15 (reduced price or free to

contributors-write for details.) Dresden Associates P.O. Box 246 Dept. CC-3 Dresden, ME 04342 207-737-4466

SOFTWARE STREET

PERSONAL FINANCE AND RECORD KEEP	NNC		0	AMES		
Mail List	16.05	Birch Inch	-11	MINICO		1271
Mosterne and Lean	1271					
Mortgage and Lean Bond Analysis	21 21	Hackethall				73.96
Stock Analysis .	21 21	Video Face				33.96
Stock Charting	21.21	Capper Bras	about .			33.96
PERSONAL INTEREST AND DEVELOPM	EMT	Comenter I	These			33.96
		30 Tic Lac	shout . Chess : Toe .			33.96
Readle	12.71	Star Rande	55			50.96
Touch Tussion (7 (2000)	2121	HOW AT	A OI PROCRAI	MS DHALLTY	CHET	MARE
Conversational Season	50.96	OS Forth	sler embler .		67	% Disc
Muor Common	50.96	OS Assemi	ster		21 21 0	alluzza
Professional Sanfurations	16.96	OS Dissess	emblee	12 71 df	10 16 0	assette
levication in programming Biocythin. Facich Tryling J2 Sapes) Conversational Spanish Music Complete Prioressonal Applications Graph In J2 Sapes) Calculator	15.05	OS Fast G	panenge . pk . rap		1696	accel to
Calculator	25.46	OS Ian Tr	1	12 71 10	10 16 0	assette
		QS Tank T	(20	1271 (10 16 0	assette
Toth and Teach any fee	25.46		UNITED SOFT	WARE OF AME		
EQUICATIONAL CASSETTES		30 Super I	Graphics			. 33 96
Kredon	1271		PERSONA	AL SOFTWARE		
Hangman	1271	Visicall .				169 95
States and Capitols	1271					
European Countries and Capitols	12.71	WE ALSE	CARRY ATA	RI HOME VI	DEO GA	MESI
Energy Clear	12.71					
COMMUNICATION						
Telefish I	21 21					
	HARD	WARE				
ATANI 800 16K		ATARE 8	20 Printer 22 Thermal F			360 00
w/basic educational cart TV switch box		ATARE 8	22 Thermal F	trater		360 00
manais	300000	ATARI 8	25 Impact Pr	inter .		800 W
ATA/0 400 16K		ATARE 8	30 Modem .	Module		175 00
ATARO 400 16K w/basic TV switch box manuals	475 00	ATARI B	50 Interrace I	Module		175-00
ATARI 400 8K			SI. RAM Moduli	BUU ONLY		100 00
ATARI 400 8K w/basic TV switch box manuals ATARI 410 Recorder ATARI 810 Disc Drive	42000		OR TATAL MODULE	ann only		113 00
A1ARI 410 Recorder	85 00	Pagges				17:00
ATARI 810 Best Drive	100 (10)	TANKER TO			-4	16:00
FREE CATALOG AVAILABLE		Phi	one 714	-597-69	159	
SOFTWARE STREET, 33	392	Clipper	Dr., Chir	10. CA 9	1710	

DIGITAL **COMPUTER CASSETTES**

- . Ideal for Apple, Pet or TR-S80 Users.
- Eight 50 Foot Cassettes.
- Unique Storage Album.



\$9.95 each or 3 for \$26.00

EXTRA ALBUMS \$4.95 | FADERI ESS ADD 80 PER SET No Sales Tax For Out Of State Customers

Price Includes Free Shipping In Continental U.S. Dealer Inquiries Welcome

Sound Concepts P.O. Box 299 Provo. Utah 84601

Call Collect for Master Card or Visa Orders 801-375-7333

CIRCLE 267 ON READER SERVICE CARD



Hey kids, are the folks out of the room? Good, 'cause I've got a secret to tell you. You know that computer they fus over? Well, kid, between you and me, this whole programming thing is a lot simpler than they realize.

What's that? Sure, you can learn, Just get a copy of Computers For Kids, it's a super book, and it tells you everything you need to know. Huh? You have an Apple? No problem. There's a version just for the Apple. One for the TRS-80 and one for the Alari too, with complete instructions for

operating and programming. The book will take you through everything programmers learn. Its easy to understand and the large type makes it easy to read. You'll find out how to put together all bochart, and how to get your computer to do what you want it to do. There is a lot to learn, but Computers For There is a lot to learn, but Computers For You'll even learn how to write your own games and draw pictures that may be games and draw pictures that me.

games and draw pictures that move Just so the folks and your teachers won't feel left out, there's a special section for them It gives detailed lesson ideas and tells them how to fix a lot of the small problems that might pop up. Hey, this sook is just right for you. But you don't have to take my word on that. Just listen to what these top educators have to say about it:

Donald T. Piele, Professor of Mathematics at the University of Wiscompanian America and the University of Wiscompanian America and the University of Wiscompanian America and the University of University

Robert Taylor. Director of the Program in Computing and Education at Teachers College, Columbia University states, "it's a good idea to have a book for chidren."

Not bad, huh? Okay, you can let the adults back in the room Don't forget to tell them. Computers: For Klds by Sally Greenwood Larsen cost only \$3.95. And tell them you might share it with them. If they're good. Specify edition on your they're. TRS-80 (12H). Apple (12G). Atan (28).

Your local computer shop should carry Computers For Kids If they don't ask them to get it or order by mail. Send 33.95 payment plus \$2.00 for one, \$3.00 for two or more for shipping and handling to Creative Computing Press, P.O. Box 789-M. Morristown, NJ 07960.

174

creative computing press

CIRCLE 350 ON READER SERVICE CARD

PERIPHERALS

EXTENDS TRS-80 COLOR COMPUTER BUS



Percom Data Company has introduced the Color Connection, a device which permits extending the TRS-80 Color Computer system bus as a System-50 bus (SS-50 hus).

Three expansion possibilities include: adding a mini-disk storage system, adding a word-processing quality video display system and expanding the Color Computer memory beyond the internal 16K limit, 599,95.

Percom Data Company, 211 N. Kirby, Garland, TX 75042, (214) 272-3421 or (800) 527-1592.

CIRCLE 315 ON READER SERVICE CARD

COMPUTER-VIDEO DISK INTERFACE



SSM Microcomputer Products has unveiled an intelligent interface unit that allows read-only video disks to be controlled from a computer keyboard. The interface unit is 6802-based.

SSM's UEI (Universal Extended Interface) will be available in two versions for either serial RS-232 use or IEEE 488 busbased systems. A typical implementation would include, besides the UE1, a microcomputer with keyboard and video terminal, the DiscoVision player, and a TV monitor.

SSM Microcomputer Products, 2190 Paragon Dr., San Jose, CA 95131, (408) 946-7400

CIRCLE 316 ON READER SERVICE CARD

GRAPHIC TABLET FOR PET



Kurta Corporation has announced that its Kurta Graphic Tablet is now directly compatible with PET computers. A special feature of the Kurta Graphic Tablet is that hard copy verification is simplified because a standard 8 1/2° x 11° pad of paper fits exactly onto the surface of the

Resolution is 100/200 points per inch and the conversion rate is 100 coordinate pairs per second.

Kurta Corporation, 206 S. River Dr., Tempe, AZ 85281, (602)968-8709.

CIRCLE 317 ON READER SERVICE CARD

TRS-80 DEVELOPMENT SYSTEM



The Developmate 81 adds both Z-80 in-circuit-emulation and EPROM/ EEPROM programming capability to the TRS-80.

The Developmate comes complete with EPROM and EEPROM programming software, power supply, emulation cable, TRS-80 cable, and a "universai" personality module. It will work with any size Model 1 TRS-80, with or without expansion interface, 5329.

Orion Instruments, 172 Otis Ave... Woodside, CA. (415)851-1172.

CIRCLE 318 ON READER SERVICE CARD

DIGITAL SPEECH PROCESSOR

The Mimic Speech Processor converts speech signals to a digital bit stream for computer storage or Automatic Speech Recognition purposes. It also reconstructs the digital speech representation to analog form for reproduction through an available speaker.

Since both the speech encoder (input) and decoder (output) functions are located in a single unit, the system can also be used for speech communications applications without a computer. Prices range from \$79 to \$169.

Mimic Electronics Co., P.O. Box 921 Acton, MA 01720.

CIRCLE 319 ON READER SERVICE CARD













Put yourself in control of a nuclear reactor!

"The aids you have in operating the plant are excellent. They include four graphical views of portions of the plant, an instrument panel, a financial summary and an equipment status and talkire log."

"As a simulation Three Mile Island is excitent. As a game it is fascinating to me."

Victor Facke, Nuclear engineer in the March 1980 issue of Creative Compression.

"No school should be without Three Mile Island. If parents are buying a computer for the personal development and education of their children they must buy this program." Robert Elitof Purser publisher of Purser's Magazine, A Software Directory.

\$39.95 For the Apple II and Apple II Plus (48K)

Apple is a hodometh of Apple Computer Cop MUSE SOFTWARE'S

30 N CHARLES STREE ALTIMORE, MD 21201 801) 659-7212

Call or write for a FREE catalog or the name of your nearest MUSE deals

CIRCLE 227 ON READER SERVICE CARD

DISK CONTROLLER FOR APPLE



Lobo Drives International, announces the Lobo LCA-22. a disk controller board for the Apple. The LCA-22 is software compatible with Apple DOS and contains 256 bytes of onboard Boot ROM. It will control up to four 8" single- or double-dised, single- or double-dised, single- or double-dised, single- or double-dised, bytes, 5699.

Lobo Drives International., 354 South Fairview Ave., Goleta, CA 93117, (805) 863-1576.

80.5-15 /b.
CIRCLE 320 ON READER SERVICE CARD

MAGAZINES, NEWSLETTERS

INFORMATION MANAGEMENT INFORMATION

Business people, industrial and institutional executives and professionals intertested in learning about the new science of information management may find, "An Introduction to Information Management," a useful brochure.

Single copies of the brochure are available without charge upon request, on letterhead, to Clapp & Poliak, Inc., 245 Park Ave., New York, NY 10167.

PERIODICAL INDEX

The Microcomputer Index indexes 18 microcomputer publications. Issued quarterly, it covers three months of published material in each edition.

Articles are indexed in an alphabetical subject list, and abstracts are provided for all articles in each issue of each magazine or newsletter.

Microcomputer Information Services, 3070 Adams Way, Santa Clara. CA 95051.

CIRCLE 322 ON READER SERVICE CARD

ELECTRONICS NEWSLETTER

Educational Electronics is a monthly newsletter which covers all aspects of electronics as it pertains to education.

The subscription price for 12 issues is \$25 until September 1 and \$30 thereafter. Educational Electronics. One Lincoln Plaza, New York, NY 10023.

TRS-80 SOFTWARE REVIEWS

The Software Critic is a bi-monthly publication devoted to reviewing computer programs written for TRS-80 Models I and III. It carries no advertising, sells no software, and has no affiliation with any commercial software interest.

Types of software reviewed include: utilities; operating systems; word and text processors: statistical systems; payroll: A/R, A/P, and G/L systems; languages; mailing lists; graphics; market analysis; mathematical applications; education; engineering; terminal programs; inventory; data base systems; real estate; income tax; security; and games.

The Software Critic costs \$15 per year and is available from the Software Critic. Box 3CH. University Park. NM 88003.

The time has come for computers to talk and listen



COGNIVOX series VIO, the affordable voice I/O peripherals

PET - TRS-80 - SORCERER

Specific Recognition and Vaice Response need no longer mean estates: concepts and expense hardware COSMIVX series VII is a family of voice input and output perspherate for personal computers that are easy to use and make carrier software support COSMIVX or an brained for your choice with an accuracy of up to 98% and will also be accurate your choice with an accuracy of up to 98% and will also be accurate production of the production of the production of the COSMIVX requires at least 16K of RAM in your computer. If you computer has been memory or if you are only interested in charge computer as the amount of the production of the COSMIVX requires at least 16K of RAM in your computer. If you computer has been according to the COSMIVX requires at least 16K of RAM in your computer. If you computer has been according to COSMIVX requires at least 16K of RAM in your computer. If you will consider the control of the computer VII considerate the control of the control of the will be a control of the control of the will be a control of the control of control control of control of

VOICETEK (805) 685-1854 Dept C, P.O. Box 388, Goleta, CA 93116

CIRCLE 190 ON READER SERVICE CARD

COLOR VIDEO MONITOR/RECEIVER

\$399.00 plus shipping

VIDECOM MODEL TC 700

Immediate delivery - Regular Price \$520

Special Offer — Limited Time

• Combination Video monitor and color TV receiver, 13

diagonal screen.

Standard composite video input

Standard composite video input.
 Video input electrically isolated from chassis and AC line, opto-Isolators provide 3000 VDC Isolation for protection of equipment and personnel.

100% solid state circuitry, latest technology.

Resolution: 300 lines horizontal, 350 vertical.
 Input impendance: 75 ohms or High impendance.

Power requirements: 117 VAC 50/60 Hz

RGB Video Monitors

OEM-type, 13" and 19", immediate delivery. Prices and specifications upon request.

Video Marketing, Inc.

Box 339, Warrington, PA 18976 Tel. (215) 343-3000

Dealer inquiries invited

CIRCLE 260 ON READER SERVICE CARD



sersational software



Air Traffic Controller



Action Games

e CS-4017 \$11 95 3 Games





Cycle Jump Try to jump over rows of cars, buses and frucks

Mine Rover Use your rover to cross mine field with moving mines



Road Machine Drive over a curving mountain road as fast as possible Eight skill levels

Milestones

Cassette CS-4015 \$11 95

Paguiras

Applesoft or Apple II Plu



Bumping Games

Cassette CS-4020 \$11 95 3 Program





Obstacle Course. This multi-level course Hustle. The so includes hurdles, ladders tires and escape routes penalty areas Different every time blocks before

e Hustle. The score keeps building but the d escape routes dwindle. Can you reach the blocks before they disappear?



Bumper Blocks. An absorbing game of

Action & Bumping Games Disk CS-4518 \$24 95

Requires 32K Applesoft or Apple tt Plus
This disk contains attaix games from cassettes
CS-4017 and CS-4020

Milestones

Disk CS-4515 \$19.95
Requires 48K Apple II or Apple II Plus
In addition to the game itself this disk contains
the complete playing instructions

Advanced Air Traffic Controller

Disk CS-4517 \$19 95 Requires 16K Apple or Apple It Plus

This price is an advanced version of Ai Traffic Controller (Cassette CS-4008) offening

Order Today

To order any of these software packages send payment plus \$2.00 postage and handling per order to Creative Computing Morris Plains NJ 07950 Visa MasteriCard and American Express orders may be called in toll-free.

Order today at no risk. If you are not completely satisfied, your money will be promptly and courteously refunded.

> Creative Computing Littware Morr's Plans 142 1735 To free 800-631-8112

creative computing software

BOOKS AND BOOKLETS

BUSINESS SOFTWARE SELECTION KIT

Intended as a reference resource for small businesses. Inotec's Business Software Selection Kit assists in the search for professional business applications packages.

The BSSK contains several pages of data on each package, including such information as functional summaries, sample printouts, input requirements, output formats, minimum system requirements, and cost, \$39.95.

Inotec. Inc., P.O. Box 1587, Mail Stop 106. Clemson. SC 29631.

CIRCLE 325 ON READER SERVICE CARD

SYSTEMS SOFTWARE

LANGUAGES

The Micro Works offers a software puckage for exploring the potential of the TRS-80 Color Computer at the assembly language level. CBug Monitor Tape has 19 commands and is relocatable and reentrant. \$29.95. CBug Monitor ROM is the same program supplied in ROM \$39.95. Also available is a disassembler for the Color Computer, \$49.95. The Micro Works. P.O. Box 1110 Del Mar.

CA 92014, (714)942-2400, CIRCLE 326 ON READER SERVICE CARD

DATABS, a data abstraction language. runs under CP/M and is suitable for control and systems programming. The builtin types of DATABS are Boolean, character, single-byte integer, double-byte integer and string, \$49.50. Softronics, 36 Homstead Lane. Roosevelt, NJ 08555. CIRCLE 327 ON READER SERVICE CARD

Focal-65, DEC's high-level language adapted for the 6502 is available on 5 1/4" disk for OSI systems. \$49.50. The 6502 Program Exchange, 2920 West Moana, Reno, NV 89509

CIRCLE 328 ON READER SERVICE CARD

The Reformatter disk conversion software allows CP/M users to exchange data files with DEC computers. It runs under CP/M and reads and writes floppy disks in the DEC RT-11 format. \$195. Micro Tech Exports, 467 Hamilton Ave. Palo Alto, CA 94301, (415)324-9114.

CIRCLE 329 ON READER SERVICE CARD

KBE is a keyboard editor which incorporates full-screen editing with programmable keys that can be stored on disk. It includes a driver that eliminates keyboard bounce and provides lower case. KBE requires a 32K disk system. \$39.95. The Alternate Source, 1806 Ada St., Lansing. MI 48910. (517)487-3358.

CIRCLE 330 ON READER SERVICE CARD

North Star CP/M 2.2 provides Horizon users with a fully compatible version of CP/M for both floppy and hard disk systems. \$230. North Star Computers. Inc., 1440 Fourth St., Berkeley, CA 94710. (415)527-6950

CIRCLE 331 ON READER SERVICE CARD

Friends Software announces Access/ 80. a report generation and file maintenance system and language designed to run on Z-80 and 8080 microprocessors under CP/M. \$795. Friends Software, Tioga Bldg., Suite 440, 2020 Milvia St., P.O. Box 527, Berkeley, CA 94701. CIRCLE 332 ON READER SERVICE CARD

Database System from Tarbell Electronics runs under CP/M. It features variable length fields with field names that may be of any length and may include spaces, and requires CBasic, \$50. Tarbell Flectronics, 950 Dovlen Pt., Suite B. Carson, CA 90746. (213)538-4251.

CIRCLE 333 ON READER SERVICE CARD



The cruel Emperor Tawala has been forced from nia throne on the world of Galactica and has filed for his life to the planet of Farside, where he and control of the planet of Farside, where he and last stand. Extreme sofar conditions have isolated Farside from the reat of the gataxy, and so it remains to Benthi, leader of the local insurrectionists, to press the final assault on Tawala

TAWALA'S LAST REDOUBT puts you in the position of rebei leader. You must intercept and position of rebei leader. You must intercept and porters, rorm alliances with local chiefa, direct Tawala's sples in your mudst, separate hard intelligence from enemy distiniformation, world Tawala's military forays against you and, linally, lead the assault against the Prince's atronphold.

TRS-80 Cassette, 16K, Level II, \$19.95 TRS-80 Disk, 32K, \$24.95 APPLE Disk, 48K with APPLESOFT, \$29.95

STEPARTIE pple Galaxian — In brilliantly colored array, the laxians awoop down from all sides in sizingly swift attacks to do battle upon the ne defender. This faithful rendition of that most popular of all ber games may drive you croud be bend, but think of all the quarters you'll be most array in thissee, or Plus, 48K cilek, 324 95.

Brøderbund Software Box 3266, Eugene, Oregon 97403 (503) 343-9024 to order. NO CHARGE SHIPPING AND HANDLING! and Mestercard accepted

We've got more! Send for our free catalogs

NDERSTANDING "THE

In this completely revised edition of his best-selling guide to the computer for the layperson—the very best, most concise and lucid account of the subject yet written—Dr. Bernstein tells the history of the ten—Dr. Bernstein tells the history of the computer from its surprisingly sophisti-cated origins in the 19th century through the modern era of transistors, silicon chips, bubble storage units, and semi-conductors. In addition to a clear and detailed explanation of how computers work, The Analytical Engine offers an informed view of the future of the computer in the 80s and beyond. "Truly

beyond. "Truly
remarkable."
—Arthur C. Clarke
"Clear, lively,
and literate."
—Scientific
American

At your bookst or mail this cou WILLIAM MOR Dept PAL CC 105 Madison Avenue, New York, NY 10016

Please send me______ copylies) of THE ANALYTICAL ENGINE (# \$8.95 (hardcover), \$4.95 (paperback). I enclose () check

\$4.95 (paperback). I enclose (che money order in the amount of \$ (Add \$1.00 per copy for postage and sales tax where applicable)

CREATIVE COMPUTING

IISP

for TRS-80 Models I & III

SuperSoft LISP allows the TRS-80 to become a complete Artificial intelligence laboratory! It is the tool that takes you to the frontier of Computer Science.

The SuperSoft LISP is a complete and full implementation. (It is NOT a subset!) it contains an efficient garbage collector which optimizes the usage of user RAM, and supports the TRS-80 graphics. Below are some features:

- · Runs in 16k level II (with only 6K overhead)
- · Fully implements atom property list structure.
- · PROG is supported.
- FUNARG device is implemented.
- Efficient garbage collection.
- Complete with LISP editor and trace.
- Allows complete range of single precision numeric data.
- Works with old as well as new ROMs.
- · Contains 97 functions.
- Sample Programs.

The LISP package is supplied on tape or discette and with a complete user manual.

cassette version: (requires 16K level ii)

\$75.00

Disk version: (requires 16K disk)

\$100.00

(manual only: \$15.00)

All Orders and General Information: SUPERSOFT ASSOCIATES P.O. BOX 1628 CHAMPAIGN, IL 61820

naster - hatry

(217) 359-2112
Technical Hot Line: (217) 359-2691
(answered only when technician is available)

SuperSoft
First in Software Technology

TRS-80 TRADEMARK TANDY CORP

CIRCLE 266 ON READER SERVICE CARD

TERMINALS FROM TRANSNET

PURCHASE PLAN - 12-2	4 MONTH FULL OWNERSHIP P	AN - 36		H LEAS	E PLAN
	BESCRIPTION	PRICE	12 8005	24 MOS	36 MOE
	LA36DECwriter II LA34 DECwriter IV LA34 DECwriter IV Forms Ctri.	\$1,095 995 1,095	\$105 95 105	\$ 58 53 58	\$ 40 36 40
DEC	LA120 DECwriter III KSR LA120 DECwriter III RD VT 100 CRT DECscope	2.295 2.095 1.595	220 200 153	122 112 85 106	83 75 58 72
$\overline{}$	VT132 CRT DECscope	1,995	190	106	58
	T1765 Bubble Memory Terminal	2.595	249	138	93
TEXAS	TI783 Porteble KSR, 120 CPS	1.745	167	93	63
INSTRUMENTS	TI785 Porteble KSR, 120 CPS .	2.395	230	126	86
INSTRUMENTS	TI767 Portable KSR, 120 CPS .	2.845	273	152	102
	TIB10 RD Printer	1,895	182	102	69
$\overline{}$	OT80 1 CRT Terminal	1.695	162	90	61
DATAMEDIA	DT80 5 APL CRT	2 095	200	112	75
DATAMEDIA	DT80 SL APL 15' CRT	2.295	220	122	83
	ADM3A CRT Terminel	875	84	47	32
LEAR SIEGLER	ADM31CRT Terminal	1.450	139	78	53
	ADM42 CRT Terminel	2.195	211	117	79
LIATELTINE.	1420 CRT Terminal	945	91	51 58	34 40
HAZELTINE	1552 CRY Terminel	1.295	125	70	48
	920 CRT Terminei	895	86	48	32
TELEVIDEO	950 CRT Terminal	1,075	103	57	39
NEC SPINWRITER	Letter Quality, 55 15 RD Letter Quality, 55 25 KSR	2,895 3,295	276 316	154 175	104
QUME	Letter Quality KSR, 55 CPS Letter Quality RO, 55 CPS	3,395	326 276	181 154	123 104
HEWLETT PACKARD	2621A CRT Terminal	1,595 2,750	153 263	85 154	58 99
CENTRONICS	730 Desk Top Printer 737 W/P Desk Top Printer	715 895	59 86	39 48	26 32

PULL OWNERSHIP AFTER 12 DR 24 MONTHS * 10% PURCHASE DPTION AFTER 35 MONTHS
ACCESSORIES AND PERIPHERAL EQUIPMENT

DTHER POPULAR TERMINALS, COMPUTER PERIPHERALS AND COMPUTERS AVAILABLE



TRANSNET CORPORATION

1945 ROUTE 22 • UNION. N.J. 07083 • (201) 688-7800

CIRCLE 181 ON READER SERVICE CARD

Sorcerer Support

WORD PAC PLUS ands several features to the Exidy Word Processor Pac. Includes column math, andrieven name headers, centering, decimal shallation, interface to the Triangle Systems TIME CARD, serial minister software, and true right justified proportional printing on Centronics 737 and raisveheel minister. Reculters 12X cossette or disk word procession system. 349, 55

MICROTONE improves typing speed and accuracy by providing audible keyhoard feedback each tire a character is accepted by the Sorcerer. Works with the repeat key and RASIC, MICROTONE pluns into any Sorcerer, 239,95

EXIT CABLE neatly connects perallel end serial printers to your Sorcerer, Handshaking added to the Sorcerer RSJ32 port end connecte serial port softwere lets you use almost any serial device. A Centronics compatible printer socket and removable chall casatte cables with switchable motor control for rawinding are stain included, the with all faithy systems. 379,59

Triangle Systems products include tutorial manuals, available separately for \$5.00 (monrefundable, postage paid). Software on 1200 baud cassettes (transferable to disk) or Exidy disks, Hardwara is quaranteed 90 days.

To Order: Specify softwara format (add \$2.50 for disk), add \$3.00 domestic, \$6.00 oversess for shipping and handling. Ohio residents add 5.5% sales tax. Send payment in U.S. funds to:



Triangle Systems

PO Box 44026 Columbus, Ohio 43204 Telephone Con Low CST (514) 373-3361 Sorcerer trademark of Exidy Systems, Inc.

CIRCLE 238 ON READER SERVICE CARD

APPLICATIONS SOFTWARE

GAMES & RECREATIONAL

Gin Rummy 3.0 is now available for Atari 800 computers with 32K of memory. It includes color graphics and sound. 519-55. Casino Blackjack/ Counter for TRS-80 Models 1 and 11 enables the player to practice card counting as well as play the game. Cassette. 14-95: disk 519-95. Manhatutan Sottware. 19-0. Box 35. Pacific Palisades. CA 90272.

CIRCLE 334 ON READER SERVICE CARD

Tuesday Morning Quarterback puts the player in the roles of quarterback. coach and fan in a real-time action game against his Apple. It is available on disk for the 48K Apple with Applesoft in ROM. 529.95. Automated Simulations. P.O. Box 4247. Mountain View. CA

94()4(). CIRCLE 335 ON READER SERVICE CARD

Strategic Simulations has introduced three games for 48K Apples with Applesoft in ROM and one disk drive, Cartels & Cutthrasts Simulates the operation of a group of manufacturing firms in the U.S. Cotton of the C

can be played with two players or solitaire. Each is 559.95. Strategic Simulations Inc., 465 Fairchild Dr., Suite 108, Mountain View, CA 94043, (415) 964-1352

CIRCLE 336 ON READER SERVICE CARD

Personal Software has added Zork, the Great Underground Empire, to its strategy game series. Zork has a working wecabulary of over 600 words. It is available on 5 1/4" disk for Apple and TRS-80 computers with 32K of memory, \$30,95. Also available are MleroChess and Checker King for the Atar 400 and 800. MicroChess features eight levels of play, and Checker King allows single, double and triple jumps, forces jumps and plays according to the tournament rules of

SAVE MORE THAN 20%1 NORTH START INTERTINEE MICHOTEK ZENTH REA-COBMAC ITHACA TENTH REA-COBMAC ITHACA THE SMATHER TON COCCOUNT SEPEREMAN THE SMATHER TON COCCOUNT SEPEREMAN THE SMATHER TON COCCOUNT SEPEREMAN THAN COLUMN TO SEPEREMAN THE STATE OF SEPEREMAN THAN COLUMN TO SEPEREMAN THE STATE OF SEPEREMAN THE STATE OF SEPEREMAN THAN COLUMN TO SEPEREMAN THE STATE OF SEPEREMAN THAN COLUMN THAN

IOREON-ASSE COURSE DE
MALE 20% OF THE RAMIN OR
MED CRIVES DO MA
MED CRIVES DO MA

GENERALEDER
HIST-SANC AND ME
HIST-SANC A

WINCH COMPARIES ARE BESTIFFENCHURE BEGGER DESCOUL
WE WILL BEAT OUR COMPETTED VIS PRICE
FACTORY ASSEMBLE DE AFCOTORY WARRANTY
AMERICAN SOUARE COMPUTERS
KINETT DE "JAMESTOWN, NC 27282" 919-889-697
CPM IS A REGISTERED TRADEWARK OF DUGTAL RESEARCH
CIRCLE 105 ON READER SERVICE CARD

EDUCATIONAL PROGRAMS

for Commodore's PET, VIC, and M.A.L.A.

Software programs on cassette elementary levels 32 programs—4 per month all PETS—\$48.00

Also a PET educational software catalog 300 programs \$2.50

COMM*DATA SYSTEMS P.O. BOX 325 MILFORD, MI 48042 (313) 685-0113

Michigan residents add tax

EDUCATIONAL COURSCUARE I Nappe Lane, Westport, CT 00000

APPLE DISKS

Each Containing Multiple Programs

BASIC TUTON SERIES — V 101-107

A series of seven data sain 25 radios designed for novice programmers. Teaches how to program yout APPL En APPL Entitle Programs of the Program of the Programs of the Program

sales I — Intro to proplymentary continuous. 333

Wheel II — Studies in Itself these and verd processing 33

Water III — Studies in Itself these and verd processing 33

Water III — How to create meals programs

33 Water III — How to create meals programs

34 Water III — How to create meals programs

35 Water III — Uterlies for study and use

36 Series V 373-16 Each Cyd and use

37 Series V 373-16 Each Cyd and use

38 Series V 373-16 Onco Each Cyd and a 5 oppre without his object charter of the studies of the control of the studies of the st

QUA - Intergentic Chemistry: Elements, Ione sit:
QUA - Elementary Aslancienty; Start, Constitutional et al.
QUA - Carry Aslancienty; Start, Constitutional et al.
QUA - Carry Carry

CIRCLE 173 ON READER SERVICE CARD

RAM

Get the most from your ATARI 4(10). Memory expansion to a full 48K is now possible with our 48K Board. Expand your ATARI 8(10) with our 32K Board.

48K Board \$299 **32K** Board \$199

3387 Del Rosa Ave. North San Bernardino, CA 92404 (714) 864-5269

CA residents add 6 percent tax ATARI is trademark of ATARI. Inc

CIRCLE 192 ON READER SERVICE CARD

INTEC Suite # 111

WHY SPEND \$150 OR MORE FOR AN INFORMATION RETRIEVAL PROGRAM?

Island Cybernelics has a program which may drough the program of t

-837.50, postage paid-ISLAND CYBERNETICS

P.O. Box 208, Port Aransas, TX, 78373 (512) 749-5843

*CP/M is a registered trademark of Digital Research CIRCLE 220 ON READER SERVICE CARD

MAXI MICRO



MAGNOLIA MICROSYSTEMS

2812 Thorndyke W • Seattle, WA 98199 (206) 285-7266 (800) 426-2841 CPM is a trademark of Digital Research CIRCLE 162 ON READER SERVICE CARD

Property Mgt CPA Client Write-up Mailing Address

SUPERSOFT Forth (8080 or Z80) Diagnostic II Other TCS

"DATA BASE" FMS-80 dBASE II Condor T I M

"PASCAL" Pascal/MT+ Pascal/Z Pascal/UCSD Pascal/M

WORD PROCESSING

OTHER GOODIES

iny C iny 'C' Compiler BASIC-2

CBASIC-2
Nevada Cobol
MicroStat
Vedil
Prol Time Bill (Asyst)
ESQ-1
MiniModel
StatPak
Micro B+
BSTAM

Visicale
CCA Data Mgr
Desktop/Plan II
Visiplot
Visitend/Visiplot
Visitend/Visiplot
Visiterm
Zork PERSONAL SOFTWARE

PEACHTREE: General Ledger Acct Receivable Acct Payable

"OTHER GOODIES"
Super-Text II
Data Factory
DB Master
Ledger Plus
Charles Mann
STC
IUS

\$ 89/\$50 \$229/\$50 \$ 98/\$20 \$129/\$25 \$129/\$25 \$224/\$15 \$ 99/\$15 \$549/\$40 \$1349/\$50 \$449/\$50 \$449/\$40 \$229/\$40 \$149/\$10

less 15% less 15% less 15%

SOFTWARE WORKS SOHO GROUP

STRUCTURED SYSTEMS
GL or AR or AP or Pay
Inventory Conirol
Analyst
STRUCTURED SYSTEMS
\$499

GL or AR or AP or Pay \$ 79/\$25 All 4 \$269/\$99

\$399/\$40 \$399/\$40 \$399/\$40 \$399/\$40 \$399/\$40 \$799/\$40 \$799/\$40 \$349/\$40

(New items or new prices) CP/M* ARTIFICIAL PEACHTREE® General Ledger Accl Receivable Acct Payable

COMPLETE BUS. SYSTEM
Creator \$269/\$25
Reporter \$169/\$20
Both \$399/\$45 Reporter Both COMPUTER CONTROL \$159/\$20 \$159/\$25

INTELLIGENCE Medical

NorthStar FRS-80 Model II (P&T)

\$149/\$25 \$159/\$35 \$169/\$25 \$189/\$25 \$459/\$35 \$179/\$25 \$ 85/\$15 \$ 65/\$15 \$ 95/\$15 \$ 70/\$15 \$ 50/\$10 DYNAMIC MICRO-PROCESSOR ASSOC CBS DMA-DOS

GRAHAM-DORIAN
General Ledger
Acct Payable
Job Costing
Payroll
Inventory
Cash Register
Apartment Mgt \$729/\$40 \$729/\$40 \$729/\$40 \$729/\$40 \$493/\$40 \$493/\$40 KEY BITS tring/80 tring/80 (source) ordSearch

ICRO-AP CRO DATA BASE SYSTEMS

DRS or QRS or RTL MDBS PKG MICROPRO rdStar stomization Notes iil-Merge irdStar/Mail-Merge \$324/\$60 \$ 89/\$na \$114/\$25 \$434/\$65 \$249/\$60 \$119/\$40 \$199/\$40

MICROSOFT \$294/\$30 \$329/\$30 \$349/\$30 \$574/\$30 \$125/\$20 \$144/\$20 \$ 84/\$20 \$224/\$25 \$174/\$20 Macro-80 Edit-80 MuSimp/MuMath MuLisp-80

ORGANIC SOFTWARE

OSBORNE General Ledger Acct Rec/Acct Pay Payroll w/Cost All 3 + CBASIC+2

ORDERS ONLY-CALL TOLL FREE VISA . MASTERCHARGE

CHURRO UNICE—LALL FOLL FINE VISA * MASTERCHARIGE
1-800-854-2000 set 823 - Celli 1-800-824-1500 ext 823
Overseas - add \$10 plus additional postage * Add \$2.50 postage and handling
or each item * californal residents add \$3, sate size * Allow 2 weeks on checks.
C O D O & * Prices subject to change without notice All items subject
to exaliability * A - Miga Tackoms.

THE DISCOUNT SOFTWARE GROUP 8520 Selma Avenue, #309 • Los Angeles, CA 90028 • (213) 868-7677

SORCERER USERS

Have you seen the best toolkit in existence for any micro computer? Did you know it was written for the **EXIDY SORCERER?**

System 3 is the ultimate program development toolkit and is guaranteed to cut your Basic programming and debugging time by AT LEAST HALF!

Once loaded, this program gives Sorcers ROM PAC Saisc more than 15 extra program development commands, some of which you would not have thought possible. If you purchase this pece of software and are not 100% satisfied that it is all we say it is, we will glidity returned your money in fulfi

The following commands are ju

ORF a

OBF a

Thu may delate function keys such this suphisticated riving

The may actual en age! Section

all sanobles and their values. This is often used after a

EST inchief

Lat all peoples have from as to py

OIL hallpel

Devir all peoples have been as to py

COOM

COOM

Lackers in your program ascepting those writin go

makes and in 2246 spalements

OIL Receive a lost program after NEW CLOSED as RESET.

INGE INGE the incomming BASIC program off tape to the and of its right the incomming BASIC program off tape to the and of its

\$29.95

& system software

CIRCLE 232 ON READER SERVICE CARD

Time for Sorcerers

Time Card Clock

e hours, minutes, second e day, date, month, year e % interval interrupts e % year backup hattery

TIME CARD interfaces with BASIC INP and OUT statements or simple machine language routines, which are included. TIME CARD pluss into the WIROR BOX or, with the bus cable, directly into the Sorcerer expansion nort. Bus cable includes a infel enclosure, expansion bus cable, and 5 volt adanter cable to the Sorcerer. TIME CARD 3124.55, bus cable 535.55

Micro Box

e 8 expansion hus slots e 5 volt power supply e daisy chain with disks e compact- only 7 x 5 x 4*

Expansion MICRO BOX is the foundation for future Triangle Systems products. Now in development are memory boards, an EPROP programmer, serial and parallel ID, and an AMD 9511 math card, "MICRO BOX pluus into the Sorcerer examsion port and is fully huffered. \$199.95

Triangle Systems products include tutorial manuals, available separately for 55.00 (nonrefundable, postace paid). Software on 1200 haud cassettes (transferable to disk) or Exidy disks. Hardware is quaranteed 30 days.

Te Order: Specify software format (add 52.50 for disk), add 33.00 domestic, 58.00 overseas for shippinn and handlinn. Ohlo residents add 5.5% sales tax. Send payment in U.S. funds to:



Triangle Systems

O Box 44026 Columbus, Ohio 43204 Telephone 8am-5pm EST (614) 272-0201 Sorcerer trademark of Exidy Systems, Inc.

CIRCLE 237 ON READER SERVICE CARD

checkers. Both are available on cassette and require 8K of memory. Personal Software Inc., 1330 Bordeaux Dr., Sunnyvale. CA 94086.

CIRCLE 337 ON READER SERVICE CARD

EDUCATIONAL

Prescriptive Math Drill is a computermanaged drill and practice program covering basic arithmetic skills. The student is automatically moved to the next higher level upon satisfactory completion of 20 problems at his current level, \$79.95. Also available is Wordsearch, a program which allows a teacher to enter a series of words with which the computer creates a wordsearch puzzle. \$14.95. Both programs are for the Apple. Hartley Software, 3268 Coach Lane, #2A. Kentwood, MI 49508. (616)942-8987.

CIRCLE 338 ON READER SERVICE CARD

The Individual Study Center is an educational course designed to enable a person to teach himself any subjects he wants to learn. There are over 50 prepared subject data files available for grades 1-9, high school and adult on disk for the 48K Apple, \$54.95, TYC Software, 40 Stuyvesant Manor, Geneseo, NY 14454.

CIRCLE 339 ON READER SERVICE CARD

Algebra I is designed to teach the fundamental tools and concepts of beginning algebra. Features include color hires graphics, upper and lower case text and flow charted "information maps" which mark the learner's progress. The program requires DOS 3.3 and 48K Applesoft. \$39.95. Edu-Ware Services. Inc., 22222 Sherman Way, Suite 102, Canoga Park. CA 91303.

CIRCLE 340 ON READER SERVICE CARD

BUSINESS

Commercial Maller, written in Applesoft for a 48K Apple/Corvus system with 80- or 132-column printer, can handle an unlimited number of mailing lists. each with a 30,000-name capacity. It is menudriven with alphabetical order, find entry. browse, change, add, delete, and search. \$250. Stonehenge Computer Company. 89 Summit Ave., Summit, NJ 07901. (201)

CIRCLE 341 ON READER SERVICE CARD

A General Business Bookkeeping System for Ohio Scientific computers includes programs for payroll, inventory, accounts payable and receivable, job costing, purchase orders and general ledger with reports. The system is Level 3. Network and multi-dimensional compatible. Data Access Managemet Service, 3320 Rivers Ave., Charleston, SC 29405 (803)554-7005 CIRCLE 342 ON READER SERVICE CARD

Computer Consultants introduces TRS-POS, which allows a 16K TRS-80 Level II to function as a point of sale terminal. Features of the program include. English operator prompting and error messages, electronic memo pad and ability to track sales commissions and inventory. Prices start at \$100. Computer Consultants. 310-312 Hoyt St., Dunkirk. NY 14048.

CIRCLE 343 ON READER SERVICE CARD

Version 5 of the TCS Business Accounting software for the Apple includes general ledger, accounts payable, accounts receivable and payroll. Enhancements include new W-2 forms and improved menu processing. The system requires 48K of memory. Microsoft RAMcard or language card. Microsoft Softcard. CP/M and an 80-column card or external CRT terminal, TCS Corporation, P.O. Box 47550. Atlanta, GA 30362,

CIRCLE 344 ON READER SERVICE CARD

CRIC Software Systems announces a Cash Register Inventory Control system for the Apple 11 Plus with 48K memory. Pascal language card, and disk drives



w 248-page book includes all the former TIS w raphics." Provides info ve index. Only \$14.95.

Also from TIB

WB-3 PET Graphics \$4.95

ere products on cassette or floppy disk at Each \$24.95 (cassette), \$29.95 (diskette

SW-1 MAIL 5 mailing list system SW-2 CHECKBOOK record SW-3 ACCOUNTS keep track of who owes yo SW-4 MEDIT create end maintein date files SW-5 CALENDAR appointments, meetings at

P.O. Box 921, Dept. CC Los Alemos, NM 87544

CIRCLE 193 ON READER SERVICE CARD

NEW TARBELL S-100 CPU/IO BOARD



Z-80" will run at 2 or 4 Mhz 2 RS-232 Serial I/O ports

Powerful Memory Management Programmable Timer Full masked priority interrupts

Has everything needed for MP/M 6 month full warranty

Z-80 is a trademark of Zilog Inc. MP/M is a trademark of Digital Research



950 Dovlen Place, Suite B Carson, CA 90746 Phone (213) 538-4251

CIRCLE 202 ON READER SERVICE CARD CREATIVE COMPUTING

The system allows a small retailer to handle charge accounts and up to 10,000 inventory items, \$999.95, CRIC Software Systems 012, 15132 Stony Plain Rd., Edmonton, Alberta, Canada, (403)483-5000

CIRCLE 345 ON READER SERVICE CARD

Postman is a mailing list management program designed for use with the Oasis operating system. Sequential files accessible from word processors such as Oasis Script or Magic Wand may be produced for mass individualized letter mailings, and simple numerical analyses may also be prepared. Marot Software Systems, 310 Madison Ave., Suite 408, New York, NY 10017, (212)661-8550.

CIRCLE 346 ON READER SERVICE CARD

Desktop Plan II is a professional financial planning software package for the Apple which enables users to prepare financial statements, budgets, forecasts. projections and analyses. New features include hi-res graphics plotting, the ability to receive data with VisiCalc, and a moving cursor. Applesoft Basic, one disk drive and 32K of memory are required. \$199.95, Personal Software, 1330 Bor-

deaux Ave., Sunnyvale, CA 94086, CIRCLE 347 ON READER SERVICE CARD A-T Enterprises announces a software package designed for the management and control of mini-warehouse or selfservice storage facilities. The package requires a Z-80, 8080 or 8085 based microcomputer and 48K of memory, dual disk drives, an 80 x 24 video terminal, and an 80-column printer, \$650. A-T Enterprises, 221 N. Lois, La Habra, CA 90631. (213)947-2762.

CIRCLE 348 ON READER SERVICE CARD WORD PROCESSING

Hexspell is a spelling checker which is compatible with most word processing systems available for the TRS-80. The program reads through documents, checking words against its 29,000-word list while displaying the text for manual proofreading. A 48K TRS-80 Model I with two disk drives is required, \$69. Hexagon Systems. P.O. Box 397 Stn. A. Vancouver, BC, Canada V6C 2N2, (604)682-

CIRCLE 349 ON READER SERVICE CARD

The Documenter Text Processor for Apple computers features its own document writer, universal editor, custom text linker, draft writer and form letter element. \$149.95. Charles Mann & Associates, Micro Software Division, 7594 San Remo Trail. Yucca Valley, CA 92284. (714)365-9718

CIRCLE 351 ON READER SERVICE CARD

CENTRONICS 101A PRINTERS, 9 X 7 mai CPS, 132 col., normal tractor feed paper, copies, width variable trom 4".5" 6 line 10 CPI, parallel data input, full 90 day v (VY. 118 lbs.) \$850.00 LB.M. SELECTRIC KEYBOARD PRIII KEYBOARD PRINTER

CIRCLE 108 ON READER SERVICE CARD

FREE

business software directory

- · Radio Shack's Model-I, II, III.
- · Heath's MBASIC and HDOS. • CPM

Data base manager, integrated accounting package, inventory, word processing, and advanced mailing list.



Micro Architect Inc. 96 Dothan St. Arlington, MA 02174

CIRCLE 197 ON READER SERVICE CARD

EPSON PRINTERS

OKIDAT	A PRINTER	15
OKIDATA Microline 80 Microline 80 Tractor F Microline 80 Serial Int Microline 80 TRS-80* Expansion Interface	erface	114 00
EPSON MX-80 MX-80 Apple* Interface MX-80 Apple* Interface MX-80 TRS-80* Expension Interface MX-80 Serial Interface MX-80 IEE-488 (Pet*) MX-80 IEE-488	Cable	Cali of Circle Numbe for Prices
VISTA TRS-80° DISI V-80 40 Track Model 1 Model 1 two Drive Cal Model 2 Disk Drives CASSETTE TAPES (Quality screw type with C-10 1-40 C-10 50-up	Drives bie	27 96 CALL
C-10 50-up		

RS-80, Apple, and Pet are trademarks of Radinack, Apple Computer, and Commodore. der, personal check (5 w fied check, C.O.D. (Mone

> PROCESS CONTROL TECHNOLOGY O. BOX 8825 STOCKTON, CA 95208

(209) 952-8578 CIRCLE 223 ON READER SERVICE CARD

Professional Real Estate Programs For Apple II or TRS-80

Property Management System (32K, † Disk Systems)

Lata Rent Reports

Price \$225.00

Real Estate Analysis Modules:

(Cassette or Disk)

Home Purchase Analysis
 Tax Deferred Exchange
 Construction Cost/Profit
 Income Property Cashflor
 APR Loan Analysis
 Property Salas Analysis
 Loan Amortization

\$35.00 Per Module

1116 8th St., Manhattan Beach, CA 90266 Sulte F, Dept. C CIRCLE 214 ON READER SERVICE CARD

OHIO SCIENTIFIC

S-FORTH - a full implementation of Fig-FORTH including editor, virtual disk sub-system, and compatibility with OS65D-3 on 51/4" or 8" disk.

Source listing \$24.95. Both for \$49.95.

TOUCH TYPING MADE EASY - 15 lesson set teaches you to "touch type". Now also available for the C1P, 8K, \$19.95.

TITANIC QUEST - a real time search where you risk your remaining supplies to find the Titanic. 8K. \$6.95.

TEXT EDITOR - the best screen text editor available for OSI C4P, C8P disk systems. \$19.95.

Send for our FREE 14 page software and hardware catalog. Includes photos and complete descriptions of all game. utility, and business software.

Aurora Software Associates P.O. Box 99553 Cleveland, Ohio 44199 (216) 221-6981

CIRCLE 106 ON READER SERVICE CARD

Muse announces the Form Letter Module for use with the Super-Text Word Processor and Address Book Mailing List in printing personalized form letters. The program requires an Apple computer with 48K and disk drive, \$100, Muse Software, 330 North Charles St., Baltimore, MD 21201.

CIRCLE 352 ON READER SERVICE CARD

Write-On! II allows the user to create and maintain data files, such as mailing lists, and then merge them into textfiles. such as letters or mailing labels. The program is designed for the 48K Apple with disk and Applesoft in ROM, \$150. Rainbow Computing, Inc., 9719 Reseda Blvd., Northridge, CA 91324, (213)349-0300.

CIRCLE 353 ON READER SERVICE CARD

MUSIC & GRAPHICS

Rainhow Writer is a graphics, text. music and animation program development aid for the Apple. It can be used to create special effects featuring color, animation. letters, shapes and sounds, 539,95. Personal Software, Inc., 1330 Bordeaux Dr., Sunnyvale, CA 94086.

CIRCLE 354 ON READER SERVICE CARD

Plot-80 is a plotting software package for both dot matrix and daisy wheel printers which is available for use on the TRS-80 Model I with 48K RAM, one disk drive and a graphics printer. It is designed to plot graphs and histograms of various types, with numbered and labeled axes, 599.95. MicroComputer Specialists. P.O. Box 11295. Elkins park. PA 19117. (215)849-2766.

CIRCLE 355 ON READER SERVICE CARD

Muse has introduced the Data Plot Graphing Program for the 48K Apple with Applesoft in ROM. Its displays range from single line or bar charts to multiple line, additive bars as well as mixed line and bar formats, \$59.95. Muse Software, 330 N. Charles St., Baltimore, MD 21201.

CIRCLE 356 ON READER SERVICE CARD

PERSONAL

E.B.G. & Associates has announced two software packages for the TRS-80 Model I. Program of Lists allows the user to store up to 20 different lists of things to remember. \$19.95. Pentad Disk Library maintains a library file of up to 100 diskettes which may be searched for any file name or partial file name. \$19,95. E.B.G. & Associates, 203 N. Wabash. Suite 1510, Chicago, 1L 60601, (312)782-

CIRCLE 357 ON READER SERVICE CARD

UTILITIES & MISCELLANEOUS

UPROC1 contains procedures and functions to read and write device

EAST COAST COMPUTERS

P.O. BOX 295 WHITEHOUSE STA. NJ 08889

DRIK'S DISKETES 2100 ANAWARD
COOK
COX
300 MR 80 tok MODEL III
KNOCY KIT
300 MR 80 tok MODEL III
KNOCY KIT
300 MR 80 tok MODEL III
Tandy Cop
TERMS MASTERCHARGE VISA CHICK MONEY ORDER
US FUNDS ONLY AU PEDICHTS ADD SALES TAX
ADD 91-FOR SHEPPING AND HANCENEYS

CIRCLE 166 ON READER SERVICE CARD



CIRCLE 229 ON READER SERVICE CARD

EDUCATIONAL SOFTWARE TRS-80, COLOR COMPUTER, PET & APPLE II

ELEMENTARY SCIENCE BIOLOGY GEOGRAPHY HISTORY ECONOMICS FOREIGN LANG. ACCOUNTING BUSINESS ED. GRAMMAR **FARM RECORDS** COIN INVENTORY

Write for FREE Catalogue: MICRO LEARNINGWARE, Bo 2134, N Mankato, MN 56001

(507) 625-2205 VISA & MASTER CARD ACCEPTED

We pay 15% royalty for Educational Programs listed with us.

TRS-80 is a registered trademark of PET is a trademark of COMMO-

DORE BUS, MACHINES APPLE is a trademark of APPLE COMPUTER CO

TRS-80 Computers



Education vith Pleasure

25 PSYCHEDELIC GRAPHICS PROGRAMS CHAINED TO GIVE A DAZILING SHOW! AS FRATURED ON LOCAL TY POR YOUN APPLE IN COLOR. AS DEVELOPED FOR OUR TRAINING COURSES MERS IN THE CHANNEL ISLANDS. SEND \$20 NOW FOR DISC OR TAPP EULS A FREE ENTRY TO OUR NEXT COMPETITION:::

(State Series I or II. \$35/two!)

MicroSustems Ltd.

CIRCLE 196 ON READER SERVICE CARD

DELLGUARD \$199.

THE BEST, most useful, spelling -preofreeding package available. Independent
reviews prove it - write for copies. Regules 32K
CP/M+, MP/M+, CDOS+, or CROMIX+. Works with
ony console device. Composible with Magic Wand+,
WordSion*, Electric Pencil*, WordMoster* and ED.
Fully tested. Professional, first class software.

SPELLGUARD® and Magic Wand®(1.1)\$499.

49 Pelicon Court, Syosset, NY 11791 Write for catalog!

CIRCLE 217 ON READER SERVICE CARD

Dept CC 1117 Conway, Mission, Texas 78572

Radio Jhack Toll Free Order Number 800/531-7466

Pan American

Electronics Incorporated

Cunard Hotel London 10-12 September 1981



The Show which brings your market direct to you ...

The Personal Computer World Show is the UK exhibition exclusively for the small computer industry. It is your opportunity to meet, face-to-face, potential buyers who visit the Show specifically to see demonstrations and discuss the application of your products.

This is the Show where buyers come to buy ... not just look.

To discuss how the 4th Personal Computer World Show could form the focus of your 1981 promotional calendar contact Timothy Collins on O1-486 1951 or write to him at Montbuild Ltd. 11 Manchester Square. London. WI, ENGLAND

PROOFREADER The TRS-80"

Let your TRS-80 proofread your Scriptit, Pencil or other documents Proofreader checks every word of your document in its 8,000 word dictionary in under 5 minutes. Unknown words listed on screen or to a file.

RATFOR

Rational Fortran preprocessor allows structured programming using Fortran An excellent, fast implementation with extensions and manual Requires Model-1, 48K, 2 disks \$49.00

PPRATFOR- Automatically pretty prints and indents Ratfor Requires Ratfor \$10.00 Alone / \$74.00 For Both

\$30.00 Alone / \$74.00 For Both

Order Postpaid. SOFT-TOOLS MHE Box 14

CIRCLE 262 ON READER SERVICE CARD

PET/CBM PERIPHERALS

USE YOUR COMMODORE PET CBM AS A TERMINAL ALSO CONNECT TO PRINTERS, PLOTTERS TERMINALS, MODEMS, AND TELEPHONE LINES.

RS-232 OUTPUT ONLY
RS-232 INPUT/OUTPUT
RS-232 DUAL CHANNEL
TELEPHONE MODEM
...AND SOFTWARE TOO!!

FROM TNW CORPORATION

3351 Hancock St + San Diege CA 92110

Full One Year Warranty - VISA/ Mastercharge
CIRCLE 236 ON READER SERVICE CARD

NEW - FROM PERSONAL SOFTWARE	
VisiPiet - For Charts and Graphs	\$165.95
VisiDex - For Cross Referenced Filing	\$179.95
VisiTerm - Network/Computer Communicator	\$145.95
VisiTrend/VisiPlot - Analysis And Graphs	\$225.95
16 Sector Enkanced VisiCalc	\$179.95
STONEWARE'S "OB MASTER VERSION 3.0"	\$209.95
MUSE SOFTWARE SUPER TEXT II	\$134.95
Form Latter Medule \$89.95 Address Seek	\$ 44.95
DAKINS SYSTEM "Programming Aids 3.3"	\$ 82.95
SWESTERN DATA SYSTEMS "APPLE-DOC"	\$ 31.95
3M "SCOTCH" Disk Head Cleaning Kit-Special	\$ 24.00
ASK FOR FREE PROGRAMMA INTL 48 PAGE	CATALOG
DISCOUNT COMPUTER SUPPLY CATALOG - \$2.0	30 Postpoid
Relundable With Your First \$10.00 Or	sier
WE ALSO FEATURE SOFTWARE FROM	
CHARLES MANN & ASSOCIATES EDU-WAF HOWARD SOFTWARE SYNERGISTIC SOFT	NE SERVICES
HOWARD SUFTWARE STRENGISTIC SUPPL	

CALFORNIA RESIDENTS ADD 6% SALES TAX
SEND FOR FREE DISCOUNT CATALOS
JEANNE ST. AUBER
PO BOX 1822 ENCINO. CA 91316 213 705-7421
CIRCLE 212 ON READER SERVICE CARD

registers on various interface boards, provide rebost capabilities from any Pascal program to any Apple operating system; supply calibrated program decidence of the program decidence of the properties of the life with standard reporting of UCSD Pascal I/O error messages; and allow flexible, user-defined tokenizing of strings. Analytic Solutions Incorporated, P.O, Box [390], Research Triangle Park.

CIRCLE 358 ON READER SERVICE CARD

A Master Catalog system to keep track of all files on all disks in use is available on single-density 8" and 5 1, 4" discs for CP M users. 510. Elliam Associates. 24000 Bessemer St., Woodland Hills, CA 91367.

CIRCLE 359 ON READER SERVICE CARD

Faster for the TRS-80 Model 1 is a speedup facility for disk Basic programs. It analyzes executing programs and displays or prints information that enables the user to make appropriate changes. Prosoft, Box 839, N. Hollywood, CA 91603, C(21374-43131.

CIRCLE 360 ON READER SERVICE CARD

Mint Software announces three programs on cassette for the 16K TRS-80 Color Computer. Renumber provides the ability to load a program, renumber it and then save it; Squeeze will compress

FREE!

1981

DISCOUNT
ELECTRONICS
CATALOG

Sond for our Free catalog and become a member of our exclusive Pak. Our members paceive Poly Paks' exciting catalog several times a year. We offer:

Electronic Producta auch as Computer Periphirals, Integrated Circuita, Speakers, Audio guipment, Rechargeable Batteries, Solar Prod otta, Semiconductors, and much, much more lake advantage of our 23 years as America!

oremost Supplier of discount electronics.

RUSH ME YOUR FREEDISCOUNTCATALOG!

NAME:

ADDRESS:

CITY.

CLIP AND MAIL COUPON TODAY TO: POLY PAKS, INC. P.O. BOX 942. S. LYNNFIELD, MA. 01940 CCG (817) 245-3828

STATE: ZIP:

CIRCLE 222 ON READER SERVICE CARD

Basic code: and Merge allows two separate programs on cassette to be concatenated in memory and then saved. 519.95. Mint Software. 6422 Peggy St.. Baton Rouge. LA 70808. (504)766-2318.

CIRCLE 361 ON READER SERVICE CARD

Microstat is a file-oriented advanced satistics package which includes a data management subsystem which allows the user to list, edit, destroy, delete cases, augment, sort, rank order, lag, movemept and transform existing data into new data. The program requires 48K, one 8° disk drive, C.P./M and Basic 490. It is also available for North Star DOS and Basic 59.0 Econoft, P.O. Box 68602, Indianapolis, 1N 40268, (317)283-8083, CIRCLE 3820 PREGER EREPUEC CAGAD.

Dirindex is a disk utility program which produces an index of individual listings which identifies the file by name/extension, indicates the size of the file in grans, and specifies a disk number and name, It requires a TR-S-80 Model I disk system with 20 or 48K, S19.95. Programs Unlimited, Inc., 125. South Service Rd., Jericho, NY 11753, (800)645-6038.

CIRCLE 363 ON READER SERVICE CARD

ComputerMat has released a series of software on disk for the Apple catled Apple Sack has from 8 to 40 programs and retails for 524.95. Programs in the series include business and home applications, utilities, games, and simulations. ComputerMat. Box 1664F. Lake Havasu City. AZ 86403. (602)855-335.

CIRCLE 364 ON READER SERVICE CARD

ESP Computer Resources announces three software products for the Apple: dataKEYper is an interactive, data management system packaged with intelligent information management features (599); bookKEYper is a basic business accounting system (\$449); and Personal hudgetKEYper includes software for checkbook management, personal bills and payables as well as expense statement and summary reporting (\$195). The programs are available on 5 1/4" and 8" floppy disks and require a 48K Apple with two disk drives and Applesoft. DOS 3.3 or the language system. They are also available for Corvus 10 Mb disks. ESP Computer Resources. 9 Ash St., Hollis, NH 03049. (603)465-7264.

CIRCLE 365 ON READER SERVICE CARD

Macrotronics has announced a diskbased Mailbox RTTY system for the TRS-80 Models I and III with 32K RAM and one disk drive. The program is said to turn the TRS-80 disk system into a sophisticated RTTY communications terminal. \$150. Macrotronics. Inc. 1125 N. Golden State Blvd.. Turlock. CA 95380, (20)9667-2888.

CIRCLE 366 ON READER SERVICE CARD

We dare you.

We dare you to ship out on our tall ships to the Caribbean. We done you to take the helm of our 258' Polynesia or our 198' Yankee Clipper. Sleek sailing ships out of another age once owned by Onassis, Vanderbilt, and the Duke of Westminster. We dare you to set foot on small, far away islands like Saba. Carriacou.

Anegada. And we dare you to walk the footsteps of Captain Bligh.

Columbus and Nelson on uninhabited tropic beaches. We dare you to get down to your bikini and shorts and have a love affair with the sun. To take each day as it comes, sip Bloody Marys in the morning and take your ration o'grog when the sun slips down the most. We dore you to step out with the moon. Feel the throbbing of the steel drums. We dare you to limbo, calypso and goombay.

And we dare you to fall asleep under a star-filled sky. We dare you to snorkel amidst a rainbow of tropical tish, and to swim in waters so clear you can see 20 feet down. We dare you to ship out with an adventurous group of guys and gals for 6 or 14 days. Your share from \$400. We dare you to set sail to another time, another land. To do all the things you have always wanted to do. Then we dare you to tell us that Windjammin was something besides the greatest vacation in your life. THE PARTY IN Windiammer Barefoot Cruires

Windjammer Baretoot Cruises PO Box 120, Dept 199, Miami Beach, Florida 33139

For Reservations Call TOLL FREE 1-800-327-2600

and my tree full color Great Adventure Booklet on the 6 and 14 day crusses to the Cartibbean and West Indies

City/State/Ztp

Address

JUNE 1981

187



This month we are going to take a look at the game of Reversi (which has recently become known as "Othello"). In my opinion this is one of the best games ever invented, simply because the rules can be learned in no more than one minute, yet the game can take years to master. It is more complex than checkers but far less so than chess. And it is great fun to play.

THE TURE


Reversi was invented in England during the early 1880s, so it should now be celebrating its centenary. The game is played on an 8 x 8 board with discs which are black on one side and white on the other. The players move alternately until the board is full or until neither side may make a move, at which point the player with the most discs on the board is full which he has no moves at his disposal, he must pass, and the right to move is returned to his topponent.

In order to make a legal move a player must put down a dis with his own color uppermost, so that the disc being put down and another of his discs which is already on the board, contain between them an unbroken line (horizontal, vertical or diagonal) of his opponent's pieces. These pieces showing the opponent's color are then flipped over and now belong to the player who has just moved, but they may be flipped back later by a move made by the opponent. If the disc being put down forms more than one "sandwich," all the sandwiched dises are "sandwich," all the sandwiched dises are

flipped.
The first four moves must all be made in the four central squares of the board, d.4. e4, d.5 and e5, and herein lies the one and only difference between Reversi and "Othello." In Reversi, the two players may choose where they play within these four central squares. Thus, the player who moves second may either (a) force his opponent to have the first two moves in a

horizontal or vertical line; or (b) offer his opponent the choice between (a) and a diagonal line. Black moves first and if he decides to put a disc on d4, white could force him to play in a horizontal or vertical line by himself playing on the only diagonal spot, e5. Or white could leave the choice open by playing on e4 or d5. In Othello, which was "invented" in

In Othello, which was "invented" in Japan during the early 1970s, black starts the game with discs on 64 and e5, white with discs on 64 and 65. If this really is a new game then 1 have just invented a new game then 1 have just invented a wonderful game called David Chess, in which the rules are exactly the same as in ormal chess except that white must make his first move on the king's side. (Incidentally, Kevin O'Connell has invented another game called Kevin Chess, in which white must make his first move on the queen's side. We are both going to patent our games and try to make as much money out of the licensing fees as did the man who "invented" Othello.)



Since the principles of playing Reversi and Othello are identical, we shall now refer to the games under the combined name of Reversi/Othello.


How to Play a Good Game

Having explained the rules of the game, we should now examine some of the more important principles or heuristics of good

play. Diagram I shows the initial position of Othello, in which black may play on do, c5, c3, or I4. All of these moves are nothing more than reflections of each other, so the decision as to where black should place his next dise is completely immaterial. I would suggest that your program choose between the four squares at random, so that the human player will be faced with a visually different board position more often.

The first principle of the game is that it is the end result that counts, not who has most discs on the board during the earlier parts of the game. In fact it is very often the case, particularly in games between a beginner and an expert that the beginner has the vast majority of discs until near the end of the game, and he finally loses by an absolutely enormous score. One reason for this is that until the very final stages of the game, material (i.e., the relative number of white and black discs on the board) is much less important than structure (where your discs are situated) and mobility (how many moves you have at your disposal). If you have a lot more discs than your opponent, he will tend to have the greater mobility, so it is usually the case that a strong player will try to minimize the number of discs that he turns during the first part of the game. Of course this strategy can be taken too far. One Othello program which is commercially available, recently lost two games in a tournament when it turned so few discs that its opponent scored a clean sweep during the first 20 moves. Such accidents are rare. but your program should prevent them.

Material and mobility are easy to measure, but structure is much more complex. Certain aspects of structure are obvious, and these help us to formulate a sensite strategy. For example a disc on a corner square can never be captured, so it can form an ever growing base from which its owner can expand outward unmolested. For this reason the player who first captures a corner very often wins the game.



SwordThrust", by Donald Brown, is the first real role playing adventure game. Each character gains new skills, power and experience as he journeys from disk to disk.

Complex and entertaining, SwordThrust is the overall title to a series of adventure games beginning with "The Kings' Testing Ground", where you create your character and prepare him for "The Vampyre Caves", "The Kidnappers Cove" and more. Kidnappers SwordThrust will confound, perplex, and anger you, but most of all it will entertain you.

> Master Disk, "The Kings' Testing Ground": \$29.95 All other SwordThrust Disks: \$24.95

SwordThrust is available now at your local computer store, or order direct from: CE'* Software, 3711 Douglas, Des Moines, Iowa 50310. Phone: (515) 279-8861. (Orders may be VISA, MasterCard. C.O.D. or check.)

Requires 48K Apple II with Applesoft in ROM or Apple III and one DOS 3.3 drive. (Apple II, Apple III and Applesoft are trademarks of Apple Computer Inc.)

CIRCLE 135 ON READER SERVICE CARD

DATA ABSTRACTIONS.

A STEP BEYOND STRUCTURED PROGRAMMING. PROGRAMS EASIER TO DESIGN, UNDERSTAND, MODIFY.



A data abstraction language for CP/M* systems. Suitable for control and systems programming. Inspired by the CLU language developed at M.I.T.

- · Built-in types are boolean, character. integer, and string Data abstractions allow the implementation of new types
- · Supports UNIX +-style command arguments and I/O redirection with - and -
- · Stream abstraction allows terminal and disk I/O.

· Requires at least a 40K system.

INTRODUCTORY PRICE: \$49.50

Includes an 8-inch CP/M disk containing the compiler, built-in run-time support library, stream abstraction, and command line processor, plus a 73-page USER'S MANUAL

SOFTRONICS

36 Homestead Lane Roosevelt, NJ 08555

CIRCLE 230 ON READER SERVICE CARD

introducing ---

World's first "RS-232 COMPUTER"™ with DYNATYPER" typewriter interface ---

only \$699⁹⁰



Includes:

DYNATYPER* typewriter actuator (no modification to typewriter necessary.)

DYNASTAR* RS-232 BASIC language computer with 2K RAM (expandable to 32K RAM/28K EPROM.)

· Cassette interface - std., Centronics and current loop interface - optional.

★ Convert any dumb terminal into an intelligent storage system for timesharing with the DYNASTAR* computer — only\$399.00

 Create your own word processing system with your typewriter -(DYNASTAR" and DYNATYPER") --- \$699.00 * APPLE/TRS-80/GPIB dedicated interface and the DYNATYPER" (our standard product) --- \$499.00

F.O.B. Rochester, Domestic. VISA and Master Charge accepted. Call Ken Yanicky at 716-244-7804

ROCHESTER DATA

3000 Winton Road South, Rochester, N.Y. 14623

CIRCLE 256 ON READER SERVICE CARD

Games, continued...

very disadvantageous to place a disc on any of the squares b2, g2, b7 or g7, since this always leads to the loss of the adjacent corner, when the opponent gets one of his own men on the long diagonal for just long enough to make a sandwich that includes the b2/g2/b7/g7 square. Similarly, the squares b1, a2, g1, h2, b8, a7, g8 and h7 are undesirable, as they allow an opponent to creep along the edge and finally capture the adjacent corner. On the other hand, since al is such a good square and b1, b2 and a2 are so bad, it is obviously desirable to have discs on c1, c3 and a3, so that one day the opponent will be forced to capture these discs, putting his own disc on b1, b2 or a2, and you will be able to recapture, putting your disc on a1.

This analysis of structure can be continued, by placing greater value on the squares d3 and e3 than on c2, d2, e2 and 12, on the grounds that if a player occupies the 3rd rank, when his opponent occupies the 2nd rank, he will be able to make a capture on the edge of the board, and edge squares are worth having. In fact the value of edge squares is an extremely complex subject, well beyond the scope of this article. Suffice it to say that a lot of erroneous ideas have been expressed about edge squares. Certainly b1 and a2 are bad squares to occupy from the structural point of view, but in fact it is edge formations that are really important, and not individual edge squares.

How the Game Changes

The nature of the game changes as more and more discs are added to the board. In the early stages (the opening) and the middle-game, structure and mobility are all important, but in the final analysis it is the player with the most discs on the board who wins the game. It is therefore clear that up until a certain point in the game, structure and mobility should be the most heavily weighted features in the evaluation function, while during the last few moves the evaluation should become more and more oriented toward the number of black and white discs actually on the board. One way in which this might be accomplished is to have an evaluation function of the form: $W_1 \times (Mobility + k \times Structure) + W_2 \times$ Material

where $W_1 = e - nz$ and $W_2 = (1 - 3 - nz)$ n=number of discs on the board

When the number of discs on the board was low, i.e. during the early stages of the game, W1 might be just below 1, while near the end of the game, when n approached 64, W, approached O.

Quantifying the Features

k and z are constants

Mobility is easy to measure, being merely the number of moves available, but in a tree searching program the matter is not so simple. The reason for this is that after a white move, it is possible that white has a very low mobility because he has just made a number of captures (i.e. flipped a number of black discs), whereas after black's reply move white might have a much higher mobility because black has flipped a number of discs back. It is therefore rather meaningless to compare mobility evaluations at odd and even ply, so the tree should be searched to a uniform depth, or at least all terminal nodes should be either at odd or even ply. In this way the program can happily compare its mobility in different positions, whereas were it to compare the mobility after a white move with the mobility after a black move, the answer would be meaningless.

Material is also easy to measure, being merely the count of how many white and black discs are on the board. The most difficult problem is how to measure the structural aspects of the position. One obvious method, which has gained wide support, is to weight the squares of the board in some way that reflects which ones are desirable and which ones should be avoided. A simple weighting map is shown in Figure 2.

	_	_	_	_	_	_		_
8	16	-4	4	2	2	4	-4	16
7	-4	-12	-2	-2	-2	-2	-12	-4
6	4	-2	4	2	2	4	-2	4
5	2	-2	2	0	0	2	-2	2
4	2	-2	1	0	0	2	-2	2
3	4	-2	4	2	2	4	-2	4
2	-4	-12	-2	-2	-2	-2	-12	-4
1	16	-4	4	2	2	4	-4	16
		h	c	d		f	7	h

Diagram 2. Possible square weightings to reflect good and bad squares.

All things being equal, which they never are, the map in Figure 2 represents an acceptable valuation of individual squares, but the problem is made more complex by the fact that occupation of one square may well change the desirability of occupying some other square and this change might have an effect of fatal proportions. A simple example is the question of the b2 square. It is very bad to occupy it, because occupation of b2 might lead to the loss of a1, but if you already occupy a1 then b2 can do you no harm. A map of square values must therefore change dynamically as the game progresses, and your program should be able to cater to these changes.

The Openings

Othello is not yet sufficiently well analyzed for us to be able to tabulate the best and worst openings, but that is not to say that we cannot make some definitive remarks about opening play. Indeed, it is quite possible for your program to build up its own openings library, given one or two elementary principles.

We have already discussed the subject of mobility. Another aspect of opening play, which is widely regarded as being important, is the apparent undesirability of being the first player to place a disc outside the central 16 squares. The reason for this is rather obvious-if you are the first to place a disc one rank or file away from the edge, your opponent will probably be the first player to place a disc on the edge of the board, and edge squares are important. Therefore, if your program could analyze exhaustively the first 12 moves of the game (remember that there are four discs on the board at the start), it could determine which side was ahead in mobility in every variation, and it could also select the move or moves which gave the best chance of being the first to place a disc on the edge of the board. This exhaustive 12-ply search might take a great deal of time, but it would only need to be done once, and the results could be printed so that you would be able to construct an openings book comprising optimal play (at least, optimal in the context of this strategy). Then, even though your program might only be able to perform a 3-ply or 4-ply search during the game, it could play the first few moves on the basis of the exhaustive 12-ply search.

I should perhaps add that it is not yet known the extent to which the "Sweet 16" strategy is likely to be successful, but that combined with a mobility feature should enable your program to write a strong openings book.

The Middle-Game We have examined the form that a Reversi/Othello evaluation function might take, and it only remains for the reader to select his weightings, which he can perhaps do on a learning basis. The small number of independent parameters (W, k and z) makes it relatively easy and quick to play a large number of text games in which one version of the program employs one set of parameters while its opponent uses another set. At the end of a series of such games, the programmer can select optimal weightings. (Once again, let me remind you to ensure that in its quest for high mobility your program does not give away all of its discs.)

The Endgame

Since the total number of discs on the board is the final and absolute criterion for determining the winner, it is clear that your program should, during the last few moves, search the game tree to its very end, and apply only material as its evalua-tion feature. How far from the end of the game an exhaustive search is possible will

The First Edition (April, 1981) of the

COMMODORE SOFTWARE ENCYCLOPEDIA

is now available from your authorized COMMODORE Dealer, for ...

OVER 150 PAGES! MORE THAN 500 SOFTWARE ENTRIES!

The next edition of the COMMODORE SOFTWARE ENCYCLOPEDIA will be available in 90 to 120 days. If your software is not listed and you would like to have it listed in the next edition, please submit details to:

SOFTWARE DEPARTMENT



commod BUSINESS MACHINES, INC

Computer Systems Division 300 Valley Forge Square, 681 Moore Road King of Prussia, PA 19406 Or call our SOFTWARE HOTLINE

Ø

1-800-523-5622

CIRCLE 123 ON READER SERVICE CARD

Complete

\$8270,00*



WORD PROCESSING, INTERACTIVE **ACCOUNTING SYSTEM**

Accounts Payable, Receivable, Payroll,

- General Ledger · ARCHIVES computer: S100-CP/M-744 K storage
 - · 20 each double density discs . 1 box 11" x 14" tinted paper
- 64 K ram
- 250 involces
- . MATRIX printer: 15 inch carriage
- 250 statements

Unlimited additional programs available Add \$1600 for Diable 630 letter quality printer

Printers, software, hardware & accessories for: **APPLE. TRS 80 & OTHER COMPUTERS**

GRC ASSOCIATES

PO Box 57 Palos Verdes Estates, CA 90274 213-378-8214

MICROSTAT NOW AVAILABLE FOR CBASIC2*

MICROSTAT is the statistics package for microcomputers, and is proving itself to users around the world, including

Stanford, Harvard, Johnson & Johnson, Duke, University of Weehington, UCLA, Lockhead, University of Pannaylyania, Dklahoma State, U.S. Gaological Survey, Moneante, University of Toronto. Sweden's National Central Bureau of Statistics, Utah State, Butler University, SUNY, Ven Comps, Taxon A&M, University of Wisconsin

and a growing list of other organizations. MICROSTAT's Data Manproduced by DMS can then be used to generate statistics in all common statistical areas (a.g., dascriptiva statistica, ANOVA, correlation, multiple ragrassion, probability and hypothesis tasts, nonparametrics and othera) plus some not so common ones. Whether pure research or industrial quality central, MICROSTAT is the statistics package for you

MICROSTAT cells for \$250.00 and is supplied on 8" SD or 514" (North Star) disks. The user's manual salls for \$18.00 and includes semple date and printouts. Please specify version when ordering Foreign inquiries, please write directly to us.



ECOSOFT

P.O. Box 68602

CIRCLE 154 ON READER SERVICE CARD

Games, continued...

depend upon the speed of your processor and the efficiency of your program. For this reason, it is doubly important to have an efficient move generation routine. The advantages of being able to search the whole of the game tree from zero or eight moves prior to the end of the game, are rather obvious.

How to Write an Othello Program

This article contains all that you need to know to be able to devise a suitable evaluation system for the game. Your program will be a traditional tree-searching program, employing the alpha-beta algorithm and all the tricks associated with it (alpha-beta window: killer heuristic: iterative deepening; move sorting; etc.) Some of you may have missed my earlier articles in which I went into great detail over these essential elements of game playing programming, and I would strongly urge you to beg, borrow or even buy the back numbers of this magazine so that you will be properly acquainted with all the principles of tree-searching, otherwise most of my articles will be lost on you.

Just how strong are the best Othello programs compared to the strongest human players? Since the game is quite complex in nature, and humans have more difficulty envisaging board positions after a number of discs have changed color and changed back again (and again, and again), the relative difference between the best humans and the best programs should be much smaller than is the case in, for example, the game of chess. And that is exactly how things are. The world's strongest human players are not demonstrably better than the best Othello programs, and I would guess that within a year or two there will be programs which will never lose a game to a

In order to test the world's best human players against good Othello programs. Professor Peter Frey of Northwestern University, Evanston, IL (home of the famed CHESS 4.n programs), organized a man vs. machine tournament on June 19, 1980 at the Northwestern campus. Six Othello programs were pitted against the two top ranking human players in the world, Hiroshi Inoue of Japan (the current World Champion), and Jonathan Cerf of the USA (runner up in the previous World Championship but winner of the title in October 1980). The result of the tournament was a win for Inoue, but he did lose one game, to a program written in London named The Moor. Cerf also lost a game, to a program written by Dan and Kathe Spracklen of Sargon fame. Since June the programs have all been debugged to some extent, and I imagine that if the tournament were to be replayed the humans would have much more difficulty finishing at the top.

To produce programs that can play this well normally requires a ubstantial commitment in man hours. But there is no reason why the readers of this magazine cannot write a program to play at or near expert level. Mile Reeve, who programmed The Moor, did not even know how the pieces moved when he began advice from a strong player is very useful, you can achieve quite a lot with the information Have given you.

The following games show The Moor in action, and illustrate some of the finer points of Othello/Reversi

points of Otherio/Reversi.								
8	В	В	В	В	В	В	В	
7	В	В	w	w	w	В	В	В
6	В	В	W	W	В	В	В	В
5	В	В	w	В	В	В	w	В
4	В	W	В	W	В	В	В	В
3	В	В	В	В	w	В	В	В
2			В	В	В	В	В	
1			В	В	В	В	w	
	а	b	С	d	e	f	g	h

Diagram 3.

First a position, taken from a game in the 3rd Othello/Reversi tournament for computers organized by the French Magazine "L'Ordinateur Individuel," in May 1980. In this game The Moor, searching to a depth of only 2-ply, had fallen afoul of a program looking to 6-ply (The Moor was a development version, written in Pascal). Black, our opponent, has just made a mistake, and I give this position only to illustrate the point that having a large number of discs on the board is not always a good idea, even near the end of the game. Look what happens now, from a position in which black is "winning" by 46 discs to 11. with only seven squares left to play on. We begin with white's play at move 58: (white

moves are W, black moves are B)

- 54 W b1 55 B PASS 56 W h8 57 B PASS 58 W h2
- 59 PASS 60 W h1
- 61 B PASS 62 W b2 63 B a2
- and now neither side may move again, so the game ends, with white having 39 discs to black's 24.

The previous example shows just how easy it is to be deceived into thinking that having a big material advantage is decisive. In the next game, for which you will need an Othello set if you wish to follow it properly, black gets into serious trouble

from early on, and then makes a serious mistake which costs him the first corner. This game was played at the finals of the 1980 British Othello Championships in London, immediately after Neil Cogle won the Championship title. It illustrates my argument that a computer program can already play at the same level as top human players.

Black: Neil Cogel (1980 British Othello Champion—for humans!) White: The Moor (4-ply look ahead)



11 B do 12 W a4 So The Moor has gained the first disc on the edge of the board, and to redress the balance Black takes the dangerous

13 B a2 14 W f6 15 B e7 16 W f8 17 B b5 18 W e3 19 B f7 20 W a5

square a2.

21 B a6
Black was already in a bad way, with a disc on a2 and a deficit in mobility, but this move is a fatal mistake which puts his position beyond repair. See if you can spot The Moor's killing reply.



22 W a3

Now you can see the danger of playing on a2. Black must lose the a1 corner.

23 B d8 24 W b6

25 B c7 26 W a1

Now that The Moor has a corner, it uses the corner as an impregnable base from which to expand its control of the board.

The ultimate APPLE® copy program COPY II PLUS \$30.95

VERSATILE — Copy II Plus copies multiple formats — DOS 3.2, 3.3, PASCAL, FORTRAN and most "protected" diskettes! FAST — Copy II Plus copies nearly any diskette in less than one minute. That's faster than most standard copy programs. Written entirely in ultra fast assembly language.

Search no more for that universal copy program. Copy II Plus is the most advanced copy program available for the Apple II Computer. Compare capability, compare speed, compare price, then call or write to order Copy II Plus. Requires Apple II with 48K and at least one Disk Drive.



P.O. Box 3563 Central Point, OR 97502 (503) 773-1970





or check

Deliveries from stock. No C.O.D.'s Apple is a registered trademark of Apple Computer, Inc

CIRCLE 118 ON READER SERVICE CARD

OVER 8 MBytes OF SOFTWARE AT \$8 PER DISKETTE FULL

The exchange library of The CP/M* Users Group has nearly 50 volumes of software available. Everything from editors, assemblers, languages, games, tools and more-and almost everything in full source code.

Send \$6** for full library catalog.

THE CP/M USERS GROUP

1651 Third Avenue, New York, N.Y. 10028.

*Domestic price. Inquire for overseas price.
**The complete catalog of CPMUG is available for \$6 prepaid to the U.S. Canada and Mexico. \$11 prepaid to all other countries.

© CP/M is a registered trademark of Digital Research. The CP/M Users Group is not affiliated with Digital Research.

DISC/3 MART, INC.

GO FOR IT!

FOR PRICE, QUALITY & RELIABILITY

. OTT THOE, WORLT TO NELIADI	LIII
ADDS REGENT 25	\$ 925.00
ANACOM Printer (Ser /Par) 1500pc	1005.00
ANAUEX Printer DP.9000	4000 00
ANADEX Printer DP-9500/9501	
BASE 2 Printer with options	1350.00
CENTRONICO DI OPTIONS	625.00
CENTRONICS Printer 779 w/tractor	975.00
CENTRONICS Printer 730 (Parallel)	675.00
CENTRONICS Printer 737 (Parallel)	775.00
EATON Dot Matrix Parallel	399.00
EPSON MX 80.	
MICRO-TERMS	499.00
MICRO-TERMS	Call
	Call
	705.00
TRIMM—Printer Stand with basket	1175.00
Call For all Stand With basket	95.00

CALL FOR QUOTES ON ANY OTHER MICRO PRODUCTS
We are dealers for BASF, DYSAN, 3M(SCOTCH) Diskettes, Cartridges, Mag Tape, etc. In addition we carry a
complete line of Printer Ribbons and other data processing accessories



1840 LINCOLN BLVD., SANTA MONICA, CA 90404 (213) 450-5911 (CALL COLLECT)

The State of the Contractions

Prob-

The world is full of intriguing problems that never got into

a textbook.

Problems for Computer Solution by Steve Rogowski

Ninety intriguing and fascinating problems, each thoroughly discussed and referenced, make an excellent source of exercises in research and preliminary investigation. Eleven types of problems are provided in the following areas: arithmetic, algebra, geometry, trigonometry, number theory, probability, statistics, cal-culus and science. Author Stephen Rogowski of SUNY-Albany has included several problems which have never been solved. He feels that some research and an attempt to solve these will sharpen students' insight and awareness

Some of the problems are not new like the one asking how much the \$24 the Indians were paid for Manhattan would be worth today had it been deposited in a bank. However, this problem was revised to have a variable interest rate so it would be a challenge to program. Of course, many of the problems are new and have never been in print before.

The student edition has 106 pages and includes all 90 problems (with variations), 7 appendices and a complete bibliog-

raphy. Cost is \$4.95.

The 182-page teacher edition contains solutions to the problems, each with a complete listing in Basic, sample runs, and in-depth analyses explaining the algorithms and theory involved. Cost is \$9.95

To get one or both books send payment plus \$2.00 shipping and handling per order to Creative Computing. Credit card orders may be called in toll-free to the number below

Order yours today. If you are not com-pletely satisfied, return it for a full refund plus your return postage.

creative computing

Morris Plains, NJ 07950 Toll-free 800-631-8112 (In NJ 201-540-0445)

Games, continued...

27 B f3 28 W g3 29 B f2 30 W g4 31 B h5 32 W e2 33 B e1 34 W d2 35 B h4 36 W d7

37 B c8 White can afford to concede virtually every edge square at this stage of the game, in the knowledge that his corner anchor on a1 will eventually allow a clean sweep of the edges.

38 W g1 39 B d1 40 W g6

41 B h6 42 W g5

43 B c2 44 W h1 45 B b2

Now that all is already occupied, putting a disc on b2 is relatively unimportant.

46 W a7 47 B g2

There is no way that white can be kept out of h1. If black plays on f1, white replies on c1 and then black is forced to play on b7 and g2 within the next few moves

48 W h1 49 B h2

50 W f1 51 B b7

52 W c1 53 B PASS

Black has no moves, and white continues its march around the edge of the

54 W h3 55 B PASS 56 W h7

57 B PASS

58 W g8 59 B g7

Black's problems are aggravated by the fact that by now The Moor is examining the whole of the game tree exhaustively. and is always making the very best move.

60 W h8 61 B PASS

62 W e8 63 B PASS

64 W b8

Neither side may move to a8, so the game comes to an end with The Moor winning by 61 discs to 2, which is rather like being several queens up at the end of a game of chess

Finally, I shall give without comment the game won by The Moor against World Champion Hiroshi Inoue of Japan on June 19, 1980. The final score in this game was 36-28 in favor of the program, and not 34-30 as reported in the tournament bulletin.

Black: The Moor White: Hiroshi Inoue 31 B c8 1 B d6

2 W c6

3 B c5

34 W h5 4 W c4 35 B h4 5 B b3 36 W g6 6 W e6 37 B h7 7 B c7 38 W c1 8 W b5 39 B d2 9 B a6 10 W c3 40 W b2 41 B d1

32 W g5

33 B h6

11 B c2 42 W e1 12 W b4 43 B e2 13 B f4 44 W f1 14 W f5 45 B f2 15 B f3 46 W b1 16 W e3 47 B g8 17 B a3 18 W d7 48 W g1 49 B b7

19 B d3 50 W a7 20 W g4 51 B g2 21 B f6 22 W a4 52 W g3 53 B h l 23 B d8 54 W h2 24 W b6 55 B a1 25 B a5

56 W h8 26 W e7 57 B g7 27 B h3 28 W e8 58 W b8 59 B a8 29 B f8 60 W a2 30 W f7

Black wins by 36-28.

To the best of my knowledge, this is the first time that a computer program has ever defeated a human World Champion in a game of pure skill.

Bibliography

Unfortunately there are, as yet, no good books on Othello. I should perhaps warn readers about a book translated from the Japanese, with the collaboration of Maxine Brady (whose book on Monopoly is excellent). This Othello book contains the rather puzzling advice that it is a bad thing to have too many discs more than your opponent, and it is also a bad thing to have too many discs fewer than your opponent. It seems to me that if one is good, the other ought to be bad!



"Hello? Yes, I'm watching TV - I'm watching mugwump then I'll watch WUMPUS II and -hello? - hello? - "

TRS-80 sensational software



Air Traffic Controller



Z-Chess II



This is one of the most sophisticated computer chess playing programs available today. Seven different skill levels provide practice for the beginner as well as challenge the more experienced players. The speed of Z-Chess will also surprise you been at the highest skill level it is one of the fastest chess programs available.

Deep Space Games

Battle Games

Cassette CS-3012 \$11 95



SUB HUNT Pursue and controlled submarine



TANK SATTLE Two players battle it out in this real-time graphic game (ime, sound game)

Order today at no risk if you are not completely satisfied your money will be promptly and courteously refunded Creative Computing Software Morris Plains NJ 07950 Toll-free 800-631-8112 In NJ 201 540-0445

ASTEROID Escape from enemy space in a small but powerful ship in this machine

Advanced Air Traffic Controller

Disk CS-3519 (16K) \$19.95

This is an advanced version of Air Traffic Controller (Cassette CS-3006) offering additional features and challenge. Available June 1981.

Z-Chess on Disk Disk CS-3513 (32K) \$24 95

This is a disk version of cassette CS-3017

Order Today

To order any of these software packages send payment plus \$2.00 postage and handling per order to Creative Computing Morris Plains NJ 07950 Visa MasterCard and American Express orders may be called in toll-free

creative computing software

TRS~80 Strings



Stephen B. Gray

For column 30.1et's take a closer look at the TRS-80 Pocket Computer, check out two Radio Shack programs for the PC. consider three computing axioms, examine a graphics editor, and peek at a short graphics program.

TRS-80 Pocket Computer

After a few introductory words about the Pocket Computer (Nov. 1980, p. 1841, it's time to take a closer look at what we'll call the PC for short.

In that November column I said Radio Shack would probably sell more of the PCs than the Model II and the Color Computer. That was written before I knew the Model I would be discontinued.

The market for the siscounce \$249 PC (made for Radio Shack by Sharp Electronics Corp. in Japan) seems to be split three ways. First, there is the gadgeteer—the person who wants the PC because it's such a clever little piece of engineering, or who wants to be the first kid on his block

Second is the man on the road whose job requires a lot of travel, and who can't pack along a Hewlett-Packard HP-85 or some such table-top micro. The PC is just the thing for a surveyor, real-estate salesman, insurance salesman, field engineer, or anybody who needs a highly portable and easily programmable computer. Three of the first eight programs Radio Shack offered for the PC are called Restate. Civil Engineering, and Aviation.

Third is the science of engineering student, who needs to make complex computations in chemistry, physics, engineering,

For these last two categories, the PC has some competition from calculators that can read in a program from an easily inserted magnetic strip (such as the HP-67), or from a single plug-in ROM (such as the TI59). Reading a program into the PC from tape

involves two additional pieces of equipment: the cassette interface and a tape recorder.

One big advantage the PC has over all those HP and Tl calculators mentioned (except the Tl 58C) is that it retains your programs in memory even after you turn it off. It also displays 24 characters, instead of only half that many.

Taking these and other factors into account, we won't know how well the PC is selling until Radio Shack announces that it has sold 100,000, or maybe 200,000 or them. They didn't reveal any figures on the Model 1 until 200,000 had been sold.

The PC, by the way, uses two four-bit CMOS microprocessors, one for arithmetic operations, the other for the Basic interpreter and key-in. The 11K of ROM memory are split between 7K for the Basic interpreter, and 4K for the monitor. There's also about 19K bytes of nonvolatile CMOS RAM memory that automatically abbreviates Basic words into tokens, to make the most of memory.

PC Manual

Radio Shack has again done a freelance writer a good turn by providing for the PC the same kind of reference manual they did for the Model I Level II TRS-80. At least three or four writers are undoubtedly working on better versions of Radio Shack's 124-page 26-3501 manual.

Perhaps I should say "working on simpler versions." because the manual is good if you've already had some programming experience with another TRS-80 or some other computer. However, many beginners will find the manual too compact, starting right off with a five-page Table of Eunctions and Statements that will mystify most people who be never used a comnuter.

In fact, page 31 even says "Since this Manual is not intended to be a simple learner's guide to Basic Programming, if you feel we are moving along too fast, we urge you to stop by your local Radio Shack store and obtain a copy of either (or Shack store and obtain a copy of either (or

both) of the following books," and then lists the 60-2016 and 60-2015 books, both of which are entirely about Model I Basic. Even someone who's had TRS-80 experience might have trouble understanding some of the all-too-short sections on DEBUGging programs, PAUSE, BEEP, MEM, etc.

There are some things the manual doesn't tell you. For example, because the PC searches for variables from the last (2) to the first (A), it accesses the variable X faster than the variable A, and therefore if you want to speed up programs that frequently access a variable, use the letters at the end of the alphabet. To assign A=1 takes 78 milliseconds: to assign Z=1, 62 milliseconds. (Thanks to Don Inman for these figures.)

The manual doesn't tell you what to do if the keyboard locks up (which hasn't happened to me yet, and I don't know how to make it lock up): you turn the PC over and press a ballpoint pen into the hole below the ALL RESET label. This wipes out everything in memory—including all your stored programs.

Something else the manual doesn't tell you (although pages 47 and 50 hint at it) is that the memory in the PC is used from both ends: program steps from one end, and data from the other. When they meet in the middle, the memory is full.

So the memory can be thought of as a continuous memory. 1,832 bytes long. You can fill the entire 1,632 bytes with data, although they would be useless without a program. But if you're writing a long program, you can't exceed the 1,424 bytes of flexible memory, because the 208 bytes of flexible memory are for data only, with 26 data memories for storing A to Z, or AS to ZS, or ACI to AZ)6, etc.

PC Functions and Statements

The Pocket Computer has three dozen functions and statements you'll recognize from Level II Basic, but it doesn't have ON/GOTO, READ, DATA, RESTORE, RND, AUTO, EDIT, POKE, PEEK,





Every month you receive a certified ASCII C-20 cassette containing: a cover page with a directory of programs

4 original programs en information packed newsletter

and information on ASCII funded contests Retes: 1 year [12 Issues]

6 months [6 lasues] \$25.00 Semple Issue \$ 5.00

Write For Overseas Retes To subscribe, write to: ASCII P.O. Box 516, Valley Stream, N.Y. 11582 Or call: 516-791-4890

Level II16K Required







CIRCLE 116 ON READER SERVICE CARD

Are you ready to tackle the biggest adventure of them all? Enter the world of Z-80 assembly language! Explore the innards of your TRS 80 with these Z-80 tools from MISOSYS. Each program works on both Model I or Model III machines.

THE BOOKs must be a part of your tools. Volume I gives you access to all math operations in your Level II ROM. A symbol table of the entire machine noting over 500 addresses is included. Volume II tells you everything you wanted to know about the Level II I O printer, keyboard, video, and cassette routines are fully explained. Each volume has a fully commented listing of all the routines discussed. Each volume is priced at \$14.95 or buy both for \$24.95. Add \$1.50

What Z 80 tool kit is complete without a disassembler? DSMBLR I provides SYMBOLS for 16-bit and 8-bit relative references. Cassette output loads directly into EDTASM Video display and paged

TUTIL is a utility to rapidly examine, clear, initialize, move, and modify data in memory. TUTIL can be used to compare two blocks name Includes MODIFY to alter your Mod I EDTASM for easier use

TUTIL & DSMBLR are \$15 each or both for \$25. Add \$1 50 S&H

MasterCord

5904 Edgehill Drive 703 960-2998 MicroNET 70140,310

CIRCLE 224 ON READER SERVICE CARD

AUTHORIZED TRS 80 DEALER #R491

\$670.00

MODEL I

16K Level II with Keypad 26 - 1056

\$3500.00

MODEL II

MODEL II. 64K 26 - 4002

\$855.00 MODEL III

MODEL III 16K RAM,

MODEL III BASIC 26 - 1062



WE ACCEPT CHECK, MONEY ORDER, OF PHONE ORDERS WITH VISA OR MASTER CHARGE SHEPPING COSTS WILL BE ADDECTOCHARGE ORDERS. DISK DRIVES, PRINTERS, PREIPHERALS, AND SOFTWARE YOU NAME, WE'VE GOTIT.
WHITE OR CALL FOR OUR COMPLETE

FULL FACTORY WARRANTY ON ALL ITEMS SOLD.

C & S ELECTRONICS, LTD. 32 EAST MAIN ST. MILAN, MICH. 48160 (313) 439-1508 (313) 439-1400

ED TRB 80" SALES CENTER STORE # R481 CIRCLE 119 ON READER SERVICE CARD

What is a

CLOCALPE

Another name for the CCB-II, which is:

 a clock hour, minute, second a calendar

day, day of week, month, year

 an audio alarm All on one board for your



TRS-80 Model

It includes a pacemaker battery which will give over 8 years of continuous timekeeping.

From the folks who brought you the best CP/M* for the Model II.

\$175 plus shipping Prepaid, COD, Mastercharge or Visa orders accepted. California residents add 6%



TRS-80 is a trademark of Tandy Corp
CP/M is a registered trademark of Digital Research Inc.

PICKLES & TROUT

CIRCLE 242 ON READER SERVICE CARD



string functions, or several that are meaningless without a screen, including CLS, TAB, SET, RESET, POINT and PRINT

The PC does have a few statements not found in Level II Basic including DMS (degree/minute/second), DEG, PAUSE, BEEP, DEGREE, RADIAN, GRAD, AREAD, and CHAIN.

Reservable Keys

One feature of the PC that none of the bigger TRS-80s has is reservable keys, which are the 18 keys on the lower half of the keyboard. Any one of these keys can be used to call up an entire program or an often-used function.

To use a reservable key, you press the MODE key to get into RESERVE mode. Just press the yellow SHFT key and then one of the 18 reservable keys, and anything you key in before pressing ENTER will be stored for later recall, using the reservable key.

For example, you might assign A*A+B*B

to the S key, so that later, when you're writing trig programs that use this sum of squares, you need only press SHFT and S, to call it up, and thus use only two keystrokes instead of seven.

The reservable keys can also be used to urn the PC into a \$249 memo pad; you can use them to store up to 18 phone numbers and/or addresses, or formulas, or whatever. The PC comes with two plastic overlays that fit over the lower half of the keyboard, so you can "dentify the functional operations assigned to the reversable keys or defined programs assigned to the definition keys." as the manual puts!

In defined mode, you assign each of the programs you put into memory to one of the 18 keys, and later you can execute each program separately by pressing SHFT and the key, while in the DEF mode.

Unique

The Pocket Computer's Basic may be the only one that allows you to omit the multiplication asterisk in certain cases, thus saving much space when you're doing a lot of multiplying. So, instead of using 2*A, 3*π, B*A(12) you can leave out the * and use

2A, 3π, BA(12) but, of course, you can't use

instead of

5 5.

Editing

Editing with the PC is simple; you use two keys to move the cursor left or right; the same two keys in shift mode will telt the same two keys in shift mode will telt you insert or delete characters. Uparrow and down-arrow keys let you examine any program line, and the left-arrow our sort fight-arrow cursor-control keys let you look at all of any program line longer than the maximum of 24 characters that can be dissolved on the LCD panel.

Problem

In making the Pocket Computer so small, Sharp had to sacrifice some of the conveniences of a larger computer. The keyboard is so small you can use only one finger at a time, or two if you set the PC on a non-sip surface. (Incidently, Sharp is going to market the PC under the Sharp label shortly, "at a competitive price." It'll be interesting to see what kind of a manual they produce to go with it.

The PC tape format and baud rate aren't the same as the Level II TRS-80's, so you can't prepare a tape on the more convenient Level II keyboard for loading into the PC. Nor can you load into a Lever II TRS-80, for processing, a PC tape of mostly data you've made in the field or a PC tape you want to LIST out. This is, of course, saide from the problem of several incompatible Basic statements and functions.

However, these and other problems aside, the TRS-80 Pocket Computer is a natural for anybody who wants a maximum of computing power in a minimum of space.

Incidently, there's one character not indicated on the PC keyboard. Press SHFT and Y, and you get what looks like a Y overprinted with an equal sign. What is it? The Japanese sign for yen. Used for Japanese strings?

Real Estate Programs for PC

For \$24.95, you can buy a Radio Shack software package consisting of a manual and two cassettes containing six programs for the real-estate investor and agent. The six programs are Savings and Loans, Interest Calculations. Commission Tracking, Loan Amortization, Cash Flow Analysis, and Depreciation Analysis.

To use these programs with your PC, you'll need the \$49 cassette interface and a cassette recorder. Although the \$79.95 Minisette-9 is a neat little machine, you can use the CTR-41 that came with the first TR5-80s, or any similar recorder.

Loading the real-estate programs is fairly easy. You plug the PC into the interface, and plug the cables from the interface into the recorder. Entering CLOAD "REALT" will load in the first program, in about 2.3/4 minutes, in DEF mode.

There's no winking asterisk to let you know you're at the proper volume level, but you can hear the "bit stream" because it's also routed to the piezoelectric beeper that's activated by a BEEP statement, to let you know a program is being read from the tape.

Just as in the Level II TRS-80, you use a CLOAD? to "verify that the program on tape and the program in the PC are identical."

Press SHFT and A, and

ENTER U FOR UNKNOWN is displayed briefly, followed by RATE (%), # PERIODS?. PAYMENT?, PRE-PERIOD PMT? (Y/N), and FUTURE.

The Savings program calculates any unknown factors. So if you enter 6.25/12 for the monthly RATE 1.25 for the total number of payment PERIODS, 25 as the monthly PAYMENT in dollars. Y for PRE-PERIOD PMT because the payments are made at the beginning of the period funothly, and U for PUTURE, youlf find out how much you dave after five years of depositing \$25 a month into an account that's compounded monthly at an annual rate of 6.25 percent.

After you've entered all the factors, the PC display soon reads

FUTURE \$ 1764.65

Press ENTER and the display changes to TOTAL PMTS \$ 1500.

Press ENTER once more, and the display becomes

INTEREST \$ 264.65

Press ENTER again, and you're back to RATE(%)? for another round.

And so it goes, to compute interest rate, number of interest periods, required deposit, monthly loan payments, loan value, balloon payments, and many more.

The small manual gives an example of every computation for every way in which each program can be used, explains the meaning of all terms such as future and balloon, tells how to make backup tapes, and how to keep the PC in good shape.



26-4002 64K 1 Drive \$3440.00

26-4160	1 Drive Exp \$1034.0
26-4161	2 Drive Exp 1574.0
26-4162	3 Drive Exp
26-4530	Scripsit II
26-4512	Profile II
26-4511	Visicolc II
26-4501	Gen Ledger180.0
26-4506	Moil List

\$ DISCOUNT \$

TRS-80®

COMPUTER SPECIALISTS



MODEL III

26-1061 4K I. 26-1062 16K III. 26-1063 32K III

\$629.00 . 865.00

26-1063 32K III W 2 Drives, RS232.

COLOR



* CONTROLLING

26-3001 4	K , ,= ,,	. \$353.00
	6K Ext. Bosic	
	oysticks	
	olor Video	353.00
26.1206 P.	ocorder	54.00



commodore

AUTHORIZED DEALER
CALL FOR PRICES

ALL POCKET AND COLOR COMPUTER SOFTWARE SOLD AT DISCOUNT

WRITE US FOR A

SAVE MONEY

We carry the full line of TRS-80 Computers. All other R.S. software, furniture, and accessories at discount from catalog price. We stock most items to assure you fast delivery and save you money.

PRINTERS

26-1140 Expansion Interface	ю
26-1141 16K Exp. Interfoce	ю
26-1142 32K Exp. INterfoce	ю
26-1145 RS232C Boord	ю
26-1160/1 Mini Disk Drive	
26-1563 Scripsit-Disk	00
26-1566 Visicolc83.0	

· · · · · · PRINTERS · · · ·

26-1155	Quick Printer
26-1167	91/2 Dot Motrix Printer
26-1166	Line Printer VI
26-1158	Doisy Wheel II
26-1165	Line Printer V

CENTRONICS BEST PRICES

Fost 100 CPS Centronics
730-1 A Printer......\$577.00
Text Quality Centronics
737-1 Printer.....\$737.00

Pocket Computer

1 I THPUT	Bucharite	. 8 - 3 - 8 -		ı
DO-	0000		0000	9
			0000	3
www.		0	8000	3

000000000000000000000000000000000000000	000
26-3501 1.9K P.C	\$221.0
26-3503 Cossette IF	45.0
14-812 Recorder	72.0

1-800-841-0860 Toll Free Order Entry

MICAO MANAGEMENT SYSTEMS, INC.

No Taxes on Out Of State Shipments

Immediate Shipment From Stock on Most Items

DOWNTOWN PLAZA SHOPPING CENTER 115 C. SECOND AVE. S.W.

CAIRO, GEORGIA 31728 (912) 377-7120 Ga. Phone No. & Export

TRS-80 is a registered trademerk of the Tendy Corp.

R.S. 90 Day Limited Warranty

Largest Inventory In The S.E. U.S.A.

TRS-80, continued...

Aviation Program for PC

The \$24.95 Radio Shack Aviation Program is a collection of seven commonly used aviation calculations and eight conversions. All 15 come in one cassette and are stored in the PC at one time, and each formula can be called by pressing SHFT and one of 15 defined keys. The package includes a plastic overlay that fits over the lower two rows of keys and is printed to show what each key controls.

The conversions are between centigrade and fahrenheit; statute miles and nautical miles and kilometers; and U.S. gallons and imperial gallons and liters. The calculations are for true altitude, true airspeed, mach number, off-course correction and drift angles, true headings and ground speed with winds; and enroute

To get a conversion, simply enter the number to be converted, then press SHFT and the appropriate conversion key. The calculation programs will request specific information first.

The manual give examples of some conversions, with practice problems, and examples of all calculations; it also tells how to make a backup copy, how to take care of the PC, and lists the functions, abbreviations and variable assignments.

This last list is handy when you want to recall an answer without having to recalculate it; all the results of calculations and conversions are stored in the 26 variable registers for later use. Of course, new answers on calculations will automatically replace the previously stored answers.

Computing Axioms

In looking over past issues of CLOAD, the cassette magazine, I came across "McElroy's Three Axioms of Computing," in the June 1980 issue. Ralph McElroy used to be the publisher of CLOAD, before he went back to Texas and hardware. The axioms:

1. If a 3 x 5 card file works, use it. It's faster and more reliable.

2. All problems are always in the software. All of them. Always. Always.

3. If you feel you're in danger of being replaced by a computer, you're probably overestimating the ability of computers. and therefore your fears are probably groundless. Corollary: If you can be replaced by a computer, you should be.

Ralph calls these three "simple Truths to guide you in your computering." quoted his first axiom recently to a publisher who'd asked me to look over a manuscript on the TRS-80 Pocket Computer. The author presented a list of 31 ways to use the PC, but two-thirds of them are trivial and are more easily handled with pencil and paper or file cards, such as shopping lists, memo pads, 100 most misspelled words, cueing for speeches, reference tables, etc. These all use the PC as a memory aid, not as a computer.

Grafflt 2.0

A fairly powerful graphics editor in Basic for the TRS-80 16K Level II computer is available from Brunswick Computer Software (8 Teesdale St., Moncton, NB, Canada E1A 5K5), for \$15 (\$17.95 Canada) on disk, and \$10.95 (\$12.95 Canada) on cassette.

You get a run version, a documented version (jam-packed with REMs), a source listing of the documented version. a constant/variable cross-reference listing, and a set of instructions

As the instructions put it. Graffix 2.0 "is a multipurpose program with applications for programming, animation, and just plain doodling. It is simple enough for a child to enjoy and sophisticated enough for advanced applications."

The primary operating mode is Doodle Mode, which uses single keys to draw (or erase) lines in the eight major compass directions. Two other keys act as flip-flops to control SET/RESET and continuous/ single-pixel.

For example, to draw a line from 0.0 to 127.0 you press G for continuous drawing. and H for the eastward vector. That's all; the line is drawn for you.

To erase the line, you can enter PQ. which erases the entire screen, or press E, which flips the control to RESET, and then F, which is the westward vector, and the line is erased.

The speed of drawing and erasing can be controlled by pressing any of the number keys during drawing, with 0 providing the fastest speed, 9 the slowest.

The complex subroutines are called by two-letter codes beginning with P. Enter PT, and you can create strings up to 255 characters long, any of which can be accessed by a single key when you're in PS (editor) mode. Any combination of



"Good Morning! Are you ready for What two prime numbers divided by their age gate squares will result in the log 0.002456767? You might need a pencil for this one

ASCII, graphics and control characters can be included in the strings.

Here's a simple graphics program created with Graffit 2.0:

C16(42+26+24)

D8(191+26)+8(191+26+2(24))

F3(E+8(25)) First, turn to page C/1 in your Level 11

manual, if you're not familiar with "Functions 1-31.

String C, which you could just as easily call string A or string Q, generates a verti-cal row of 16 asterisks. The ASC11 code for an asterisk is 42; the function code for a downward line feed is 26, and for a backspace cursor is 24. Without the 24. the row of asterisks wouldn't be vertical. but would lean about 15 degrees to the right, from top left to bottom right.

String D creates a large "greater than" sign, using the solid, six-pixel graphics character whose code is 191. First the string lays down eight of those solid blocks in a line that slants toward the right (remember, without the 24 code, the line will slant), then eight more in a line that slants back to the left (since the TRS-80 automatically spaces after displaying a character on the screen, two backspaces are required to put the next solid block one space to the left of the block above it).

String E concatenates strings C and D. adding them together to create a large triangle. String F creates three triangles in a row, eight spaces apart (code 25 advances the cursor one space to the right).

The Graffit 2.0 program includes error codes to let you know if you've omitted a parenthesis, or have entered too many strings for the amount of memory you have, etc.

The PU subroutine saves the contents of the screen by putting it into a Basic program that will print out your graphics

The PW subroutine provides animation by displaying the user-defined strings in rapid succession in an infinitely-repeated loop, until a key is pressed.

There are other subroutines, such as PX, which creates a four-way symmetrical figure with random graphics, PY, which prints the graphics on a BASE 2 printer, if you have one and several others.

The Basic programs that create your graphics can be incorporated as subroutines in other programs you write.

This is one of the best graphics editors I've seen and is a great help in simplifying the creation of graphics.

Short Program #18

Dan Rocha, a 16-year-old student at DeKalb High School in Dekalb, IL, sent this program, which has been rewritten to scandardize the line numbers to fit this column width.

110 X=RNO(64): Y=RNO(24) 120 A=RNO(5) 130 ON A GOTO 140,150,160,170,170 140 X=X-1: Y=Y-1: GOTO 180 150 X=X+1: Y=Y-1: GOTO 180 160 X=X-1: Y=Y+1: GOTO 180 170 X=X+1: Y=Y+1: GOTO 180

170 X=X+1: Y=Y+1: GOTO 180 180 IF X<0 OR Y<0 OR X>127 OR Y>47 THEN 230 190 IF POINT(X+Y)=-1 THEN 300 200 SET(X,Y): SET(127-X+Y) 210 SET(127-X+47-Y): SET(X+47-Y)

230 B=RND(5) 240 ON B GOTO 250+260+270+280+290

250 X=64: Y=0: GOTO 120 260 X=0: Y=24: GOTO 120 270 X=64: Y=24: GOTO 120

280 X=0: Y=0: GOTO 120 290 X=32: Y=12: GOTO 120 310 RESET(127-X+47-Y): RESET

Dan wrote it originally for the Level I TRS-80. To convert the above Level II version to Level 1, remove the minus sign in line 190, and change line 180 to 180 IF (X < 0) + (Y < 0) + (X > 127) +

(Y > 47) THEN 230 The program creates a constantly-

changing four-way-symmetrical pattern. Line 110 randomly selects a starting point for the upper left quadrant of the pattern, which is continued diagonally in random manner by lines 120-170. Lines 200-210 make it a four-way symmetrical pattern.

If the pattern reaches the edge of the graphics area, line 180 switches the program to lines 230-290, which relocate the moving X,Y point to one of five places on the screen, selected randomly. The program then jumps back to line 120 to continue the diagonal pattern.

If the moving X.Y point reaches a

graphics block that is already on, line 190 jumps to lines 300-310, which reset that block as well as the three others that make up the four-way pattern.





COMPANY 412 WEST FAIRFIFLD OR

PO. BOX 8098 PENSACOLA FL 32506 904/438-6507 nationwide 1-800-874-1551

THE REPORT OF THE PERSON OF TH CIRCLE 257 ON READER SERVICE CARD

COTTROE SOFTWINE

SYSTEM TAPE DUPLICATOR Copy your s

CIRCLE 161 ON READER SERVICE CARD

Tired of hearing

We think you've waited long enough At last, there is an easy to under-

stand Pascal sampler to help you learn Pascal programming, LinkSampler And for the Poscal programmer, two Pascal utility programs to increase your programming productivity. Link/Video and LinkDisk.
Link Systems backs its commitment to quality Poscal software with fifteen

years of mainframe and micro computer programming experience. LinkSampler I is an enter-taining Pascal learning tool, supplied with easy-to-understand documentation,

procedures and financial programs.

It will help you put into practice what you've only read.

LinkDisk Compares, examines

and changes any byte on an Apple Pascal disk and translates DOS Basic into Pascal (C)ompare.
Insures that a disk copy was performed

without error, and the copy is readable. Good for Pascal and Basic (E)xamine

Enables you to examine and change data on mass storage, change data byte by byte and alter any nibble of data. (T)ranslate. Translates DOS 3.3 text and Binary files

LinkVideo saves valuable input, output programming time, and pro-vides terminal independence for essential

screen functions. • Erase to End of Line Erase to End of Screen • Clear Screen.

 Cursor moves (both input and output) · Line and Screen Erasure. • Filters, validates and prompts input for

Strings, Boolean, Social Security Numbers, Telephone Numbers, Dates, Integers, Pseudo-Reals.

Please send me more Information.
Please send me more information, I an
Flouse seria file flore illottidion, fai
a Dealer. Dealer Sales (213) 871-1511.

Name	
Address	
City	Zip
Telenhone	

Link Systems, 1655 26th Street. Santa Monica, CA 90404

CIRCLE 207 ON READER SERVICE CARD

Apple Cart

Chuck Carpenter

Correspondence is always welcome and a response will be made to those accompanied by a SASE. Send your letters to: Chuck Carpenter, 2228 Montclair Pl., Carrollton, TX 75008.

This month the column will feature a review of the Videa Videotern Nocolumn display board. After looking over the various boards on the market, my choice was the Videa board. There is a lot more to the board than the ads convey. A new book about Apple Muchine Language has appeared on the market, and 5 C Software is publishing a machine language newsletter called The Assembly Line. and answers to some of the questions you have asked. There will be some old things for the new owners and something for everyone.

Videotern

There are at least five 80-column video boards on the market now. Each one has about 90 out 9

What I Didn't Like

At first I didn't like the character set. Since the character set is easy to change, this didn't bother me. I've grown used to it now so there is no longer any pressing need to make it different, (Actually 1 would have made it look like the standard Apple 11 character set.) To use the board with Integer or Applesoft Basic, you have to make a call to the board to see 80 characters after you boot the system. An accessory board is available to let you switch between the two video outputs; first Apple II then Videoterm. The board appears to be designed more for use with the Language System and with the Microsoft Z-80 Softcard. These default immediately to the 80-column board at boot time.

Clearing the screen is another problem. You are supposed to be able to clear the screen with a control L. In Integer Basic, there is no easy way to do a control L. You can include one in a PRINT statement.

But, when you do this, and then list your program, the first part of the listing disappears from the screen. Typing a control L at the keyboard does different things, too. Integer accepts it; Applesoft generates a syntax error. The way to do a control L in Applesoft is to use CHR\$(12). This works as an immediate command and in a program as a deferred execution command. Note that you cannot use HOME except with the Microsoft Basic supplied with the Z-80 Softcard. CHR\$(12) does not work with the Z-80 Softcard version of Basic. Also, there are several special features to control video output and the character fonts that will work with standard Apple languages but not with the Z-80 Softcard, Many of the items mentioned above are not problems: they will be inconveniences only if you switch frequently from one system to the


Features And Functions

Videoterm is a single board designed to be plugged into any expansion slot. The preferred slot is #3. It is a Hazeltine Equivalent Data Media system.

«Character Sets—There are two: a standard set including true descenders and an alternate set. Also, you can select either a 7x9 or a 7x12 dot font. If you select the 7x12 font with only a 7x9 character set in place you get an interesting "space-and-a-half" effect with the Apple Basics.

«Micromodem Compatibility—It's possible but not asis. You will need to get the Hayes EPROM to make it work correctly. Some of the control characters used with Videoterm are the same as those used with the Hayes Modem. The new software won't change how the Modem works except with Videoterm. You will use different control codes when using Videoter will be a videoter with the properties of the control codes when using videoter will be a videoter with the videoter will be a videoter with the modern self-rest again.

•Light Pen Input - A connector is pro-



vided for future light pen capability. There is no specific information available at this time.

«Customizing—You can make several changes to the board to suit you applications. The EPROMS can be 2708 or 2716, normal cursor/inverted video can be selected, either normal or inverted video, and video level adjustments can be made.

stanguage—I've used my card with everything currently available for the Apple. This includes DOS 3.3, Pascal, Fortran, and the Z-80 Softcat. No problems, except for clearing the screen, have been encountered. Videoterm is compatible with some of the word processors too. Check the WP documentation if you're not sure. As of this date, Super-Text is not one of the compatible WPs.

«Graphics—Apple's normal graphics are not possible with Videoterm. A simpler graphics capability is available though. There are simple graphics included in the character set. It is a block and partial block format callable with control codes. Listing I is as hort program for displaying the graphics characters. The character set also includes line graphics for making document formats on the screen.

Documentation

A detailed manual is included with the system. There are the usual typos and editorial goofs but the information is very complete otherwise.

A program listing is provided to show you how to drive your printer and see the ouput on the screen at the same time. Otherwise, when you call a printer, you turn the video board off. One suggestion is made to use a TV with an RF modulator as an optional monitor. This is a good idea when you first turn the system on and the have tried is to include the PR#3 in the disk boot program.

All Basic programs worked—more or less. On pages 4-18, line 40 was left out. The description on pages 4-19 mentioned it and this seemed to work:

and this seemed to work.

Powerful & Efficient Apple Software SDS Guarantees It.

You depend on good software to sove you time and to have your computer help you do a job more efficiently. Our software is designed to yout that We are one of the oldest companies supplying software for the Apple II*, and one of the very few that offers an unconditional guarantee.

ACREMENTAL TO THE STATE OF THE

Price \$64.95 on Disk

And for the Z80 Apple...

Z-TERM. by Bill Blue: A flexible communications package for the Apple II equipped with 280 Softcard* and the CP/M* environment. Allows file thorstes to or from all types of dai-in systems. Fully supports Micromodern monates to or morn foll types of did-in systems. Fully supports Micromodem it and mad other communication devices, as well as 80 column display boards and external terminate Utilizes standard CP/M sequential text files, with up to a 40k internal buffer (using additional RAM or language Card.) Supports multiple modes of data transfer and includes texpland macros. Suddoil (with Micromodem III) and upper/lower calls.

Price \$99.95 on 16 sector diskette

Also available...

APRE-DOC. by Roger Wagner A set of several utilities to speed up software development and customization Vardoc makes a list of all the variables. development and customization. Variable makes a set of oil the variables in a program and week the non-text have occur. Also officely you to create o let of description of what both or less officely and officely you have been only to the control of the control

THE CORRESPONDENT by Roger Wagner. An extensive vesicitie program being the program of the progr

Price \$44.95 on Disk

All programs require 48K and Applesoff in ROM or language card. Specify DOS 3.2 or 3.3. California residents add 6% to all prices.

See these and other S.D.S. products at your local dealer, or for more information, write or got!

southwestern data systems P.O. Box 582-M • Santee, CA 92071 • (714) 562-3670

CIRCLE 203 ON READER SERVICE CARD

At last! You can apple color graph



THE ADWAR APPLE PROC. MOD.

Modifies nonstandard Apple color sync recorder telerances. Record. edit. duplicate without loss of color.

Add colorful graphics and illustrated titles to your videotapes. Easy to install in slot #7 of Apple computer RECORD

ADWAR APPLE PROC MOD

\$300



ADWAR . 100 Fifth Ave., New York 10011 VIDEO 8 (818) 691-0976 • Telex 480801

CIRCLE 103 ON READER SERVICE CARD

GALAXY SPACE WAR 1

Galaxy Space War 1 (WAR1) is a game of strategy in which the player has complete control of his space fleet's tactical maneuvers Each fleet battles its way toward the opponents galaxy in an attempt to destroy it and win the war WAR1 simulates the oppositions galaxy in an attempt to destroy in any win new and warn's inhibitors and actual environment encountered in a space was relevant to a galaxies. Ophimum use is made of Apple's high resolution graphics (HHRS3 and colors in displaying the third through the colored ships of leach feet. One grange sensors colored influenciations, and the alternating blinking colors used in battles between ships Complementing MHRS3 are the sounds of lives produced by Apple's speaker.

Complained in the San End Sandas of war proficiled by Apple 5 gelazier for many flag and the complete factor of the Sandas of t

STOCK MARKET ANALYSIS PROGRAM **DJI WEEKLY AVERAGE 1897-DATE**

ANA PARAMENT IS A SECTION OF THE PARAMENT OF T graphs as wanted can be pronted on the screen and cheared at any time, the user can code routines to operate on the DJI/transform data or create his own disk file data base. ANAT commands can be used with his routines or data base. An update program allows the user to easily update a file with current data.

APPLE" H. 48K. APPLESOFT ROM CARD, DISK II 00S 3.2 WARI DISK & MANUAL ...\$39.95 ANAI 0ISK & MANUAL ...\$49.95 CA residents add 6% sales tax

GALAXY P.O. BOX 22072 SAN DIEGO, CA 92122 (714) 452-1072 Write or call for more information or see your local Apple dealer

Software Reviews Apple Orchard (12/80) The Book (1/81) Creative Computing (4/81) 2 Software Reviews Call-A P.P.L.E. (2780) Apple Orchard (3780) Info World (8780) Creative Computing (5781)

Apple Cart, continued...

```
0900 * MULTIPLE SCREENS
               0910 *
               1000 * THIS PROGRAM WILL SHOW ALL OF THE
               1020 * AT THE SAME TIME (IMPOSSIBLE
               1030 * HUH?). ACTUALLY, THE VIDEO
               1040 * MONITOR JUST CAN'T KEEP UP WITH
               1050 *
                      THE CHANGES AND SHOWS ALL THE
               1060 * SCREENS. TYPE ANY KEY TO ROTATE
               1070 * THE SCREEN.
               1080 *
               1090 * BY TOM SPIDELL
               1100 * MILWAUKEE, WI
                                 .EG $00
               1120 DUMMY
               1130 KEYBOARD
                                .EG $0000
               1140 GRMODE
                                .EG $C050
                                .EG $C010
                                .EG #C051
               1160 TXTMODE
CD54-
               1170 PG1
                                .EQ $0054
                                .EG $0055
C055-
               1180 PG2
C056-
               1190 LORES
                                .EG $C056
               1200 HIRES
                                .EB $0057
               1210 *
                1230 *
                            .OR $300
                            LDA GRMODE
0300- AD 50 CO 1240 BEGIN
                            LDA (DUMMY,X) $6 CLOCK CYCLES
0303- A1 00
0305- AD 56 C0
0308- A1 00
                            LDA LORES
                            LDA (DUMMY,X)
030A- AD 57 CO 1280
                            LDA HIRES
030D- A1 00 1290
030F- AD 55 CO 1300
                            LDA (DUMMY+X)
                            LDA PG2
0312- A1 00
                            LDA (DUMMY, X)
                            LDA TXTMODE
03:4- AD 5: CO 1320
0317- A1 00
                            LDA (DUMMY, X)
0319- AD 54 CO 1340
                            LDA PG1
                            LDA DUMMY, X ;4 CLOCK CYCLES
031C- 85 00
031E- AD 00 CO 1360
                            LDA KEYBOARD
0321- 10 DD
                            BPL BEGIN
0323- AD 10 TO 1380
                            LDA KEYCLEAR
0326- 40 00 03 1390
                             JMP BEGIN
                1400
                             .EN
                                       SYMBOL TABLE
```

100	HOME	
110	FOR I=1 TO 15	
120	PRINT CHR\$(26)+CHR\$(I);"	** :
130	NEXT I	
140	PRINT:PRINT	
150	FOR I=17 TO 30	
160	PRINT CHR\$(26)+CHR\$(I);"	10.5
170	NEXT I	
180	END	

Videoterm graphics characters. Note that CHR5(26) is CONTROL Z.

40 COL = RND(2)

The program on pages +23 includes the HOME command at line 2 Wort work! Change it to PRINT CHR512) and then it will be to K. On pages +25 the description indicates that line 5 prints a CTRL-D. This should be CTRL-L. A discussion of PEEKs and POKEs to pages +3 indicates "these may not work quite as planned" when were these should work properly, as should your "VTAB" and "TAB" commands. "I still haven't figured this out.

0000- DUMMY C050- GRMODE C057- HIRES C000- KEYBOARD C010- KEYCLEAR C056- LORES C054- PG1 C055- PG2

0300- BEGIN

CO51+ TXTMODE
Listing 2. Program to display all the oraphics mayes.

Conclusions

This board was my choice after checking out the attributes of several others. Using a board such as this is a much better choice than having a separate reminal. The cost is much lower too. Features that work with Apple Basics and not with the Z-80 Softcard Basic aren't problems for e.M. yinterests are not in the area of graphics either. Overall, I'm very pleased with the capability of the Videx Video-term 80-column board. The fact that I can't use it with my WP is not important

either. Super-Text is a free-form entry system. Line length is controlled with the format line at print time. There is no need to "see" the line length during input. I'd recommend this card to anyone having a need for an 80-column display.

NEW BOOK

For those of you interested in Apple Machine Language, a new book has been published, Apple Machine Language by Don' and Kurt Inman. The book is published by Reston Publishing Co. Inc., Reston. VA.

This book may be the best ever for the beginner. It is profusely illustrated with examples, drawings and diagrams. Twelve chapters lead you through a review of Applesoft, the similarities between Basic and machine language, and several exercises in machine language. You learn about simple graphics, displaying text. Apple sounds, the Apple system monitor. and doing mathematics in machine language. The use of the mini-assembler is thoroughly discussed and a final chapter tells you how to put it all together. Included in the appendix are sections on Basic statements, machine language instructions, built-in subroutines, hex to decimal negative equivalents, how video memory is mapped, ASCII screen codes, color codes for low resolution graphics, and a very nice presentation of the 6502 instruction codes. The one shortcoming 1 saw is that it requires the availability of Integer Basic. My copy cost \$15 at one of the local computer stores.

THE ASSEMBLY LINE

Also for the assembly/machine language programmer, a new newsletter. From SC Software, the source of an excellent Apple-oriented Assembly language newsletter. The February 1981 issue lists several "Apple Noises and Other Sounds." These included: simple tone, Apple bell subroutine, meahine-gun noise, laser swoop's ound, inch-worm sounds, touch-ones simulator, and Morse code outnut.

Other topics include: "Stuffing Object Code in Protected Places," "Multiplying on the 6502" and "A String Swapper for

Applesoft."

Previous issues have included programs for converting certain keyboard keys to a 10-key system for data entry. Listing 2 is 10-key system for data entry. Listing 2 is 40-keys to a 10-key system for data entry. Listing 2 is 40-keys to 10-keys to 10-keys

Computer Station™ Presents:

The Programmers Handbook for the Apple.®



Retail Price 29.95

Indexed Looseleaf notebook (71/2" x 9") containing all the reference material found in our popular Programmers Guide to the Apple II.®

Plus . . .

- · Applesoft®& Integer
- · Pascal
- CP/M © Digital Research, Inc.
- · Basic-80 © Microsoft
- 6502 Assembly Language

 - DOS 3.3
 - · DOS Tool Kit
 - Monitor

Including Command References for

- Applewriter®
- · Visicalc ® Personal Software
- · Macro-Sced

Hardware Configurations & Software Commands for

- Spinwriter
- PaperTiger
- Silentype
- Special ROMs

Two diskette pockets in front & back. Notebook format allows user to add personal comments. A must for every Apple owner. Available from your local Apple Dealer or from:

> Computer Station 11610 Page Service Dr. St. Louis, MO. 63141 (314) 432-7019

Direct order will incur a \$2.00 shipping: handling charge plus sales tax where applicable

Apple, Apple II and Applesoft are the registered trademarks of

DISCOUNT PRICES

APPLE II COMPUTERS

\$1089 00 1134 00 1179 00 DISK W/CONTROLLER DISK ONLY APPLESOFT CARD INTEGER CARD PASCAL SILENTYPE PRINTER

RAM MEMORY

FOR TRS-80, APPLE

NORTH STAR COMPUTERS



HRZ-1D-32K-ASM HRZ-2D-32K-ASM HRZ-1Q-32K-ASM HRZ-2Q-32K-ASM

FREDERICK COMPUTER PRODUCTS FREDERICK, MD. 21701 (301) 694-8884

CIRCLE 178 ON READER SERVICE CARD



APPLICATIONS WHICH SAVE TIME

Payroll, Word Processing, Accounting & Financial Management, Educational Administration, Legal, Medical & **Dental Systems**

Check your Local Degler or Contact.

Charles Mann & Associates 7594 San Remo Trail Yucca Valley, Ca. 92284 (714) 365-9718

Apple II

TRS-80

TI 99/4

```
Apple Cart, continued...
                             NUMERIC KEY PAD FOR APPLE
                              .OR $300
                              .TF B.NKP
                 1040
                 1050 *
0300- A9 01
                 1050
                              LDA #1
0302- BD 10 03 1070
                              STA TOGGLE
0305- A9 12
                 1080
                              LDA #NKP
0307- 85 3B
                              STA $38
                 1090
0309- A9 03
                              LDA /NKP
0308- 85 39
                              STA $39
030D- 4C EA 03 1120
                              JMP $3EA
                 1140 TOGGLE .BS 1
0311-
                 1150 SAVEY
                              .BS 1
                 1170 NKP
0312- 20 1B FD 11B0
                               JSR #FD1B
0315- C9 93
                 1190
                              CMP #$93
                              BEG .4
0319- 20 10 03 1210
                              BIT TOGGLE
031C- 30 10
                              BMI .2
                                             NOT IN NUMERIC MODE
031E- BC 11 03
                              STY SAVEY
0321- A0 0B
                              LDY #TBLSI2-1
0323- D9 41 03 1250 .1
                              CMP CHRTBL.Y
0326- F0 07
                              BEG .3
                                            FOUND IN TABLE
032B- BB
                              DEY
0329- 10 FB
                 1280
0328- AC 11 03 1290
                              LDY SAVEY
032E- 60
                 1300 .2
032F- 89 4D 03 1310 .3
                              LDA ALIAS,Y
0332- AC 11 03 1320
                              LDY SAVEY
0335- 60
0336- AD 10 03
                 1340 .4
                              LDA TOGGLE
0339- 49 BO
                              FOR #$BO
0338- BD 10 03 1360
                              STA TOGGLE
033E- 4C 0C FD
                              JMP SFDOC
                 1380
0341- AF CC A0
0344- CE CD AC
0347- CB CA CB
0344- 09 D5 C9 1390 CHRTBL .AS -"/L NM.HJKYUI"

000C- 1400 TBLSIZ .EG *-CHRTBL

034D- 8D 1410 ALIAS .HS 8D
034E- AD BO B1
0351- B2 B3 B4
0354- B5 B6 B7
0357- 88 89
                              .AS -"-0123456789"
                 1420
  SYMBOL TABLE
  034D- ALIAS
  0341- CHRTBL
  0312- NKP
  0311- SAVEY
  000C- TBLSIZ
0310- TOGGLE
```

as a 10-key data entry keyboard.

READERS' INPUT

Continuing with more assembly language, here's a graphics routine by Tom Spidell from Milwaukee, WI. The program switches graphics pages and from one type of graphics to the other. The concepts included here can be used in your program to switch graphics pages. You can CALL the program from a basic routine as needed. Listing 3 shows the program using the syntax of the S-C Assembler II. Don't forget that a program located at address 5000 is activated by

CALL 768. One Liners

Listing 3. Program from The Assembly Line showing how to use the Apple

Listings 4 and 5 are graphics one liners from Bob Sander-Cederlof. One makes a quilt pattern and the other draws concentric patterns resembling the layers of an onion. Maybe that's why Bob calls it "Make an Onion." Both are high res graphics routines. Be sure to type them very carefully.

Does anyone else have one liners they would like to share? Send them to me and I will include them in the column.

100 REM QUILT PATTERN

BOB SANDER-CEDERLOF

FEBRUARY 4, 1981 208 HGRZ: FOR A = 26 TO 156 SIEP 261 FGR C = A - 25 TO A: HOCLOR-A / 22: HPLOT 20, CTO 259,C1 C = C + 11 FGR O = 20 TO 228 SIEFA 01 HOCLOR-1 NEXT 1 NEXT 1 FGR T = 1 TO 5900: NEXT 1 TEXT: HOME 1 LIST

Listing 4. One-liner makes a quilt pattern in color.

100 REM MAKE AN ONION
110 CF = 1.151XC = 101YC = 761 MGC2
1 MGCLOP = 51 FOR # 1 TO 48
1 MGCLOP = 51 FOR # 1 TO 48
1 MGC = 20231853
1 / NIC = COS (F)15 = 51N
(F)1X = R[Y = 01 HPC]1 XC +
X = CF, YC1 FOR 1 = 1 TO 41N +
Y = C1X = XM1Y = YN1 HPLOT TO
XC + X = CF, Y + YC1 MEXT 1 MEXT
1 FOR 1 = 1 TO 20081 MEXT 1 FEXT

20 REM BY BOB SANDER-CEDERLOF

Listing 5. One-liner draws onion-like concentric circles.

QUESTIONS 'N ANSWERS

About Random Numbers—In the January '81 issue, there is a program to generate random color blocks. The program on page 144 is part of the "How to Solve It—With the Computer" series by Donald T. Piele, Here's the program:

10 GR 20 COLOR = 9 30 X = INT(40*RND(1)) 40 Y = INT(40*RND(1)) 50 PLOT X.Y 60 GOTO 30 70 END

The expected result is for the program to fill the screen—eventually—with blocks of color. Usually, the program seems to ston with the screen only partially filled.

stop with the screen only partially filled. Checking around, I found this is an anomaly with the Applesoft random number generator. The number used to seed the random number sequence gets stuck and the range becomes limited. My understanding stops right here, but not my curiosity. The description of Applesoft page zero usage in the Applesoft manual indicates that memory locations \$C9 to \$CD hold the random number. By modifying the original program slightly, found that I could get the screen to fill every time. And, there was no noticeable similarity to the pattern. A line is added to poke another random number into one of the locations where the random number is stored. In decimal, these are locations 201 to 204. Here's the new program line:

25 POKE 201,PEEK(INT(255°RND (1)))

Then change line 60 to read: 60 GOTO 25

ADD EXCITING MUSIC TO YOUR APPLE[®]!



9474 FREE MEASURE SUB 0

SAVE

A L F's 9-voice Music Card MC1 is only \$195.

Here's what our customers have said: (Excerpts from unsolicited letters. Copies of original letters available on request.)

About the A L F system: It's a rare enough occurrence when hardware/software lives up to one's expectations. For something to exceed one's wildest hopes—as a the ALF synthesizer certainly does—is a real freat. My congratulations to all

hahran Saudi Arahia

I myself have told several people that next to a disk, I consider the [ALF] synthesizer to be the most important peripheral they could purchase for their system. Very excellent job! Keep up the good work.

—Oak Ridge, Tennessee

I receitly purchased 2 of your Apple music boards. Out of the peripherals I have for my Apple. I engine them the most. It has to be the most engined them them them them that has to be the most engined them them that has to be the most engined them them that the purchased the develop products as the product of the develop products as sphallcased programs? I have ever seen. It proves that it hardware manufacturer DOES have the ability to also produce quality software. It is almost worth the price of the boards just for the Entry program.—Buthank, Calistoms.

About ease of use:

I have had my Music Card MC1 for a little more than a week now and I have almost completed entering. "The Maple Leaf Rag". I found it to be a lot simpler than I thought and so I am very, very pleased. My family isn't because I sit up to all ends of the night playing with the blasted thing!

A.F. — Cyptess. Is also head and ease and enabled me to do through mulcipal which label the to be able to do on (conventional liststraments. As much as Elove the natruments try to play, I just don't have the latent and ischinguals or label what is my need. By golfy, the A.F. board doesn't know about my which previously have existed only in my head. Many thanks trom a trustrated musical and satisfaction A.F. Polysers.

About documentation:

I don't know much about hardware, but I have been a programmer for 15 years and I have never seen a better piece of software documentation than your user manual. It is a joy to study!

—Lancaster, California

About the competition:

Recently, I purchased any IAET 8 vivice board and a copie of muture abuses. If I can any is that I want I fail intered and played with a before 1 purchased the Min. Hardware board. It sounds about the same and is vastly and it's easer than Min. Hardware board. It sounds about the same and is vastly and it's easer than Min. Hardware's but filter. It gress you guyle show that already. (On yes, you wouldn't happen to know of anyone that wants to buy a Min. — Krittland Vastingtion.

iwo.kisand, Washington

would like to lot you that all if having used the system OU Y ONE DVY. Itself

would like to lot you that all if having used the system Out Y ONE DVY. Itself

would like to lot you that all itself

would like the lot you have the like the lot of the l

See your local Apple® dealer or write: A L F Products Inc. 1448 Estes Denver, CO 80215 **EVERYTHING YOU ALWAYS** WANTED TO DO' WITH VISICALC.

(BUT THOUGHT YOU COULDN'T) ...

RSACALC!

* SORT on any of up to 254 rows; labels, values, and formulas. You select the extent of the sort

* CONDITIONAL TESTING to several levels.

* AUTOMATIC BATCH UPDATE e.g. running year-to-date forms.

* MENU DRIVEN MODULES for your own applications programs.

* AUTO-CATALOG from VISICALC.

* AUTO SCREEN REFORMAT Saves hundreds of keystrokes.

* PRINTOUT OF THE COMMANDS

aurora systems, inc. 2399 East Hill Drive

> Madison, Wi 53711 608-274-0605

consists of a tutorial and a set of utilities with a complete

Also trom aurora systems: the Rental Manager

Hebrew II Quicktrace

Omniscan Laser video intertace All for the Apple II

VERSACALC systems soon for Atari, PET, and TRS-80. Dealer inquiries invited

YES! We said





Aurora. II. 60505 Ph. (312)851-3888 CIRCLE 177 ON READER SERVICE CARD

MEMOREX DISKETTES & CARTRIDGES

for your computer or word process

BUY THE BEST FOR LESS. Lowest prices. WE WILL MOT BE UNDERSOLD! Buy any quantity 1 - 1000. Visa, Mastercharge accepted. Call free (800) 235-4137 for prices and information. All orders sent postage paid.



CIRCLE 169 ON READER SERVICE CARD

Super Paddle

Are the paddle controllers on your Apple wearing out? Or did you get a new Apple without paddles?

We've got good news for you! Super Paddles Each paddle control consists of a high-precision linear potentiometer and a big (1/2" D) industrial-quality pushbutton mounted in a sturdy 4" x 2" x 1" metal case which matches the Apple Each of the two paddles is connected with a long 5-foot cable to the Apple paddle socket.

Every component in a set of Super Paddles is the very finest quality available. The set is backed by a 90-day limited warranty from the manufacturer as well as Peripherals Plus moneyback guarantee of satisfaction

To order, send \$39.95 plus \$2.00 postage and handling (NJ residents add \$2.00 sales tax) to the address below. Credit card customers may call orders to our toll-free number.

Peripherals Plus

39 East Hanover Ave. Morris Plains, NJ 07950 Toll-free 800-631-8112 (In NJ 201-540-0445)

CIRCLE 239 ON READER SERVICE CARD

Apple Cart, continued...

Line 25 is pulling a number randomly from page zero. These page zero values are often changing as the (any) program is running. Once this was done, the program never failed to fill the screen. If someone can provide an explanation, please do. Many readers and at least one columnist will be grateful.

About Assembly Language Indexing -Fundamentals of Indexing were described in the November '80 issue. Generally the information was well received but, there were a couple of questions. Here is some additional information to support the November '80 column.

First, some backup on operands and opcodes in assembly language. The operand is the key element used in the opcodes will be used. Notice that absolute indexing uses the form 5900.X while indirect indexing uses the form (530A)X. These are only two of the indexing operands. Some others are ZP.X.ABS.Y. and (ZP.X) where ZP means Zero Page. Each one accomplishes indexing a slightly different way. And. each one will use a different operand in the machine language code (generated during the assembly of an assembly language program).

The opcode is used by the instruction set, the 6502 microcode, to define what is to happen next in the program. When the indexing opcode or instruction is executed by the microprocessor, it knows whether to look for a byte of data at an address or for a two byte address. That's why I used the statement that a two-address indirect location is implied. Since it takes two bytes to store a 16 bit address, the microcode program in the 6502 knows to look at two consecutive memory locations for the address of the table to be indexed.

Page zero addressing is implied in just the apposite way. The addresses are \$5000 to \$00FF. Because the first two bytes are always \$500 the microcode interpretation of page zero instructions knows the first byte is always \$500. Therefore, page zero instructions only need one byte-8 bits -10 specify the usual 16-bit address. Since only one byte is needed, between \$600 the page zero instructions the decoded. (Worlet noo, that the low byte of the index table is stored in address \$5000 and the high byte is stored in \$5000. This is \$6502 convention.

In the May '80 issue of Creative Computing a discussion of Machine Language Fundamentals was included. Also, there are a couple of books that I recommend (In addition to the new one in this column). The books are:

6502 Software Design, Leo J. Scanlon,

Sams # 2156. (Good book for beginners.)

6502 Assembly Language Programming, Lance Leventhal, Osborne/McGraw Hill. (Very detailed and complete.)

About Interpreters-For instructional purposes, I'm interested in Pascal and Fortran interpreters. I've looked for these in various ads but have not vet found one. Using a compiler for learning is painfully slow. For each little program segment the student is required to go through the entire compiling sequence to find out if the routine works. Compilers are definitely needed for large application programs and the student should know how to use them. But, during the initial instruction period getting familiar with the language would go much faster with an interpreter. It's sort of like learning to drive a car. It's a lot easier to teach the fundamentals of driving with a car equipped with an automatic transmission. A manual transmission creates too many distractions for the new driver.

Passal or Fortran interpreters need not be fast. But they should be compatible with all the error message and functions of the compiled equivalent. If error messages could be generated with each typed line, all the better, A good example is the way Apple Integer Basic is handled. Each line is checked as it is typed in. This way, the student gets immediate feedback and doesn't have to wait for compile time or run time errors to find out what happened with the program. How about it, anyone want to become rich and famous?



"He's also programmed to harvest the crops."

© Creative Computing



FAVORITE!

announcing...

CR BRAGE

FOR THE APPLE II OR II PLUS COMPUTERS

ON-LINE SYSTEMS is now offering a Cribbage game to challenge even the best Cribbage player or you play against the computer. The cribbage board is done with becuriful Hi-Res Graphic and you can watch (and heat) the scores being pegged. The cond you can road only, they actually look as if they are being turned one does not not only the computer of the computer of the computer of the computer will stunk you. For the beginning Cribbage player, HI-RES CRIBAGE comes with complete instruction and strategy aspects of the game. For the experienced Cribbage player, HI-RES CRIBBAGE comes a totally challenging game.

Hi-Res Cribbage is available now at your local computer stare and requires a disk drive. To order directly send \$24,95 to:

On-Line Systems 36575 Mudge Ranch Raad Caarsegold, CA 93614 209-683-6858

VISA. MASTER CHARGE, COD, CHECK ACCEPTED

CIRCLE 249 ON READER SERVICE CARD

MicroStand®

YOUR LOCAL DEALER



Let MicroStand's sturdy steel shelf organize your Apple II hardware. Professionally constructed, colored and textured to match your Apple, and now with new ventilation slots. (not shown) MicroStand will enhance your home or office microcomputing system, and are available at microcomputer stores across the nation."

> \$39.95 Add \$5.00 for handling and shipping

V7SA

MicroStand P.O. Box 96 Tolovana Park, OR. 97145 1 (503) 738-5629



1 TM of Apple Computers Inc.

CIRCLE 243 ON READER SERVICE CARD

Death Dreadnaught

This mind chilling thriller will freeze the blood in your veins. You are trapped aboard an ancient alien battlecruiser whose entire crew was murdered brutally. You are the socut team's only survivor. Your ship's been smashed, but one alien shuttlecraft remains intact. As you move about the wreck the danger increases. You must secure air, food, fuel and batteries. Now, as precious seconds of your life tick away you suddenly realize YOU ARE NOT ALONE! The creature that ripped this ship apart is ALIVE and waiting for you to make a mistake. CAN YOU ESCAPE? Or will YOU be the creature's next victim?

\$14.95 on tape \$19.95 on disk

WARNING: DEATH DREADNAUGHT IS RATED R due to EXTREME descriptions of VIOLENCE

The Programmer's

P.O. Box 66 Peterboro, NH 03458 PH (603) 924-6065

CIRCLE 209 ON READER SERVICE CARD



Paul Hoffman

The Atari computer is rapidly becoming one of the most popular home computers because of its advanced video capabilities. With the new business programs that are being released by Atari and hird-party vendors, the neophyte computer enthusiast who wants a machine that can balance his checkbook and inventory his stock may now look more favorably at the Atari line than in the past.

No home computer his the range of sophisticated graphic capabilities that the Atari 400 and 800 have. There are no Star Raiders clones for the Apple or TRS-80 because those machines are simply unable to imitate the smooth player motion of the Atari. They are also unable to quickly mix text and graphics the way the Atari can.

One big difference between the Atan and the Apple or TR-80 is the way information is put on the television screen; the Atard display list concept, although harder for a novice to use, is much more powerful and flexible than screen display methods used by other computers. The other important difference is Atar's player-missile (PM) graphics, which other computers lack.

Other Atai features that give it expanded graphic capabilities are is inexpensive graphic input devices (joysticks and the new light pen), and the easy use of color intensities for shading three dimensional pictures. Together with the assembler/editor cartridge, these features allow the user to create exciting visual displays and informative graphics.

Much of this column is "technical" in the sense that it refers to parts of memory not mentioned in the Basic manual, or to concepts in computer graphies that are beyond the scope of Atari Basic. This does not mean that beginners will not benefit from reading it; beginners can become advanced programmers quite rapidly. Also, if you're a novice programmer and have ever wondered how some of the nifty things that you see in the Atari games are done, read on—many will be explained shortly.

If one intends to do much machine language programming—especially graphics programming—on the Atari, knowing about the various hardware registers is essential. Unfortunately, the only maula from Atari are poorly assembled, full of typographical mistakes, and expensive. Still, if the following discussion makes you want to delve further into the Atari, Sould purchase the Operator of the Atari, Sould purchase the Operator of the Atari, and the Atari, Attention Barbara Burbridge, 1344 Bordeaux Dr., Sunnyuele, CA 94068.

In this column, bytes that are associated with hardware or screen manipulation are called registers, and are addressed in hex. The bits of a byte are referenced from the rightmost (lowest order) bit. Thus, "bit four" refers to the fourth bit from the right.

The Display List

Every microcomputer has a way of displaying objects and text on the screen of your television. The computer stores the information ("put these characters here," "make this area green") you have given it in memory, while memory-to-screen hardware reads the information and turns it into a signal for your television screen or monitor.

Apple and TRS-80 computers use bitmapped graphics. The memory which the hardware reads to display the screen (screen memory) consists of a list of data. In the Apple's low-resolution mode, each pixel (dot on the screen) is described by four bits; a 0000 means that a black dot is to be displayed, 0111 a blue dot, etc. Thus, the memory-to-screen hardware does not need to do much analysis on the screen memory in order to convert it to a television signal pixel by pixel.

The Azari, on the other hand, does not keep this sort of map. It uses a display list, which can be thought of as a program for the memory-to-screen hardware to run to produce the signal for the television. The display list program includes commands to produce blank or solid color horizontal insee, change the graphics mode, start getting information from another part of memory, and type text on the screen.

The display list is not as easy to use as bit-mapped graphics, but it allows you to make much more complex screen images. It gives you the opportunity to use many graphics modes at once, and makes changing the screen a very fast process. Learning to use it to its fullest is not hard.

The display processing hardware is fast enough, relative to your ability to move memory around so that animation is easier to program with a display list than with bit-mapped graphics. Although some animation can be done from Basic (see below), using the display list and machine language gives great flexibility to the advanced graphics programmer.

Using Display Interrupts

Basic programs cannot move objects on the screen very rapidly due to the speed of program execution. Even player-missile graphies, Atari's super-fast system for displaying moving objects on the screen, seems slow when called from Basic Clearly, assembly language programs run much faster than Basic programs and there are some special techniques to make interactive graphic programs run smoothly. The technique used by Atari in

Paul Hoffman, 48 Norfolk St., Cambridge, MA 02139.

we carry it all....

everything for Commodore and Atari commodore

Commodore and

- Atari Computers and Accessories WordPro, by
- Professional Software VisiCalc
- Microtek and more
- Printers from NEC
 - Diablo Trendcom
 - Epson Paper Tiger
 - Tally and TEC

No Risk, No Deposit On Phone Orders, COD or Credit Card, Shipped Same Day You Call* * on all in stock units

(800) 233-8950



Computer Mail Order (717) 323-7921 501 E. Third St., Williamsport, PA 17701

ADVENTURE for your **ATARI 400/800**

Vol. #1 THE QUEST ... and now, after the final battle. the remnants of humankind manage to survive in small bands scattered around the globe. Chaos and savagery reign supreme on the devastated planet. Can you discover the awesome secret that will save Earths dwindling populace from a fate worse than death? As you progress thru the more than 60 locations in this adventure, you encounter obstacles and aids. loathsome beasts and helpful strangers. But beware, one false move could mean doom both for you and all mankind. THE QUEST is the first volume in a larger, multi-part adventure. Completion of the entire adventure will require purchase of added volumes. Graphics and sound

enhance this classic game. 16K/Tape-814.95 24K/Disk-819.95

SURVIVAL SOFTWARE 3033 LA SELVA, "B30 **SAN MATEO, CA. 94403** CIRCLE 231 ON READER SERVICE CARD

16 K Aten 800	\$779.00
Atan 610 Disk Dine	\$549.95
Atan 400	\$495.00
Complete line of Business & Game Software for the increasers Atan 800*	
Coming soon - Emulator which will alter	n of Apple software to run on Albriff
Protes	
TEC Davies Wheel Brester to Area Associa	or Tro - 80. Shull line a torn. Now you can have World
Processing at ext many prices	or trs - sur sources a tank more you can have more
Social offer	\$1,795.00
Centronics 737	\$895.00
DS Paper Tigers	CA(-
Base 2 GRAPHCS PRINTER Epson MX - 80	5649 95 5509 05
Montors	2000
N.E.C. Green Properties moneor	\$219.05
Panasonii 9 Dáw	\$175.00
Leeder 12 Green Phosphor Moderns	\$100.00
D.C. Hayes Micromoden Source textures	\$329 95 \$49 00
Wa service & help lind software for all Atans,	Apple & H.E.C. Computers regardless of where it
was bought!	



CIRCLE 199 ON READER SERVICE CARD

STATISTICS

- A complete menu driven program in Pascal * Up to 24 fields of data
- * Data can be updated or new data added at any time
- * Wide range of automatic transformations and conversions * Sort data for analysis or graphics by any number of fields
- * Analysis and histogram plotting for questionnaire type data * Graph scatter plots of any field versus another
- * Descriptive statistics * Regression and residual analysis with associated graphics for
- * Multivariate analysis includes cluster analysis and principle
- * Complete user's guide with examples. No knowledge of PASCAL necessary

Call or write for price! DATABASE

- * Allows full screen editing during data entry and alteration
- * Provides for automatic generation of mailing labels
- * Assumed fields eliminates multiply typing of repetitive data
- * Accepts pointer keys in memory to greatly speed retrieval * Accepts user defined key fields
- . Allows you to change sorting and searching specifications at

BLUE

ON-LINE DATABASE \$100.00 ON-LINE UTILITIES ONE \$50.00 **ON-LINE UTILITIES TWO \$75.00** ALL THREE FOR ONLY! \$149.95

BLUE LAKES SOFTWARE 3240 University Ave., Madison, WI 53705 (608) 233 6202

CIRCLE 270 ON READER SERVICE CARD

	Player 0 12345678	Player 1 12345678	Player 2 12345678	Player 3 12345678
1	XX			
2	XX	X		X
3	XX	XX		XX
4	XX	XX	XXXXXXX	XX
5	XX	XX	XXXXXXX	XX
6	XX	XX		XX
7	XX	XX		XX
8	XX	X		X

Figure 2, PORTA (\$D300) Joystick reading

Jack 2

Jack 1

their games to move objects gracefully on the screen is called display-list interrupt processing. (A special thank you to the programmers at the Bit Bucket in Newton, MA for much of the following discussion.)

A brief explanation of interrupts: an interrupt is a flag which gets checked interrupt is a flag which gets checked every time a certain process is about to be executed. If the flag is on, the process is not executed, and the program jumps to not executed, and the program (called the interrupt code). When the interrupt code has a return instruction saying that it is finished, the program then starts the process from which it was interrupted.

Some interrupts are checked each time the muchine performs an instruction, while others are checked during pauses in machine operations. The display list can be interrupted at two levels: while the electron beam is returning from the bottom of the screen to the top, or while the beam is returning from the right of the screen and moving down one line. The first is called a vertical blank interrupt, the second a line interrupt,

The television screen is filled every sixtieth of a second, since the Atari uses 248 of the 262 screen lines, you have about 8.4% of one sixtieth of a second to perform operations on the screen. This is about 1400 microseconds, of which about 10% is taken by the CPU for memory refresh. You have enough time to perform around 500 assembly commands (1.8 cycles per microsecond, with an average of 4.5 cycles per command).

If the interrupt routine keeps the interrupt flag turned on, then the routine will
execute, display the screen, and loop until
the flag is turned off. This is sometimes
useful if you can write most of the code
necessary to run your program within the
constraints of the interrupt routine. To

return to your controlling program, all you have to do is turn the interrupt off. The controlling program runs while the screen is displayed and the interrupt routine is executing.

A typical graphics oriented Basic game program would set up the game board, initialize the score counters, poke the interrupt code into memory and turn on the vertical blank interrupt. It would only return to the Basic program for score keeping, or to change the playing field lift were a multi-board game. The interrupt code would be responsible for reading the joysticks, moving the players, and determining whether an important event had happened.

Player-Missile Graphics

The feature which allows the Atari to do the most advanced video displays is Player-Missile (PM) graphics. Much of what is known about the use of the PM subsystem has been explained in this column in previous issues. Two aspects of PM that have not been covered are collision detection and animation.

You will need some familiarity with the PM subsystem to understand fully the following section, although you can get most of what you need to know from this column in the January 1981 issue of Creative Computing. There is so much that can be done with PM that no article can pretend to cover it all, since combining PM and other Atari-specific features can yield wonderful new results.

Once you have the players and missiles moving around the screen, especially in a game situation, it is useful to know when a player hits another player, or hits a missile, or even when it (or a missile) moves to a part of the playfield that is a certain color.

To see if two PM objects have hit, Atari has provided the collision registers. Every sixtieth of a second, the Atari determines all current collisions, and turns the appropriate bits on in the collision registers described below. The collision registers described below. The collision registers are cleared by writing anything into the HITCLR register (\$D10E), and have data only in the lowest four bits of each byte.

Registers MOPF, MIPF, M2PF and M3PF (3D000-5D003) describe the missile-to-playfield collisions, and POPF, PIPF, P2PF and P3PF (43D00-45D007) describe the player-to-playfield collisions. The lowest order bit of \$5000 being on means that player 0 hit playfield 0 (an object written in color I_SETCOLOR register 0), the next higher bit means it hit playfield 1, and so on.

Régisters MOPL, MIPL, M2PL, and M3PL (5000-850008) detect collisions between players and missiles: registers POPL, PIPL, P2PL and P3PL (5000C-5000F) detect collisions between two players. Missile 2 hitting Player3 would be shown by the third lowest bit of 5500A being set to 1. Similarly, Player3 on and 1 hitting each other would be indicated by bit of 55000A and bit 1 of 55000C being.

The Atan's PM subsystem can also be used for limited animation. This is done by setting up the four players as pictures, and having only one visible at a time. This is done by having players 1, 2, and 3 set to the beakground color for an instant, with player 0 set to a different color, then 0, 2 and 3 being background with 1 adifferent color, and so on. If you change the horizontal position registers as you switch color, you can simulate movement. Figure 1 shows how to draw the four players to animate a board rolling end over end from left to right.

Liquidation Giveaway

Byte magazine. You've seen It. It's the fat technical one.

Back when Byte was first publishing independently, Creative Computing and Byte cooperated in many areas. We ran joint promotions, directed articles to each other and the like

In 1976, Creative published The Bast of Creative Computing, Volume 1.1 proposed to Virginia Londoner, publisher of Byte, that we also publish articles from Byte in book form. She agreed, and so we published The Bast of Byte, Volume 1.11's a huge book of 386 pages with articles on hardware, software, technical tutorials, how-to materials and even some philosophy.

Although some of the technical material in The Best of Byte is out of date loday, it nevertheless provides a good historical framework for the personal computing field. Not at all out of date are most of the software articles and tutorials. Similar books of other publishers are selling for \$20 and up, so at \$11.95, this one is quite a bargain.

Big Hearted

About the same time we were preparing The Best of Byte for publication, Not Wadsworth of Scelbi approached Byte about doing a similar book. Virginia wanted to be nice to everyone, so she gave permission. Thus was born the Scelbi-Byte Primer.

Unfortunately, about half of the content of the two books was identical. Thus Byte was faced with a dilemma of which book to endorse and sell through their magazine. Inexplicably, they chose the Scelb book. Thus we were left with twelve skids of The Best of Byte.

Hidden Away

In the next three years we sold a lot of these books. In fact, after we ran a special in 1979, we thought we had sold out. However, we just moved to new quarters. In the move we found, lurking away in the back of our old garage, four skids of The Best of Byte. After some fitting words, the boss said "for 2¢, I'd give them away." So that's what we're doing.

Our Ridiculous Offer

The original price of *The Best of Byte* was \$11.95. If you order \$11.95 worth of any of our other books or records, we'll throw in *The Best of Byte* for 2¢.

throw In The Best of Byte for 2e.
This you could order The Best of Creative
Computing, Vol. 3 (\$8.95) and Computer
Coin Games (\$3.95). The toal price is \$12.90.
For \$12.92 you also get 17th Best of Byte.
Shipping and handling on all book orders is
\$2.00

Here are the books you can use to come up with an \$11.95 or greater total:

Best of Creative Computing, Vol. 1	\$8.95
Best of Creative Computing, Vol. 2	8.95
Best of Creative Computing, Vol. 3	8.95
Basic Computer Games	7.50
More Basic Games (Microsoft)	7.95
More Basic Games (TRS-80)	7.95
Computer Coin Games	3.95
Be A Computer Literate	3.95
Computers in Mathematics	15.95
Problems for Computer Solution	10.00
(Student)	4.06

Problems for Computer Solution (Student) 495 (Teacher) 495 (Teacher) 600 (Teacher) 600 (Teacher) 71 (Teacher)



Limited Supply

We expect a heavy response to this offer, so order today to be sure of getting *The Best of Byte* for just 2 cents.

Send us your order for books of \$11.95 or greater plus 28 for *The Best of Byte* and \$2.00 postage handling. Send payment or Visa. MasterCard or American Express number and expiration date to the address below or call our toll-free number. Don't delay, order today.

creative computing

P.O. Box 769 M Morristown, NJ 07960 Toll-free 800-631-8112 (In NJ 201-540-0445)

Outpost, continued...

Fast Joystick Input

In its Assembler/Editor manual, Atari recommends that I/O be done through your Basic program, and that assembly language should be only used "when its speed advantages outweigh the difficulties of programming in assembly language." This is overly cautious for advanced programmers, especially in terms of joystick input.

terms of joystick input. The main advantage of including your joystick-reading routines in the machine anguage subroutines that you are using in your Basic programs in it is examined to the product of the product of

information is updated).

The ports on the front of the Atari are controlled and read by hardware registers. Jacks 1 and 2 are considered Port A. and jacks 3 and 4 are Port B. To read a joystick in jack 1, the port A control (called PACTL, \$390.2) must have the third bit set on. The status of the joystick is read in the four low order bits of byte PORTA, which is \$D300 (see Figure 2). A bit set to zero means that the switch is a particular direction is pressed. The values for the directions correspond to those returned to Basic by the \$5TLK(thi) call.

Port B is controlled by PBCTL (\$D303), with jacks 3 and 4 being read from PORTB (\$D301), similar to port A. The joystick triggers for both ports are read in the lowest bit, or \$D010 through \$D013, with a zero indicating that the button is pressed.

Other Interactive Input

Using joyaticks for positional input is not hard, although there are other exciting ways to give the Atari the coordinates of a desired location on the screen. While joyaticks are good for giving directions ("move me up and to the left"), you often only want to point to a specific position on the screen ("move me to here." I Two new input devices are now available: the light pen and the graphics tablet.

A light pen does not give off light: it reads the light from your television screen. You touch the light pen to the screen to indicate a desired set of screen coordinates. The Atari light pen figures out where you are pointing by watching the electron beam of the television and calculating how long it was since the beam was at the top left of the screen. The pen is polled every skitch of a second.

The position of the light pen is read from hardware registers PENH (\$D40C)

and PENV (\$D40D). The first byte is the horizontal position, ranging from 0 to 227; the second byte is the vertical position, ranging from 0 to 130. You can determine the screen coordinates of the point by figuring out the range of the screen compared to the range of values for PENH and PENV.

Another very useful input device is a graphics tablet. Many are now available for the Atari. A graphics tablet is a table-top device, usually around 18" x 18", and flat. By touching the special pen to the surface of the tablet, you receive a pair of

XY coordinates, as with the light pen. The big advantage of the tablet over the light pen is that you can lay a piece of paper on the tablet and trace images or take data from it. Some applications include accurate drawing (no more messy joystick pictures), tracing pre-drawn pictures as input to programs, and getting responses from questionnaires quickly and accurately. Many of the tablets come with extensive software packages to make using them even easier.

Shading

If you own another home computer, or have shared programs with friends who do, you may have seen that the other machines do not have the ability to shade pictures. The Atari, with its intensityselection capability, allows you to draw three dimensional objects with greater realism by using shading.

Using a computer to shade curved surble. For a very complete discussion of shading to achieve realism in computer drawings, you should read Principals of Interactive Computer Graphics by William Newman and Robert Sproull (McGraw-Hill). This book is an excellent reference for most topics in computer graphics, although it mostly deals with larger computers.

Öther uses for the intensity control are in computer animation (for explosive colors, twinkling stars, etc.) and highlighting text without using inverse video characters. The Atari offers much in the way of precise choice of color for graphics applications.

Other Graphics Capabilities

Many graphics features you see in Atari games are simple extensions of the features listed above. For instance, to make game setup more interesting, you can set all the color registers to the background color, set up any necessary initial graphics, and reset the registers to their proper colors at the last instant (PM color registers can be used this way as well).

The limitation on the number of colors on the screen at any given time can be quite frustrating, but there are ways around it. The most simple is to use the PM subsystem to draw background, gameboards, or other features. A triple-width player and its associated missile can take up a fair amount of the screen if necessary. Using PM adds four new

Also, the four missiles can be used to draw vertical lines on the screen. A little-known feature is that you can set the width of the missiles to single, double or triple width using register SIZEM (SDOC). The lowest two bits are for missile to the next two for missile 1 and so on. Set the bits no 0 for normal width, 01 for double width and 11 for triple width vertical lines.

Using line interrupts, you can change while it it being drawn. Thus, you can have multi-colored players. Or, using single line interrupt halfway down the screen, you can change a single color register back and forths on that objects change colors as they move from the top of the screen to the bottom. It is unfortunate that line interrupts have virtually no documentation in Atar's manuals.

Conclusion

There are many more graphics capabilities of the Atari computers than can be listed here, and many are undocumented. The Operating System User's Manual and Hardware Manual. although sketchy in some areas, is helpful for many applications. Very little of the third-party software that is currently available has the extensive use of Atari-specific graphics that Atari's games have; as better documentation becomes available, this may change.



"Yeah, they just delivered it...darndest looking computer you've ever seen!"



ORDER NOW!

Hayden Book Company, Inc. 50 Essex Street, Rochelle Park, NJ 07662

Send me the software checked below A check or money order is enclosed. Lunderstand that Hayden pays shipping and handling costs and that I can return any disk or tape within 10 days if it is detective or I am dissansfed with lift any reason. Residents of NJ and CA must add sales tax.

City/State	Zip			00.		
Address						
Name						
02501 02503 02601 03003	03403 03404 03408 03409	03410 03414 03440 03444		03484 05303 05308 05903		07004 07009 07101 07103
Offer good in be filled in			mdi		de	

Ain't We Got Fun!

SARGON II (Spracklen) The first great computer cha program! an excellent program which will provide program" an excellent program which will provide true challenge for many plavers. Save your money and buy SARGON II. "80 Software Critique, 03403, TRS-80 Level III; 03404, Apple II; 03410, OSI CIP; 03440, OSI C4P; each tape 229.95, 03408, TRS-80 Level II Disk; 0309, Apple III Disk; 03414, OSI CIP Disk; 03414, OSI CIP Disk; 03414, OSI CIP Disk; 03414, OSI CAP DISK;

BLACKJACK MASTER: A Simulator/Tutor/Game (Wazaney) A serious game that performs complex simulations and evaluations of playing and betting strateges 05303, TRS-80 Level II tape, \$24.95; 05308, TRS-80 Disk Version, \$29.95

GRIDIRON: A Microfootball Game (Microflam Associates) Be both offensive and defensive quarterbacks Includes time-outs, penalties, and the two point conversion option used in college football 03003, TRS-80 Level II tape, \$12.95

MAYDAY (Bretenbach) Out of fuel Try to avoid crashing with this challenging airplane flight simulate 02601, PET tape, \$9.95

of the First International Man-Machine
OTHELLOTM Tournament, this version of the and high resolution color graphics 07004, APPLE II tape, \$29.95; 07009, APPLE II Disk, \$34.95

BACKGAMMON (Wazaney) A classic game of skill 02501, PET; 02503, TRS-80 Level II; each tage

ROYAL FLUSH: Competitive Poker Solitaire vanations 07101, PET; 07103, TRS-80 Level II; each tape \$14,95

STARCLASH (Walton) An exciting game of galacies strategy for one or two players 05903, TRS-80 Level II, \$16.95

Available at your local computer store!

50 Essex Street, Rochelle Park, NJ 07662 Book Company, Inc. CIRCLE 205 ON READER SERVICE CARD

DISK DRIVE WOES? PRINTER INTERACTION? MEMORY LOSS? ERRATIC OPERATION?

Don't Blame The Software!

Power Line Spikes, Surges & Hash could be the culipriti Flopples, printers, memory & processor often interact! Our unique ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash.

- SOLATOR (ISO-1) 3 fliter isolated 3-prong sockats; integral Surge/Spike Suppression; 1875 W Maximum load, 1 KW load any socket
 \$62.95

- Surgiscipins Suppression; 1979 W Masmum load, 1 KW load any 1 SGLATON (ISO2) 2 filter Isolated Syrong sacks back (ISO2) 6 sockets total; Integral SpitesSurga Suppression; 1979 W Max 1 SGLATON (ISO2) 2 filter Isolated Syrong sacks back 1 SGLATON (ISO2) 6 SGLATON

Electronic Specialists, Inc.

CIRCLE 142 ON READER SERVICE CARD



Software for the Atari+ **MATH FACTS**

A series of self-paced instructional programs for elementary school children. The programs in this series automatically advance to the nest unit when the child has mastered 80 the computer. The previous unit will be reviewed if the child cannot master 50% of the work in a particular unit Each unit builds on the skills devel pool in the previous unit.

MATH FACTS - Level 1 915.00 (16K BASIC, grades K-2) Concepts covered in this level are numbers, number placement, number words (1-20), addition and subtraction (vi-



MATH FACTS - Level II 15 00 (24K BASIC, grades 1-3) The child is guided graphically throughout this level. In the addition and subtraction ection (2 and 3 columns

MATH FACTS - Level 89 s15.00 (24K BASIC, grades 2-4) High reso-lution graphics, aid the child in learn-ing how to carry and borrow. (Inter-ing how to carry and borrow. (Inter-this level include: addition (3 number tion (with carry) and subtr-



CON*PUTATION/ TONAL ENCOUNTER \$15.00 Two memory building programs on one caseette CON*PUTATION is a 'concentration' game for two players. Match the equation behind one of Match the equation behind one of the boxes with the answer or an equal equation. Each of the eight levels of play helps develop the child's addition, subtraction, multipli-cation or divesion skills. TONAL ENCOUNTER – play back the mel ody that the computer composes. Contains five different stoll levels and





R.H.E.S.I.S. P.O Box 147 Garden City, MI 48135 or call (313) 595-4722 for COD Dealer inquiries welcome

Please add 50 for shipping/t 1 00 for C O D

CIRCLE 241 ON READER SERVICE CARD



The comments and opinions of the poses only and are not meant to be legal advice. Specific legal questions should be referred to your personal attorney.

Harold Novick

As promised, the "Software Legal Forum" returns to the discussion of the legal rights of the software user (vendee in legalese). As a quick review of the April, 1981 "Forum," the legal rights of the software user depend upon whether the user is a "consumer" and whether the software is considered to be a service or a product. The preferred position for a software user is to be a consumer of a

product.

Imagine the situation where a customer sees an advertisement in Creative Computing magazine for a new disk operating program called CP-UNEXT. This program is advertised as being compatible with all programs currently using the CP/M operating program. The program costs only \$500 and comes on one diskette. Full documentation is alluded to in the advertisment, but not promised. The program is ordered and received without full documentation. Not to be deterred, the purchaser studies the incomplete documentation and decides to try to run it. Unknown to the purchaser and the seller, the program has a fatal error. If the incomplete documentation is followed literally, the program would cause the user to activate the fatal error. To make a long sad story short. just suppose that the running of the program causes all disks to be reformated in a destructive, contagious way. All diskettes used with the new operating

system or with a diskette that had been used with the operating system would destroy all data files contained on the diskette. What can the unsuspecting purchaser do when all of his valuable data bases and records are wiped out? That is.

besides cry?

The purchaser, who shall henceforth be named M. Pathos Purchaser, can cer-Harold Novick, Patent Attorney, Larson & Taylor, Arlington, VA 22202. tainly write the company and demand the \$500 back, M. can also demand to be compensated for the lost records. M. can also demand payment for all of the contaminated diskettes and can demand reimbursement for the software expert who was hired to find the cause of the problem. In fact, M. Pathos can demand anything, even the moon. The question is: "What can he or she get!

If the answer were simple, then there would not be any need for a computer lawyer or-perish the thought-for the

"Forum."

There are many approaches that can be used to evaluate the hypothetical (?) fact situation. The one that this author has found to be most helpful is from a damages point of view. If one suffers no damages, then it may not be worthwhile to litigate. In fact in negligence tort law (civil wrongs done by one person to another, such as an automobile accident), one of the required elements is a compensable injury. Without such an injury, one cannot even sue. Another reason that this approach is instructive is that it permits a practical, objective (translate as "monetary") evaluation of the case. In most cases, the winner of a law suit cannot be reimbursed for the attorney's fees. Usually both sides must pay for their own lawyers.

In the present case, no fraud or deceit is present. Not only cannot M. Pathos recover his attorney's fees, he cannot recover punitive damages. In some egregious circumstances (e.g. mail fraud or fraudulent advertising), the plaintiff (i.e the "sue-or") with as little as \$1 actual damages can recover thousands of dollars in exemplary damages to punish the law-breaking defendant (i.e. the "sue-

In the present example, the software seller essentially made a contractual offer in the advertisement. The contract was made and legally enforceable when M. Pathos Purchaser accepted the offer by sending in an amount of money equal to the advertised purchase price. Thus, whether and how much M. Pathos can recover is determined by contract law.

There are three major ways contract law is made. All of the states have a statutory contract law and a court-made or common law contract law. In addition. the Federal government has passed some consumer legislation that affects contract law.

In the case of M. Pathos Purchaser, the applicable contract law depends upon whether the software was considered a product or a service. If it is a product. then there are certain guarantees that the seller makes irrespective of whether they were explicitly stated in the advertisement. If software is a service, then most likely the only guarantees are those contained in the advertisement. These guarantees, the legal terminology for which is "warranties," will be discussed in a subsequent column.

In addition to the software being a product, if Purchaser is a consumer, the Federal laws may apply. These laws relate to the warranties and the disclosure information that must be given. Under some state laws, if the purchaser is a consumer, the seller of the product cannot disclaim certain implied warranties. A "disclaimer" is a legal statement made by the seller in the contract for sale that the seller is not liable for any breaches of the disclaimed warranties. Thus, the affected states are saving that no matter what the seller says, the seller is still going to be responsible for failure to live up to certain guarantees that are inherently made when the product is sold.

For the present discussion, it will be assumed that the advertisement did not disclaim any warranties. It will also be assumed that the sold software is a product because the seller was not specifically hired by the purchaser to write the software and that the software was sold as an "off the shelf" item.

So what damages can M. Pathos Pur-

chaser collect? A refund of the purchase price (\$500) would probably be awarded to him by a judge after a full trial. Also, the postage costs to buy the software would probably be awarded by the judge. However, it is doubtful whether M. Pathos could collect the money paid to the software consultant. Furthermore. there is some doubt whether M. Pathos could collect for all of the diskettes that were affected. If the diskettes were unusable, then the seller may be liable to Purchaser for the cost of empty diskettes. However, because the seller did not have notice of the data files, the seller may not be liable for the replacement cost of the data files.

All of the foregoing has completely bypassed the most pertinent considerations. In the example, a reasonably expected recovery would be close to the purchase price of \$500. The lawyers' fees for going to court could easily be ten times greater than that amount. If M. Pathos Purchaser lived in Maryland and the seller was located in California, the law suit would probably have to be filed in California. Thus the travel costs to and from home plus the living expenses away from home plus the lost wages could easily be ten times greater than the purchase price. In summary, any time you go to court in this type of law suit, the costs. whether you win or lose, can easily exceed the expected recovery by an order of magnitude.

Unfortunately, there may not be a practical solution. When software costs less than \$1,000, there may not be a practical legal remedy. Thus, the buyer should deal with reputable sellers. The buyer should so try to deal with someone close to home in case there are problems. Finally, the buyer should alto the the first one on the block to buy the software unless he or she is willing to take the risk.

In conclusion, be a consumer, buy a product, and have good hunting.



"I found the trouble with number three computer."

NTARK GORDON COMPUTERS

DIVISION OF MARK GORDON ASSOCIATES, INC. P.O. Box 77, Charlestown, MA 02129 (617) 491-7505

P.O. Box 77.

COMPUTERS

Alain BOO W 16K 799 00
4K Model III 999 00
4K Model III 999 00
16K DRIVES

40 Track 5' 40 drive 314 00
80 Track 5' 544 00
10 DRIVES

40 Lobo w/confroiter
Lobo w/controiter
Lobo w/controiter
Lobo w/controiter

All of price

280 Softcard 289 00
Ramcaird 169 00
Videx 80 COL BOARD 289 00
Videx RD Enhancer 109 00
DC Hayes Micro Modem II 319 00
CCS and SSM Interface Call for price
STORAGE MEDIA

OPERATING SYSTEMS
NEWDOS by APPARATINC
NEWDOS by APPARATINC
MMS FORTH DISKETTE PRIMER

NEWDOUS OF UNDER LETHINGEN 17986

BUSINESS SOFTWARE FOR TRS-80, APPLE AND AT ARI
Free enhancements and upgrades to registered owners for the cost of media and making 30 day free fellephone support User reference on required Accounts Reverbase and Payard Report General Payard. Accounts Payable

Account Receivable and Playof Report Generaling
475 COOPER PROCESSES OF A COOPER PROCESS

FINE PRINT

may require the use of Radio Shack TRS-DOS Radio Shack equipme subject to the will and whim of Radio Shack

ORDERING INFORMATION

ORDERING INFORMATION

We accept Visa and Mastercharge. We will ship C O D, certified check
money order only. There will be a 40 percent depost required on all C corders over \$300.00.0 Massachusetts residents add 5 percent sales tax. Sit
to three weeks for delivery.

TWX #710-320-7693 For information call 617-491-7505 To order, call toll-free 1-800-343-5206

The Company cannot be liable for pictorial or typographic ins

CIRCLE 165 ON READER SERVICE CARD

INNOVATIVE



We figure the more innovative we are, the more you'll benefit. We work hard at providing you with more in-depth software and hardware analyses, interviews, industry news and trends.

It's all there, every other week, in InfoWorld. If you have a special interest in personal computing, you can't afford to miss another issue of the microcom-

puter newspaper: InfoWorld. Mail this form or facsimile to:

InfoWorld, 375 Cochituate Road, Fråmingham, Mass. 01701 Or call (800) 343-6474


InfoWorld

Please start my subscription to InfoWorl	
\$18 one year (26 issues) Over 44% savings	off newsatand prace.
For rates outside U.S. contact the Publisher	r.
My check is enclosed Bill Me	
Charge my: Mastercharge Bank	Americand/Visa American Express
(MC only list 4 digits above your name	
Card No.	
Signature	Date
First Middle	
Initial Initial Surname	
Company	
Name	Position
Address	
City State	Zip Code
InfoWorld, 375 Cochituate Road, Fran	mingham, Mass 01701 (800) 343-6474

puzzles & problems

Contest Time!





if you need any technical advice."

"By what date do the puzzle entries have to be in by?" "All puzzles must be postmarked no later than July 31, 1981," said

Merlin. "I'll bet you'll never guess what I'm giving away as a prize to the ten "Knowing you I have a pretty good idea, but I'll ask anyway, what

marvellous prizes do you intend to bestow upon the winners?"

"I'm glad you asked!" smiled Merlin. "Each winner will get an autographed copy of Merlin's Puzzler, Merlin's Puzzler 2, Merlin's Puzzler 3, The Clue Club, which is a cartoon puzzle book that you wrote with my help, and last, but not least, Computer Coin Games by Joe Weisbecker. Just think of it, five great books for each winning puzzle!"

Well, that's the contest, readers. If you want to win enough puzzle literature to last you a year put on your thinking caps and write us a puzzle. Remember, the closing date for entries, is July 31, 1981. Good luck!

A Marbleous Puzzle



ur first problem is from Richard J. Hofmann, of Oxford, Ohio. This puzzle usually calls for wine and water, but, I think Mr. Hofmann's version is clearer. A copy of Merlin's Puzzler goes to you, sir!

A young boy has two containers of marbles in front of him, a white and a black container. The white container, on the left, has 100 white marbles and the black container, on the right, has 100 black marbles. The boy reaches into the container of white marbles and takes out 10 white marbles. He then places the 10 white marbles into the container of 100 black marbles and proceeds to mix them with the black

marbles. Next he closes his eyes, reaches into the container of 110 black and white marbles, and removes 10 marbles. He places these 10 marbles into the container of 90 white marbles. Both containers now contain 100 marbles. Are there more black marbles in the white marble container than there are white marbles in the black marble container, fewer black marbles in the white marble container than white marbles in the black marble container, or is the number of black marbles in the white container equal to the number of white marbles in the black container?

Sinbad's Hat



ere's an easy (?) puzzle from Mr. A.Q. Lippert of Dobbs Ferry, New York. Mr. Lippert writes: "Sinbad the Sailor starts rowing upstream. He travels one mile whereupon his hat falls off into the water and starts floating downstream. He continues upstream for 10 more minutes and then turns around and starts rowing back downstream. He catches up with his hat just as the hat reaches his original starting point. Sinbad's rowing speed is constant whether rowing upstream or downstream. How fast is the stream flowing?"

A copy of Merlin's Puzzler 2 is flowing Mr. Lippert's way

It's Riddle Time

- 1. Write the number 20 using four 9's. 2. When is it that 8 plus 6 equals 2?
- Why is the letter D like a bad boy? 4. Why does an Indian wear feathers in his hair?
- 5. Why is a caterpillar like a hot biscuit?
- 6. What table has no legs? Where can you always find happiness?


8. How many peas go into one pot? Two for the Show



rom Mr. Rick Powers, of Dekalb, Illinois, we have two interesting puzzles. Don't peek at the answers now. I give you five minutes to solve them both. Congratulations, Mr. Powers, you've won a copy of Merlin's Puzzler 3

Each of the following quasi-mathematical expressions encodes a grammatically complete English sentence:

Puzzle 1: 20 04 18 Puzzle 2 take standing. my



The Clue Club

who have never heard of The Clue Club (which I mentioned in the contest prizes above) we have here a panel from this cartoon puzzle book. In The Clue Club you will learn how Mike Miller got his "super powers." How he built his robot computer "PAL," and how Mike won the famous puzzle contest held yearly in the town of Coltrane, the Puzzle Capitol of the World. You will also meet Roderick Sneakwell, a cheating puzzler if there ever was one: Calvin Barnstable who constructs "puzzle kites"; Blundar the Magician; Herr Rumplemeyer and "The Seldom Seen But Always Heard" Rock Band; Ms. Cindy Cindy, proprietor of The Volcano Record Shop, and many other interesting characters. (The Clue Club was written by Charles Barry Townsend & Dwight Dobbins. and is published by Bantam Books.)

The Fork in the Road

XXX

ertin was journeying to London town. He passed through a community where every jolly inhabitant was either absolutely honest and never told a lie or absolutely dishonest and never told the truth. But lo, a fork in the road appearent. And he knoweth not which fork to take. But lo again. A fair damed comes skipping along and Merlin asks her one brief question. She gives one brief answer. And Merlin proceeds on his way to I ondon town. What query did Merlin use?"

This is an entertaining type of puzzle which we have had before. It comes to us from a frequent contributor, R.O. Whitaker, of Indianapolis, Indiana. Merlin will be glad to "fork over" a copy of Merlin's Puzzler for this quaint puzzle.

Answers on page 224.

Many Into One



rom the archives of the National Puzzle Museum on the Isole of Merlin comes this problem in geometry. You are required to rearrange the five triangular pieces of cardboard pictured here into a perfect square. One of the pieces may be cut in two. (This puzzle is from Merlin's Puzzler.)

Announcing a Major Media Event

During lunch the other day, MFRI.IN mentioned to me that he was thinking of publishing a magazine devoted to puzzles, and games, and a whole range of other exciting activities that he knows so much about.

"I want to put out a magazine that will be of interest to old and young alike," he said. "Do you think that enough of our readers would be interested in such a magazine to make it a success?"

"The only way to find out is to ask them?" I replied, which is what the coupon at her pith is all about. If you love puzzles and games and riddles and quizzes and word puzzles and magic and quizzes and word puzzles and magic and sunts and contests and a hundred-and-one other fill out the coupon and send it in. This is your chance to help start a great magazine. And, it will be your magazine too, because, right from the start you will help decide what kind of material will go into it. So, give the old body your backing. He zerofs to know that you are interested in this give you a terrific magazine concrow. A magazine that only MERLIN, with his 1400 years of experience, could create!

Your editor.

Auch Burg Tom.

Charles Barry Townsend

Mail to: Charles Barry Toy		
32 Hickory Drive	wnsend	
Maplewood, New	Jersey 07040	
Name		
Street		
City	State	Zip
AgeOc	cupation	
Would you like to other entertaining	see MERLIN publish a magazactivities?	zine devoted to puzzles, games, and
Would you subscr	ibe to such a magazine?	Yes 🗆
		to have in a magazine of this kind?

HOW TO START A COMPUTER BUSINESS

"Computer Business Opportunities 1981" annual report covers the best moneymaking ventures - consulting, software packages, dealerships, systems houses, services, repping, maintenance, vertical markets and



much more - plus 20 steps on how to start, where to be in the 80%, the small business market, common entrepreneur's mistakes, financing, marketing, competing with biggies, directory of services and self-help sources, going part-time to full-time. Nowhere under one cover is a better industry perspective for self-employment planning. Contents from key back-articles of "Computer Opportunies," the entrepreneur's newsletter since 1978, "Low Capital Computer Business Guide" (10,000 copies sold), and continuous research from our field seminars. Over 200 pages ring-bound, \$65.00, check, Visa, Mastercharge, or written company P.O. 30 day refund quarantee.

DATASEARCH INCORPORATED 4954 William Arnold Road / Dept. G

Memphis, Tennessee 38117

For faster service on credit card orders, phone 901/761-9090

CIRCLE 151 ON READER SERVICE CARD

This publication is available in microform.

University Microfilms International

Please send	additional informa	tion	
Name			
Institution Street			
City			
State_	Zip		

300 North Zeeb Road Dept. P.R. Ann Arbor, Mi. 48106 U.S.A 30-32 Mortimer Street Dept. P.R. London WIN 7RA England Steve Gray

book

Pascal, by Paul M. Chirlian. Matrix Publishers Inc., Portland, OR. 219 pages, paperback \$12.95, 1980. Introduction to Pascal, by Neill Graham. West Publishing Co.,

St. Paul, MN. 253 pages, paperback \$11.95, 1980.

The Chirlian book is an introductory book "intended for students who have had essentially no experience with computer programming or computers. It can be used by college or junior college students, or by those who are interested in teaching Pascal to themselves," according to the preface.

The 11 chapters include an introduction, Fundamental Arithmetic Operations, Input and Output, control statements, Arrays, Characters and Strings, subprograms, files, Sets, The RECORD and Variant, and Dynamic Data Structures.

Each chapter ends with two dozen or more well-chosen exercises, most of them requiring a program to be written or modified. Four appendices cover Pascal keywords, library

functions, structure types, and operator

The book starts slow and easy, with a nine-line program on page 8 that adds two numbers and prints the results, with a twopage explanation. The chapter then expands this program. Most of the programs in the book are at most 15 or 20 lines long, most with enough text in the output printing to help figure them out.

"Two blank flowcharts are shown, with the remark that "At one time they were widely used to represent algorithms and programs, but most programmers now feel that they are not too useful," and none are used.

The book contains two dozen "syntax diagrams," which are used to represent the syntax, or structure, of Pascal."

The programs are all written in sans-serif boldface, with very few output results shown. The text is written in a semiconversational style, and might have been improved with some real print-outs of programs, and with sample runs.

The Graham book is "suitable for either an introductory course in Pascal or an introduction-to-programming course using Pascal. No previous programming experience on the part of the students is assumed," as the preface puts it. The 13 chapters are on Computers, Programs and Program-

The 13 chapters are on Computers, Programs and Programming Languages: Pascal: First Steps: Using Main Memory; More About Expressions; Repetition; Selection; Functions and Procedures; Simple Data Types; arrays; Searching and Sorting; records; files; sets.

Each chapter ends with five or six exercises, most requiring programs to be written. Three appendices cover reserved words, the GOTO statement, and declarations assumed in text. Seven books are listed in a page of Further Reading.

The book starts out much more slowly than the Chirlian text, with more examples, and doesn't present an example

program until page 39

The programs are all enhanced by the use of holdface and talle printing, plus even more elaborate indenting than in the Chirlian book. Programs are explained in great detail before being presented—one of the several features that make Graham's book of greater value than Chirlian's to the reader teaching himself Pascal, and also to the classroom teacher, who is thus largely spared having to explain how this or that programs works.

reviews

Also, although the Graham book contains no diagrams of any kind, the text looks more "friendly," due to the choice of paper, typeface, wider margins, and more white space. Given a choice, most solo readers would probably take Graham.

Basic Fortran, by James S. Coan. Hayden Book Company, Rochelle Park, NJ. 245 pages, paperback \$8.95, 1980. Beginning Fortran, by Joe W. McKinley, Matrix Publishers,

Deginning Fortrain: by 30c 47. McKinney, Martix Fundances, Portland OR. 251 pages, paperback 59.95. 1980. Fundamentals of Fortrain Programming, by Robert C. Nicker-son, Winthrop Publishers, Cambridge, MA. 460 pages, paper-

Programming in Fortran, by William F. Schallert and Carol Reedy Clark, Addison-Wesley Publishing Co., Reading, MA.

Coan wrote one of the early books on Basic, and his Fortran book is in an easy-going, conversational style that is an improvement over the somewhat prosaic writing in his earlier

duction, Writing a Fortran Program, Loops and Linear Arrays, Functions and Subroutines in Fortran, Miscellaneous Fortran Features and Techniques.

The remaining six chapters emphasize applications covering pre-calculus topics, with all required algorithms developed cations, Quadratic Function and Graphing, Trigonometry,

Problems are provided after each section in each chapter. Four appendices provide a table of Fortran-supplied func-tions, an index of the 80 programs in the text, a Z80 randomnumber-generating function, and answers to the even-number problems.

This is an excellent book for the novice programmer, starting with a very simple program, building up slowly, providing runs for each program, and providing meaningful, well-

The 80 programs in the text range from printing polar coordinates to finding the largest element in an array, from searching for Pythagorean triples to demonstrating implied

McKinley's book is batch-oriented, full of photos of punched cards, and may thus be somewhat disconcerting to interactive or timeshare users, although the author claims such people 'will find the book extremely useful in conjunction with the local rules for operating their system." Hmmm.

Intended for high school and college students "who are beginning to learn the language of Fortran," the book is in four sections. Section I, Beginning Programming, includes

Section 11, Intermediate Programming, has chapters on Control Statements, Subscripted Variables, Subprograms: Functions and Subroutines. Section III, Advanced programming, consists of one chapter, Some of the Fancier Tricks, such as Advanced COMMON and EQUIVALENCE. Most chapters end with problems and programming assignments.

Section IV, Computer Example Projects, provides 16 projects as "examples in the specific areas of interest which the specific learner wishes to pursue" and "in some instances, in some projects, advanced examples of programming are

TREPRENEURS



COMPUTER

HOW TO BECOME A SUCCESSFUL COMPUTER CONSULTANT

FREE JANCE SOFTWARE MARKETING TO

FREE-LANCE SOFTWARE MARKETING



ESSEX PUBLIS				_	المنت	
Order books by num pays 4th class shipp per book in the USi						
O No 10 O	No 16	□ No 32	□ No 130		O UPS	C Air
Name						
Address						
City				State	Zip	
Card #		card orders ca			Fac	

COMPUTER EOUIPMENT & SOFTWARE RARGAINS



EVERY MONTH

BUY, SELL OR TRADE ALL TYPES OF COMPUTER EQUIPMENT AND SOFTWARE (pre-owned and new) among 20,000 readers nationwide. FEATURES:

- Low classified ad rates 10¢ a word
- · Hundreds of ads from individuals
- · Categorized ads so you can find them instantly
- . Large (11 by 14") easy to read pages

Subscribe now for \$10 and receive 13 issues/year (one FREE plus 12 regular issues). After receiving your first issue if you're not completely satisfied you may have a 100% refund and you still keep the first issue free. Bank cards accepted.

BONUS: If you have something to advertise (preowned or software) send in a classified ad with your subscription and we'll run it FREE.

The Nationwide Marketplace for Computer Equipm COMPUTER SHOPPER P.O. BOX F7 • TITUSVILLE, FL 32780 • 305-269-3211 rCard & VISA subscriptions only, call TOLL FREE 1-800-528-8050 Ext. 184

CIRCLE 128 ON READER SERVICE CARD

What are Heathkit® owners saying about Buss?

"Keep up the great work. Buss is the most useful, information-packed publication I have encountered in my 15 years in the computing industry." Santa Clara,

"Congratulations on Buss's advance information. One issue alone saved me over \$150. Total savings about \$240 so far!" New Rochelle, NY

"Your Buss paper has been most helpful to me as I'm just getting started with my H8, H17 & H19. Keep up the good work." Maize, KS

This is what people are saying about Buss: The Independent Newsletter of Heath Co. Computers. Buss is the publication where owners give eandid reports of their experiences with Heath® and Zenith products. It's mailed first class about every three weeks.

Buss also publishes a directory of over 100 suppliers of hardware and software for Heath® and Zenith systems. You can receive it FREE when you subscribe to Buss. Start your subscription with the latest issue or available back issues (there are about 17 in stock for the same price as current issues).

- 12 issues: \$18.00 (overseas airmail \$25.00)
- 18 issues: \$25.00 (overseas airmail \$35.00)
- 24 issues: \$30.00 (overseas airmail \$45.00)

Payment must be in U.S. dollars payable on a U.S. bank or by international postal money order. A full refund is guaranteed any time you're not satisfied. Send to: Buss, 325-T Pennsylvania Ave., S.E., Washington, DC 20003 or eall 202/544-0900 and charge your subscription on VISA or MasterCard.
CIRCLE 117 ON READER SERVICE CARD

ws...peviews...pev

given." They range from roots of a polynomial to lift from wind-tunnel data, and take up all of 70 pages.

The book ends with a list of 24 references for further study. charting, deck setups, matrix algebra, and what's in the IBM

The writing is fairly good, and the author uses many diagrams with callouts and other graphic devices to help

The book begins with an overview showing just how a brief program is written, punched, and processed, with enough complex detail, such as a diagram of the "compilation of the Fortran program \$FORTRAN to \$FINIS" on page 12, that will floor some readers unless they have a teacher to explain what this chapter is all about.

language, updating the text to include ANS Fortran77 and Fortran," according to the back cover.

blocks of solid text and a straightforward, mainly non-conversational writing style. Many examples are given, but

The 13 chapters provide introduction, 1/O programming, arithmetic decision, repetition, nonnumeric 1/O, program with review questions and computer exercises, the other with a

The book ends with five appendices, on Fortran Version Differences, Fortran-Supplied Functions, Keypunch Opera-

Although this book isn't as "interesting" looking as the others, it's the one I'd choose for learning about Fortran. mainly because it teaches more about the basics of Fortran than the other three. Then I'd read Coan for additional

The fourth book, by Schallert and Clark, is written in a curious style, looking partly like a cram book, and partly as though written by a computer. Each of the chapters opens with a set of objectives, most of which resemble the type of

This textbook is also batch-oriented, and tells exactly how to prepare cards on a keypunch. About half the book consists

Subprograms; Subroutines and Statement Subprograms; Sub-

That last chapter asks you to "design a complex program requiring a number of subprograms." in this case to compute

Each objective section within a chapter ends with exercises; each chapter ends with seven or eight pages of exercises and programming problems. The book ends with answers to the

Four appendices are provided: Keypunching, Statement

ws... reviews... rev

A unique feature is the boxed Programming Tips that occur throughout the text and emphasise unique features of problem areas of which students should be business of which students should be business that don't apply in phrases such as "My computer does/does not have the format-free statement."

The writing style is somewhat stiff and almost entirely nonconversational, and the pages are all very "busy," covered with boxes. little drawings, programming examples, etc. Despite all this, much good material is presented to those willing to wade through the cluster.

Social Issues In Computing, by C.C. Gotlieb and A. Borodin, Academic Press, New York, NY 284 pages. \$16.95, 1973.

In this age of mushrooming computer technology, most the stage of mushrooming computer technology, most computing. The set stable pursue the technical aspects of computing. The set stable pursue the technical sepects of computing. The set stable pursue the set of the set state to stay ahreast of interprotection of the set of the numerous specialities. While we diligently work at developing new systems and educating ourselves in the latest techniques, bittle time is left for questioning the social impacts of our efforts. In Social Issues In Computing, Godlieb and Borodin review the impact of computers in present and future society and address the social responsibility of computer scientists and data processors.

Given the power that is conferred upon those who possess and control information and knowledge in today's society, the long-term social issues dwarf the technical issues which have preoccupied us so far. Although computer technocrats may better understand the force of the issues, this sook will benefit anyone involved in information processing from the beginning student writing a sequential file processing program, to the government bureaucrat supervising the data banks of the internal Revenue Service.

The book explores the better-known of the critical social ssues—individual privacy and displaced labor. These are often described in the popular literature, however, this book presents a rigorous discussion of the issues and the thorough bibliography at the end of each chapter documents many

The chapter "Professionalization and Responsibility," presents the most provocative issues. We programmers marved at the efficiency of our sorting algorithms and numerical methods, but are we responsible for the subsequent destruction if we implement these algorithms in software that guides nuclear missiles to a crowded metropolis? We do have a social exercipibility with the property of the property of the property of the protearon inhibition which we have the property of the property of the protearon inhibition which we have the property of the property of the protearon inhibition which we have the property of the property of the protearon inhibition which we have the property of the property of the protearon inhibition which we have the property of the property of the protearon inhibition of the property of the property of the property of the property of the protearon inhibition of the property of the propert

For those who dream about the world of the next few centuries, the authors stimulate the imagination in the chapter, "Values, Technology, and Computers." This final chapter of the book discusses such philosophical issues as the meaning of leisure and the purpose of human existence. Consider life in the future. If computers completely care for humans and climinate the need to work, what is the purpose of life." Can activity other than work provide a truly human existence." This chapter leads the reader into the realm of future automation, in which superhuman machines service our every desire and want.

Every computing practitioner should put aside the technical manuals for a short while in order to read this text. Dump the most suitable language problem, the garbage collection dilemma, and the deadly embrace injultimate to customal storage! Refresh your "memory" with this book and "compute" on the intrusion of privacy, the elimination of jobs, and the value conflicts of technology. The future quality of human life deepends on it!

numan me depends on it:

Using new tools for learning

A prominent MIT educator challenges the conventional approach to computer-assisted learning—one in which computers program children—and demonstrates how children should program the computers, mastering through personal experience the "powerful ideas" that open the doors of mathematics and science. "A revolutionary book... required reading for anyone with an interest in computers, children, education, or the future."

-80 Microcomputing

"Changes the learning experience from a matter of discipline into one of discovery and excitement."

-Marvin Minsky, MIT

MINDSTORMS CHILDREN, COMPUTERS, AND POWERFUL IDEAS 5EYMOUR PAPERT

Illustrated, \$12.95

From the publishers of...

GÖDEL, ESCHER, BACH an Eternal Golden Braid Douglas R. Hofstadter. The Pulitzer Prize-winning bestseller. Illustrated, \$20.50

ARTIFICIAL INTELLIGENCE AND NATURAL MAN

Margaret Boden. This classic analysis of the processes of computer problem-solving is "accurate, articulate, common-sensical, and entertaining."

—Robert P. Abelson, Yale University Illustrated, \$8.95 paperback

THE SYSTEMS APPROACH AND ITS ENEMIES C. West Churchman

\$14.95

BASIC BOOKS, INC.

10 East 53rd Street, New York, NY 10022

· index to advertisers ·

Read	Activate lechnical Service Advantal Echnical Service Advantal Echnical Service Advantal Echnical Service Advantal Computer Products Advantal Video Ander Corp. American Eustom Electronic American Square Computers Agoid Computer American Square Computers Agoid Computer Advance Systems Aurica Systems Aurican Software Aurican Systems Aurican Software Aurican Systems Aurican Systems Aurican Systems Aurican Software Computer Service Computer Service Computer Service Computer Service Computer Emporium Computer Engorum Computer Engorum Computer Mail Order Catage Software	Page	Read	er ice	Advertiser Inc. Systems Furnish mouting mouting proposed to the system A sasoc Book Computer A Sasoc Book Computer A	Page	Read	9r 00	Advertiser Trout I from I for the advertiser I from I for the advertiser	Page
102	Aardyark Tochnical Service	1.7	⊒18	Electro	nic Systems Furnitue	re 160	242	Pickles &	Trout	197
	Acorn Software	65	7.4	E'lis Co	mputing	143		Poly Pak	s Inc	
148	Advanced Computer Products	85	178	Essex F	ublishing					
103	Adwar Video		77	Farnsw		207	209	Program	Store	77
	ALF Products		178		ck Computer Produc	203	255	Prometh		
104	Amdek Cor	63	179	GRC	Assoc	191			ottware	31
108	Suetame	183	-05			215	188	Racet Cr	mputes	
105	American Square Computers	180		Hayes I	Microcomputer	55	214	Realty St	oftware	183
	Apple Computer	45	139	Highlan	ids Computer		250			180
109	ASAP Computer Products	172	144	Hunting	ton Computing	117	256		er Data	
116	ASCII	197	2.8		10	102	256		Lompumy	189
114	Ateri	102	192	Intok		180	281			
06	Aurora Software				Opernetics	180	28		s	186
	Automated Simulations		219	Krell So	ftware	21	230	Softronic	S S	189
	asic Books		235	Lifeline		147	234	Software	Street	
115	Beagle Broc	9		Link Sy	stems			Software	Technology for Co	mputers 83
270	elue Lakes Computino		162	Magnol	a Microsystems	180	267			2012
121	The Blok C		165	Mark G	ordon Computers		203	Spoonwe	Calbuaro	73
129	Broderbund Software		196	Maroma	aty & Scotto Softwar		212		St Auber	186
			100	Med Sy	Asiems Software		7-4		Source	61
119	Central Point Software	97		Muro A	ecilitologies	149			Simulations	41
	Charles Mann & Associates	558	197	MIC O A	ri hitecl	183	216	Street L	lecironic Core	141
113-1	11 Cload Magazine		155	Micro L	ab	133	167			
	Color Soltware	16		Miclo	ab		266	Supe		
146	Components Express	85	156	Micro	ab		544		to Software	141
126	Comm Data Systems		65		earlingware	184		Systems	Software	181
	Compress Machines	191	162	MICTOR	nagazine Asosoomont System	100	216	Sync		13
159	Compuserve		168		oft Consumer Produ	cts 49		Tab Sale	S _	
127	The Computer Answer	108	243	Micros	tand	209			Electrics	182
134	Computer Applications Un imited	1 34	247	Micros	ystems	159	241	THESIS		
135	Computer Emporium	189	198	Micro S	systems Ltd	184	2 9			
141	Computer Exchange	136	244	M rol	fechnologies Unitd	47	193		ormation Service	182
124	Computer Information Exchange	138		Microti			181			
140		108	245	Micro	NOTES LOSO Most	135	238	Triangle	Systems	179
140	Computer Reference Guide	93	24	Micoex	e wart	197		Trunnile	Systems	181
140	Computers R Us	121	00		Morrow & Co	178	183	TLE Hat	rdside	Cover
128	Computer Shooper	2.1	191	Mounta	in Computer	1	180	TEE Had		
145	Computer Specialties	61		Muse S	Software	19	200			
149	Computer Station		26	Muse S	oftware		240		arketing	7
139	Computer Tore of Guil Breeze	60		MUSE S	conware	9.0	263	Vista		
	Computronics 1.	44-145			cientific	Cover 4	146	Vista Co	mputer Co	8
140	Consumer Computer Mail Order	121				15	190	Voicetel		
181	C ttage Software		213	Omega	Sales	53	26.	Wawc	components	
	CP M Users Group	193	246	On Lin	e Systems	59		Windjan	nmer Barefoot Class	es Ltd 76
171	CPU Shop	99	248		e Systems	43				
132	Cyber-tech	16	249		e Systems	209				
1_0 172 151					e Systems	61	Crea	tive Comp	outing	
51	Data Search		206		ne Computer Corn	7	300	Apple S	oftware	121
182	Data Sott	over 3			ne. McGraw Hill	06	3=0	Apple S	oftware	
	Designer Software	97	16	Pacific	Exchanges	79		Atarı So	Itware	
184	Digibyte	109	204	Pacific	Exchanges				omputer Games	
158	Discount Data Products	95	169	Pacific	Exchanges	208			outing oftware oftware oftware oftware mputer Games ers for Kids i Computing Index on Tiveaway is for Computer Soli Software tions	
131	Disc 2 Mart	193		Pan An	nerican Electronics	184				
143	Dresden Assoc	113	210	Pench	erats Plus	6.7		Problem	s tor Computer Solu	ition 194
138	Dynacomp		239	Periph	erals Plus		300	IIIS-80	Sottware	89
138 188	East Coast Computers	184	239	Periph	erals Plus	91	300	TRS-80	Sottware	195
154	Ecosoft	191	239	Periph	erals Plus			Shirts		18
	ducational Courseware	180	239	Periph	erais Plus	208		Subscrip	tions	35
164	Computonics Continuer Computer Mail Order Cettage Software Cettage Software Cettage Software Cytes Not Cyt	216	120		ar Computer World	165	· Wn	te adverti	ser directly	
142	Electronic opecialists	213	1 1/0	P. C. C.	an adminary	112-113	-	TO VOI (II)		-
			9.1 9	21.0.00	T!	00 (0) 11/1			ande to Manchaett	

puzzle answers

A Marbleous Puzzle: The number of black marbles in the white container is equal to the number of white marbles in the black container.

Two For The Show: Puzzle 1: One ought to owe nothing, for one ate nothing. Puzzle 2: 1 understand you undertake to undermine my understanding. It's Riddle Time: (1) 9+99.9 = 20, (2) When it is 8 o'clock and you add 6 hours to it, the answer is 2 o'clock. (3) Because it makes Ma Mad. (4) To keep his wig warm. (5) Because it makes the butterfly. (6) A timetable. (7) In the dictionary. (8) None. You have to pour them into the pot.

The Clue Club:



The Fork In The Road: "Which path would you say leads to London town?"

Forsooth. If fair damsel is honest, she will always say the London fork will lead to London. And so. In answer to Merlin's question she must also indicate the London path.

If fair damsel is dishonest then she will always say that the Manchester path (if the second path leads to Manchester) leads to London. But since she is dishonest, then in response to Merlin's query she must also indicate the London path.

It follows that regardless of whether fair damsel is honest or dishonest, in response to Merlin's query she must indicate the London path. Merlin proceeded on his way fully confident of arriving in London town. But having no idea of whether or not fair damsel was honest or dishonest. O Merlin, thy wizardry is inspiration to all us mere mortals who observe your artistry.

Many Into One:



June 1981 • Expires September 1, 1981 Expires September 1, 1981 • 1981 June 1 □ New SUBSCRIPTIONS TO CREATIVE COMPUTING Renewal SOFTWARE **BACK ISSUES** Canada and Quan Cat.# Price Total 3 yrs (36 issues) 2 yrs (24 issues) \$ 143 97 For a change of address, please attach old label BOOKS, POSTERS, RECORDS, GAMES Quan Cat Books, Records, Games \$3 USA, \$6 Foreign Shipping Charge More Basic Games-TRS-80 Best of Byte NJ residents add 5% sales tax Be A Computer Literate

Computer Rage Game Problems for Computer Solution

Check or Money order enclosed (U.S. funds only) ■ MasterCard Name Address

creative computing Clinton, Iowa 52735 P.O. Box 2976

creative computing

Place Stamp Here

Clinton, Iowa 52735

Place Stamp Here

Place Stamp Here

Creative computing
P.O. Box 789-M
Morristown, N.J. 07960



BAINT YOUR APPLE

And don't spare any of the 21 vibrant colors provided with Datasoft's MICRO-PAINTER™ computer program.

MICRO-PAINTER™ is a modestly priced software package that bridges the gap between Apple hardware and the artist in us all.

Apple II* users can now heighten their creative and artistic IQs as they electronically paint extraordinary pictures.

And since the MICRO-PAINTER™ uses stateof the art technology in its programming and implementation, anyone will find the program easy to use and the results — magnificent.

Children can ease their transition into a computerized society by familiarizing themselves with computer operations while they create beautiful pictures.

Hobbyists can entertain friends with colorful designs and unusual color combinations

*Apple 8 is a registered trademark of Apple Computer Inc.

Businessmen can enhance demonstrations, presentations or illustrations where the emphasis is on color.

The MICRO-PAINTER™ even magnifies images for dot-by-dot coloring, inverts colors for various color combinations and saves or displays pictures automatically.

So if you've been waiting to reveal your true artistic colors (or wishing you had more) call or write Datasoft, Inc., 16606 Schoenborn Street, Sepulveda, CA 91343, (213) 894-9154 or toll free (800) 423-5630 for details. Dealer inquiries invited.

Ask your local dealer for information on Datasoft Produc

MICRO-RAINTER

COMPUTER PAINTSET BY PALASOFT INC.

The ultimate educational tool.

The Challenger small computer.

Today computers touch every part of our lives. Even the checkout counter at the local store is becoming computerized. Personal computers are rapidly finding their way into homes, small businesses

and schools The increasing dependence on computers by our society indicates that students should have some exposure to the basics of computers as part of their normal curriculum. Thousands of schools have recognized this need already and have implemented computer literacy programs as part of the normal curriculum. These programs which present the fundamentals of computers, their capabilities and limitations, logical thinking, flowcharting and an introduction to programming are typically implemented with personal computers. Many schools are also offering introductory programming courses as electives.

Back to the basics with a small computer.

Small computers were first used to teach computing, but they have been found to be a tremendous aid in teaching other subjects including the fundamentals: reading, writing and mathematics.

Today's small computers have graphics display capability which allows animations and cartoons. This makes interesting and even exciting educational tutors and games a reality. Exercises and "games" that improve mathematical proficiency. spelling and reading while they entertain can dramatically increase the attention span of poorly motivated students and provide an interesting and entertaining challenge for discouraged slow learners

Which small computer is for your school? The low cost personal computers avail-

able today seem like a natural for education, however, most models were designed primarily for home use, not institutional use. Many models lack the mechanical durability and operational

features that are almost

a necessity in an educational environment. Ohio Scientific offers four models of small computers ideally suited for educational use ranging from under \$500 to under \$2000. Even our lowest cost model, the Challenger 1P at \$479, includes these im-

- portant features for education: · Full typewriter style keyboard with long life sealed contacts and lower case capability
- Standard video interface which allows the connection of large TV monitors for
- class or even auditorium viewing · Upper and lower case alphabetic and
- graphics display Unique "dual mode" display which pro vides 48 character lines for individual use and larger characters on the screen
 - interface for program storage which allows the student to view the program
 - · 8K of program workspace enough for computer literacy directly expandable to more memory and floppy disk storage

with a mini-floppy disk at a far lower price than any other disk based computer. Ohio Scientific also offers the C4P, a more advanced model featuring color display and PASCAL and FORTRAN language capabilities

For more information and the name of your local dealer call 1-800-321-6850 toll free. Please indicate your interest in educational applications.

a MACOM Company 1333 SOUTH CHILLICOTHE ROAD AURORA, OH 44202 • [216] 831-5600

